

OERT AD 2.1 AERODROME LOCATION INDICATOR AND NAME**OERT - RAS TANURA/ Ras Tanura****OERT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	264324N 0500154E 025 / 024NM FM KFA VORTAC
2	Direction and distance from (city)	NIL
3	Elevation/Reference temperature	9 FT
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	3°E (2015) 0.05°Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	SAUDI ARAMCO P.O.Box 80 Dhahran - 31311 TEL: +966 13 8774066 FAX: +966 13 8725034
7	Types of traffic permitted (IFR/VFR)	IFR and VFR
8	Remarks	TIBA: 122.400 MHZ Ras Tanura Dispatch 135.92 MHZ

OERT AD 2.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	NIL
3	Health and sanitation	On request
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	On request
7	ATS	NIL
8	Fuelling	NIL
9	Handling	On request
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

OERT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	Jet A1
3	Fuelling facilities/capacity	Two tanks/ 4000 USG
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

OERT AD 2.5 PASSENGER FACILITIES

1	Hotels	In Rastanura city
2	Restaurants	In Rastanura city
3	Transportation	SAUDI ARAMCO
4	Medical facilities	ARAMCO clinic
5	Bank and Post Office	In Rastanura city
6	Tourist Office	NIL
7	Remarks	NIL

OERT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 6
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

OERT AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

OERT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Asphalt
2	Taxiway width, surface and strength	Surface: Asphalt
3	Altimeter checkpoint location and elevation	Location: NIL Elevation: 9 FT
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

OERT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	NIL
2	RWY and TWY markings and LGT	RWY marking: Edge, CL, Stripe and threshold
3	Stop bars	NIL
4	Remarks	NIL

OERT AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
33	Tower	NIL	SE 515 FT, South 483 FT	NIL	NIL
15/33	Power Line	NIL	West 126 FT	NIL	NIL

OERT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Terminal dispatch office
2	Hours of service MET Office outside hours	On request
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

OERT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
15	150° MAG	2149 x 30	Asphalt	NIL	8 FT
33	330° MAG	2149 x 30	Asphalt	NIL	8 FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
	NIL	NIL	2149 x 30	NIL	NIL
	NIL	NIL	2149 x 30	NIL	NIL

OERT AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
15	2149	2149	2149	2149	NIL
33	2149	2149	2149	2149	NIL

OERT AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
15	NIL	LIH	PAPI 3°	NIL	NIL	LIH	LIL	NIL	NIL
33	HIALS	LIH	PAPI 3°	NIL	NIL	LIH	LIL	NIL	NIL

OERT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

OERT AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	Heavy Helicopter Traffic East of Airport Fixed Wing Aircraft RWY 15 Right Traffic RWY 33 Traffic Left Hand Traffic

OERT AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	ATZ : Circle radius 5 NM centred on 264301N 0500154E
2	Vertical limits	SFC TO 2500 FT AMSL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT
6	Remarks	NIL

OERT AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
A/G	Ras Tanura Dispatch	135.920 MHZ	HJ	NIL
TIBA	Ras Tanura	122.400 MHZ	H24	Saudi Aramco Call FRS 15 MIN before ARR time on FREQ 122.400MHZ

OERT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
LOC RWY 33 ILS CAT I	ITNR	108.300 MHZ	H24	264401N 0500129E	NIL	NIL
GP		334.100 MHZ	H24	264257N 0500202E		
DME	ITNR		H24	264257N 0500202E		

OERT AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OERT AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OERT AD 2.22 FLIGHT PROCEDURES

NIL

OERT AD 2.23 ADDITIONAL INFORMATION

NIL

OERT AD 2.24 CHARTS RELATED TO AN AERODROME

Chart name

Page

INTENTIONALLY BLANK