

OEPI AD 2.1 AERODROME LOCATION INDICATOR AND NAME**OEPI - PUMP STATION 9/ Pump Station 9****OEPI AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	241636N 0420836E 253 / 436 NM FM KFA VORTAC
2	Direction and distance from (city)	NIL
3	Elevation/Reference temperature	2 968 FT/ NIL
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	3°E (2015) 0.07° Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	SAUDI ARAMCO P.O.Box 80 Dhahran - 31311 TEL: +966 13 8774991 FAX: +966 13 8774996
7	Types of traffic permitted (IFR/VFR)	IFR and VFR
8	Remarks	Pump station 9 Dispatch 135.95 MHZ - SAUDI ARAMCO

OEPI AD 2.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	NIL
3	Health and sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	NIL
8	Fuelling	By prior coordination
9	Handling	NIL
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

OEPI AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	JET A1
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

OEPI AD 2.5 PASSENGER FACILITIES

1	Hotels	NIL
2	Restaurants	NIL
3	Transportation	NIL
4	Medical facilities	NIL
5	Bank and Post Office	NIL
6	Tourist Office	NIL
7	Remarks	NIL

OEPI AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 6
2	Rescue equipment	NIL
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

OEPI AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

OEPI AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Asphalt - NIL
2	Taxiway width, surface and strength	Surface: Asphalt - NIL
3	Altimeter checkpoint location and elevation	Location: NIL Elevation: 2968 FT
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

OEPI AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Parking position markings available.
2	RWY and TWY markings and LGT	RWY marking: Edge, CL, Stripe and threshold RWY lighting: Threshold, Edge and Runway end TWY marking: Edge, CL TWY lighting: Edge
3	Stop bars	NIL
4	Remarks	NIL

OEPI AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
17	Terrain North 3950 FT	NIL	Tower	East of Airstrip	NIL

OEPI AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	NIL
2	Hours of service MET Office outside hours	NIL
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

OEPI AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
17	NIL	2438 x 30	Asphalt	NIL	2965 FT
35	NIL	2438 x 30	Asphalt	NIL	2967 FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
0 %	NIL	NIL	2438 x 30	NIL	NIL
0 %	NIL	NIL	2438 x 30	NIL	NIL

OEPI AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
17	2438	2438	2438	2438	NIL
35	2438	2438	2438	2438	NIL

OEPI AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
17	ODALS	LIH	NIL	NIL	NIL	LIH	LIL	NIL	Activated on 122.300 MHZ
35	ODALS	LIH	VASIS	NIL	NIL	LIH	NIL	NIL	

OEPI AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

OEPI AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

OEPI AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT
6	Remarks	TIBA: 122.800 MHZ

OEPI AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
A/G	Pump Station 9 Dispatch	138.250 MHZ	sunrise to sunset	
TIBA	Pump Station 9	122.800 MHZ	H24	ARAMCO

OEPI AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	PS9	607 KHZ	H24	2415N 04208E	NIL	NDB+RNAV

OEPI AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OEPI AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OEPI AD 2.22 FLIGHT PROCEDURES

NIL

OEPI AD 2.23 ADDITIONAL INFORMATION

NIL

OEPI AD 2.24 CHARTS RELATED TO AN AERODROME

Chart name

Page

INTENTIONALLY BLANK