

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 1 of 6  
Version: 1.1  
Revision Date: 4/17/2015

## XTRASTOP 550 SMOKE & DRAFT SEALANT

### 1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

**Product Brand Name:** XtraStop 550  
**Other Names/Synonyms:** None  
**Recommended Use:** Sealant - Other  
**Uses advised against:** No information available

**Company Contact Information**

Premier Building Solutions, Inc.  
480 Nova Drive  
Massillon, OH. 44646  
Telephone: 330-244-2907

**Emergency Telephone Number**

CHEMTREC: 1-800-424-9300 (24 hours) or 1-703-527-3887

### 2. HAZARDS IDENTIFICATION

GHS Classification

**Classification:** No classified

**Label elements GHS-US:** No labeling applicable

**Other hazards:** No additional information available

**Unknown acute toxicity GHS-US:** None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance:** Mixture  
**Chemical Nature:** Latex  
**Components:** Trade secret

### 4. FIRST AID MEASURES

**General Advice:** Show this safety data sheet to the doctor in attendance.

Eye Contact

Flush eyes with clean water for 15 minutes or until no evidence of material remains. If discomfort persists, see a physician.

Skin Contact

Wash thoroughly with clean water and mild soap. Avoid vigorous scrubbing which could cause abrasions and irritations. If discomfort persists, see a physician.

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 2 of 6  
Version: 1.1  
Revision Date: 4/17/2015

## XTRASTOP 550 SMOKE & DRAFT SEALANT

### Dust Inhalation

Remove from exposure area to fresh air. If discomfort persists, see a physician.

### Ingestion

Drink plenty of water. If discomfort persists, see a physician

### Routes of Entry

Inhalation:	No
Skin:	No
Ingestion:	Yes
Eye:	Yes

\*Primary ingredients are ground and pulverized minerals suspended in an aqueous solution

## 5. FIRE FIGHTING MEASURES

### Suitable Extinguishing Media

N/A

### Special Fire Fighting Procedures

None

### Unusual Fire and Explosion Hazards

None

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

### Special Precautions

None

Methods and material for containment and cleaning up

### Methods for disposal

Not a hazardous waste. Dispose in accordance with applicable federal, state and local regulations

## 7. HANDLING AND STORAGE

Precautions for safe handling

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 3 of 6  
Version: 1.1  
Revision Date: 4/17/2015

## XTRASTOP 550 SMOKE & DRAFT SEALANT

### Handling

No special precautions are required.

### Conditions for safe storage, including any incompatibilities

### Storage

Store at temperatures below 212°F (100°C)

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

### Exposure Guidelines

Individual protection measures, such as personal protective equipment

### Eye/Face Protection

Wear safety glasses or goggles when sanding.

### Respiratory Protection

Use a NIOSH approved dust mask when sanding in a confined area.

### Work Hygiene Measures

Avoid creating unnecessary dust (sanding)

## 9. PHYSICAL & CHEMICAL PROPERTIES

Physical Form: Paste, Liquid  
Color: Red  
Odor: No distinguishable odor  
Odor Threshold: No information available  
Appearance: Textured

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	9.0	None known
Melting point	3400°F (1870°C)	None known
Boiling point / boiling range	212°F (100°C)	@ 760 mmHG
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	17 mmHg	@ 68°F (20°C)
Vapor density	No data available	None known

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 4 of 6  
Version: 1.1  
Revision Date: 4/17/2015

## XTRASTOP 550 SMOKE & DRAFT SEALANT

Specific Gravity	No data available	None known
Water Solubility	Soluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	

### Other Information

Softening Point	No data available
VOC Content (g/L)	N/A
Particle Size	No data available
Particle Size Distribution	No data available

## 10. STABILITY AND REACTIVITY

### Stability

Product is stable

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Incompatible materials

None

### Hazardous Decomposition Products

None known

## 11. TOXICOLOGICAL INFORMATION

**\*\*This product is considered non-toxic\*\***

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Acute Short Term Exposure

<b>Skin Absorption:</b>	None reported
<b>Eye contact:</b>	May cause abrasion and irritation
<b>Inhalation:</b>	Sanding dust may cause irritation of breathing passages
<b>Skin Contact:</b>	Prolonged exposure may cause dryness and irritation
<b>Ingestion:</b>	None reported

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 5 of 6  
Version: 1.1  
Revision Date: 4/17/2015

### XTRASTOP 550 SMOKE & DRAFT SEALANT

**Chronic Long Term Exposure**

None

**Carcinogenicity**

This product is not considered to be carcinogenic

#### 12. ECOLOGICAL CONSIDERATIONS

**Aquatic toxicity**

None

**Waterfowl toxicity**

None

**Biochemical Oxygen demand**

None

**Food chain concentration potential**

None

#### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Disposal methods**

Not a hazardous waste. Dispose in accordance with applicable federal, state, and local regulations.

#### 14. TRANSPORT INFORMATION

**DOT** In accordance

\*Not considered a dangerous good for transport regulations

#### 15. REGULATORY INFORMATION

**Product is not regulated**

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 6 of 6  
Version: 1.1  
Revision Date: 4/17/2015

## XTRASTOP 550 SMOKE & DRAFT SEALANT

### 16. OTHER INFORMATION

#### EPA Hazard rating

Immediate Health:	1
Delayed Health:	0
Fire:	0
Pressure:	0
Reactivity:	0

#### HMIS

Health Hazards:	1
Flammability:	0
Physical Hazard:	0
Personal Protection:	X

**Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text**

<http://www.xtrabond.com>