

Kleen-Glo® Enviro-Friendly Gloves

- Meets EN388 Standard
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Made from natural latex—a renewable resource
- Liner is made from recycled polyester and cotton
- 144 pairs per case

53343

Size **S/M**

53344

Size **M/L**

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	1
Tear Resistance	3
Puncture Resistance	1



Viking Handyman® Work Gloves

- Meets EN388 Standard
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Made from natural latex—a renewable resource
- Liner is made from recycled polyester and cotton
- Breathable, comfortable, and reduced hand fatigue
- 120 pairs per case

Size **7 - 10**

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	1
Tear Resistance	3
Puncture Resistance	1



73344



73343

Viking® MaxxGrip® Supported Work Gloves

- Meets EN388 standard
- Superior ergonomic fit and textured palm design provides dexterity and excellent gripping power
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Breathable, comfortable, and reduced hand fatigue
- 6 times the wear of split leather
- 72 pairs per case

Size **7 - 10**

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	2
Tear Resistance	4
Puncture Resistance	2



73349



73347



73373

73379

73378

Viking® Thermo MaxxGrip® Supported Work Gloves

- Meets EN388 standard
- Textured rubber grip over seamless warm acrylic knit
- Rubber-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- Contour-fit for excellent dexterity and gripping power
- Ideal for cold weather or padded glove applications
- 120 pairs per case

Size 7 - 10

Compliance EN388	
Test/Property	Level
Abrasion Resistance	2
Blade Cut Resistance	1
Tear Resistance	4
Puncture Resistance	2



73386

73385

Viking® Arctic MaxxGrip® Work Gloves

- Meets EN388 standard
- 7-gauge interior soft pile lining to maintain warmth
- Textured rubber grip over seamless warm acrylic knit
- Rubber-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- Contour-fit for excellent dexterity and gripping power
- Ideal for extreme weather or padded glove applications
- 72 pairs per case

Size 8 - 10

Compliance EN388	
Test/Property	Level
Abrasion Resistance	1
Blade Cut Resistance	3
Tear Resistance	3
Puncture Resistance	1



73376

73365

Viking® Nitri-Dex Work Gloves

- Meets EN388 standard
- Nitrile-dipped palm on seamless polyester knit
- 6 times the wear of split leather
- Superior grip in oily applications, flexible, comfortable, and breathable
- Excellent for use in assembly and repair work on electric appliances, mechanical maintenance, engineering, and construction work
- 120 pairs per case

Size 7 - 10

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

Viking® Foam Nitri-Dex Gloves

- Meets EN388 standard
- Nitrile-dipped palm on seamless nylon knit
- Foam Nitri-index brings superior precision and flexibility, allowing for optimal comfort and dexterity while reducing hand fatigue
- Foam nitrile coating provides better grip on slippery surfaces
- Superior grip in oily applications, flexible, comfortable, and breathable
- Contour-fit for excellent gripping power
- Breathable, stretch knit wrist and back for comfort
- 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	3
Puncture Resistance	2

Size **8 - 10**



73362

Viking® Nitri-Dex 360° Gloves

- Meets EN388 standard
- Nitrile double dipped palm on seamless nylon knit
- Optimal dexterity, grip, and comfort while delivering industrial grade performance in strength and durability, abrasion resistance, and protection against a wide range of chemical substances
- 360° nitrile coating provides liquid proof protection even on the back of the hand
- Highly durable, high dexterity, ergonomic shape for comfort
- Double coated palm improves strength, durability and abrasion resistance
- Outer foam nitrile layer also enables precision handling of small parts with increased flexibility and dexterity
- Knit wrist helps prevent dirt and debris from entering the gloves
- 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

Size **8 - 10**



73363

Viking® Nitri-Dex Roper Gloves

- Meets EN388 standard
- Full dip coating provides superior flexibility, allowing for optimal comfort to help reduce hand fatigue
- Soft breathable foam nitrile coating enhances flexibility and grip on slippery surfaces
- Elastic wrist stitching provides better fit and prevents debris from entering the glove
- Seamless nylon liner
- 6 times the wear of split leather
- 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

Size **8 - 10**



73364

Viking® Thermo Nitri-Dex Work Gloves



73377

- Meets EN388 standard
- Dual layered protection—deal against cold weather or in padded glove applications
- 7 gauge interior soft pile lining to maintain warmth
- 15 gauge exterior nylon knit with nitrile coating for ultimate hand protection
- Contour-fit for excellent dexterity and gripping power
- Provides excellent puncture, wear and liquid protection
- Breathable stretch knit wrist and back for comfort
- 120 pairs per case

Size 8 - 10

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	2



73381

73382

Viking® Cut Resistance NBR Palm Coated Gloves

- Meets EN388 standard
- EN388 Cut Protection Level 5
- Good for steel/automobile, petro-chemicals, and jobs requiring metal/glass handling, precision or rough work.
- Multipurpose
- Non-slip coating
- Excellent for use in outdoor home repairs, gardening, furniture refinishing and cleaning
- 72 pairs per case

73382 available in 8 - 10

Size 7 - 10



Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	5
Tear Resistance	4
Puncture Resistance	3



73383

Viking® Firewall FR® Cut Resistant Gloves

- Meets CGSB 155.20 for Protection Against Hydrocarbon Flash Fire
- Meets EN388 for Protection from Mechanical Risks
- Independently tested to meet the requirement of CGSB 155.20
 - TPP with spacer (Thermal Protective Performance) is 14.4 calories/cm²
 - TPP without spacer is 11.6 cal/cm²
- EN388 Cut Protection Level 4
- Advanced ergonomic design for greater comfort, flexibility, and agility
- NBR-coated palm
- Materials utilized in the gloves are inherently flame-resistant providing protection for the entire life of the gloves
- Industries: Mining, oil refining, petrochemical, public utilities, construction, electric and gas utilities, resource manufacturing
- Snug knit wrist prevents dirt and debris from entering the gloves
- 72 pairs per case

Size 8 - 10



Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	4
Tear Resistance	4
Puncture Resistance	2

Viking® Firewall FR® Cut Resistant Gloves

- Meets CGSB 155.20 for Protection Against Hydrocarbon Flash Fire
- Meets EN388 for Protection from Mechanical Risks
- Independently tested to meet the requirement of CGSB 155.20
 - TPP with spacer (Thermal Protective Performance) is 14.4 calories/cm²
 - TPP without spacer is 11.6 cal/cm²
- EN388 Cut Protection Level 4
- Superior metacarpus and phalanges impact protection while delivering an industrial grade protection against hydrocarbon flash fire and cut resistance
- Armour padding protection utilizes an advanced design to dissipate forceful blows
- NBR-coated palm
- Materials utilized in the gloves are inherently flame-resistant providing protection for the entire life of the gloves
- Industries: Mining, oil refining, petrochemical, public utilities, construction, electric, and gas utilities, resource manufacturing
- Snug knit wrist prevents dirt and debris from entering the gloves
- 72 pairs per case



Size 9 - 11

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	4
Tear Resistance	4
Puncture Resistance	2



73384

Viking® Thermo Journeyman PVC Gloves

- Meets EN388 Standard
- Dual layered protection: ideal against cold weather or in padded glove applications
- Extra thick brushed acrylic liner provides superior insulation from the cold
- Stretchy and form fitting design offers a high level of comfort and fit
- 15 gauge exterior nylon knit and an extra soft seamless 7 gauge interior lining allow for ultimate protection and excellent warmth and flexibility in sub-zero temperatures
- Textured PVC-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- Latex-free
- 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	2
Tear Resistance	2
Puncture Resistance	1

Size 8 - 10



73374

Viking® Ultimate® PVC Work Gloves

- Meets EN388 Standard
- Excellent for use in outdoor home repair gardening, furniture refinishing, and cleaning
- PVC-coated, and seamless knit 100% cotton lining
- Highly durable, high dexterity, ergonomic shape for comfort and dexterity
- Phthalate-free
- Machine washable
- 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

Size 8 - 10



73356



52226-ELD53
52224-ELD53

52224-ELD41

52224-ELD42

52226-ELD422
52224-ELD422

Open Road® Value Pack Gloves

• Sold in packs of 6 pairs; 240 pairs per case

Polyester Gloves with Nitrile Coating

- Superior grip with oily applications
- Flexible, comfortable, and breathable
- Contour fit for excellent dexterity and gripping power
- Nitrile coated protection provides great performance in wet conditions
- Ideal for cleaning, gardening, and household projects

52224-ELD53

52224-ELD41

52224-ELD42

52226-ELD53

Size

Size

Polyester Gloves with Latex Coating

- Textured Palm for great gripping power
- Breathable, with non-slip coating
- Ideal for assembly and repair work, mechanical maintenance, engineering and construction work

52226-ELD422

52224-ELD422

Size

Size



34675

Viking® Nitrile Gloves

- Food safe
- Excellent for chemical handling, printing, and food processing work
- Sand smooth, and flocklined
- 12" long; 15 mil
- 12 per poly bag; 144 pairs per case

Size



155



02088

Viking® Heavy-Duty Latex Gloves

- Excellent for chemical handling, and agricultural work
- Cotton flock lining absorbs perspiration

155

- Beaded cuff prevents droplets flowing beyond the glove
- Black
- Heavy-duty rubber
- Diamond pattern, and flocklined
- 13" long; 27 mil
- 12 per poly bag; 144 pairs per case

Size

02088

- Straight cuff
- Orange
- Heavy-duty rubber
- Diamond pattern, and flocklined
- 13" long; 30 mil
- 1 pair per poly bag; 12 pairs per case

Size

Viking Handyman® Nitrile Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Reference specification for size L: 4.0g (+/- 0.3g) (3.35 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

Size **S - XL**



34603

Viking® Nitrile Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Heavy-duty blue nitrile; reference specification for size L: 5g (+/- 0.3g) (4 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

Size **S - XL**



34600

Viking® Black Forte™ Nitrile Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Heavy-duty black nitrile; reference specification for size L: 5.5g (+/- 0.3g) (4.5 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

Size **S - XL**



34605

Viking Professional® Black Forte™ Disposable Nitrile Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Extra heavy-duty black nitrile; reference specification for size L: 11 g (+/- 0.3g) (8 mil thick)
- Textured finger tips for better grip, and extended cuff lengths for better protection
- 3x Stronger than latex/vinyl
- 10 dispensers of 50 gloves/case

Size **M - XL**



34606



01370-01373

84051

Viking® Latex Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Lightly powdered
- Reference specification for size L: 5.5 g (+/- 0.3g) (4 mil thick)

01370 - 01373

- 10 dispensers of 100 gloves/case

Size **S - XL**

84051

- 10 dispensers of 50 gloves/case

Size **One size**



34900

Viking® Latex Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Powder-free
- Reference specification for size L: 6 g (+/- 0.3g) (5 mil thick)
- 10 dispensers of 100 gloves/case

Size **S - XL**

NITRYL DISPOSABLE GLOVES



84052

Viking® Nitryl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- 2x Stronger than latex/vinyl
- Superior chemical resistance compared to vinyl gloves
- Economic alternative to nitrile
- Reference specification for size L: 5.5 g (+/- 0.3g) (3.5 mil thick)
- 10 dispensers of 50 gloves/case

Size **One size**

POLY DISPOSABLE GLOVES



00142-00143

Viking® Poly Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free
- 20 dispensers of 500 gloves/case

Size **M - L**

VINYL DISPOSABLE GLOVES

Phthalate-Free Vinyl Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; phthalate-free
- Lightly powdered
- Reference specification for size L: 5 g (+/- 0.3g) (3.5 mil thick)
- Reduced environmental impact, and reduced health risk
- 10 dispensers of 100 gloves/case

34100

Size **S - XL**

34000

Size **One size**



34100

34000

Viking® Vinyl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; PVC contains no latex proteins. Safe for Type 1 allergies
- Powder-free
- Super soft for use comfort; stretchy; fatigue-free
- Durable, and tear-resistant
- Excellent for use in employee/occupational health services and non-surgical clinics, infant services, food handling, public services, kitchen work, sanitary activities, light-duty cleaning, office cleaning, and janitorial services
- Reference specification for size L: 6g (+/- 0.3g) (4.5 mil thick)
- 10 dispensers of 100 gloves/case

01364 - 01367

- Blue vinyl

Size **S - XL**

01360 - 01363

- White vinyl

Size **S - XL**



01364 - 01367

01360 - 01363

Viking® Phthalate-Free Vinyl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; phthalate-free; powder-free
- Reference specification for size L: 5.5g (+/- 0.3g) (4 mil thick)
- Reduced environmental impact, and reduced health risk
- 10 dispensers of 100 gloves/case

Size **S - XL**



01356 - 01359

