DISTAGQCS™

QUALITY COMPONENT SOLUTIONS

ACCESSORIES

AGRI PARTS

REV-01

DISTAG QCS™
QUALITY COMPONENT SOLUTIONS

AGRI-PARTS ACCESSORIES

INTRODUCTION

DISTAG QCS HAS A WIDE RANGE OF SMALL AGRI-PARTS ACCESSORIES - OPERATOR MANUAL HOLDERS, SHACKLES, CLAMPS, ANTI-VIBRATION PARTS & PTO ACCESSORIES.

Distag QCS has a wide range of small accessories.

ANTI-VIBRATION PARTS

Molded screw-in or weld-on Anti-vibration mounts.

OPERATOR MANUAL HOLDERS

Cylindrical and Rectangle shaped waterproof manual holders.

SHACKLES, CLAMPS, AND CATCHES

A wide range of fittings to match with wire rope.

PTO ACCESSORIES

Distag QCS specialise, stock and manufacture a full range of PTO splined shafts and couplings.

Working with OEMs to carry quality standard products sourced from our partner factories in Europe, China, and India. Distag QCS has a long relationship with factories to deliver and stock a quality trusted product.

DISTAGQCS
QUALITY COMPONENT SOLUTIONS

CATCHES, HOOKS & MANUAL HOLDERS

INTRODUCTION

CATCH & HOOK

RAMP FASTENER KIT

CODE	Description	Thread
CAT-RF-16-B	Ramp fastener bolt (Zinc)	M16
CAT-RF-16-P	Ramp fastener plate	M16

CATCH & HOOK

ECCENTRIC CATCH & HOOK

CODE	Description	Thread
CAT-OC-01	Eccentric Catch	M12
CAT-OC-01-H	Hook only	

MANUAL HOLDER

A4 FLAT AND CYLINDER DESIGN

Operator's Manual & Tool Holder for farm machinery.

MANUAL HOLDER

MANUAL HOLDER CYLINDER

Calibrated floor chain and accessories

CODE	Length (mm)	Internal (mm)	External (mm)
OMH-D118	320	118	126
OMH-D084	320	84	102
OMH-D054	320	54	67

MANUAL HOLDER

MANUAL HOLDER FLAT

CODE	Length (mm)	Internal (mm)	External (mm)
OMH-F-A4	383	282	70
OMH-F-A5	274	200	55

DISTAGQCS™
QUALITY COMPONENT SOLUTIONS

SPLINED SHAFTS & PTO COUPLINGS

SPLINED SHAFT

SPLINED SHAFTS

CODE	Description	A (mm)	B (mm)	Material
PTO-SS-1-3/8-200	Single Ended-200mm 1" 3/8 Spline Shaft	200	90.5	EN 8
PTO-SSD-1-3/8-400	Double Ended-400mm 1" 3/8 Spline Shaft	400	90.5	EN 8
PTO-SSD-1-3/8-600	Double Ended-600mm 1" 3/8 Spline Shaft	600	90.5	EN 19



PTO COUPLING

PTO COUPLING

CODE	Description	A (mm)	B (mm)	Material
PTO-SC-1-3/8-200	1" 3/8 Female Splined Collar	100	50	EN 8

DISTAGQCS™
QUALITY COMPONENT SOLUTIONS

TAPER LOCK BUSHES

INTRODUCTION

THE TAPER LOCK BUSH, ALSO REFERRED TO AS A TAPER BUSH OR TAPER FIT BUSH, IS A LOCKING MECHANISM COMMONLY USED IN POWER TRANSMISSION DRIVES FOR LOCATING PULLEYS, SPROCKETS, AND COUPLINGS TO SHAFTS.

The outside of the bush is tapered to match the component bore that is to be located on the shaft. POWERDRIVE Taperlock bushes are produced from high grade cast iron.

CODE	Description	Bore
TL1610-1 3/8 SP	Taperlock Bush 1610	1 3/8" 6 spline
TL2012-1 3/8 SP	Taperlock Bush 2012	1 3/8" 6 spline
TL2517-1 3/8 SP	Taperlock Bush 2517	1 3/8" 6 spline

POWER DRIVE

DISTAGQCS™
QUALITY COMPONENT SOLUTIONS

CABLE CLAMPS & THIMBLES

ANTI-VIBRATION

SHACKLES, WIRE ROPE CLAMPS & THIMBLES -

Code	Type	Ø mm	A mm	B mm	C mm	D mm	PAYLOAD kg
SHA-215626	1	6	13	23	11		160
SHA-215627	1	8	17	31	15		250
SHA-215624	1	10	19	39	20		400
SHA-215625	1	12	23	48	24		630
SHA-215628	1	14	28	57	28		800
SHA-215629	1	16	31	63	31		1000
SHA-215630	1	20	40	77	39		1600
SHA-219284	2						550
SHA-219285	2						750
SHA-219286	2						1000
SHA-219287	2						1500
SHA-219288	2						2000
SHA-202462	2						2000
SHA-202463	2						3200
SHA-202464	2						4700
SHA-215759	3	4	40	31	5	14	180
SHA-215760	3	5	51	39	3.7	17	180
SHA-215761	3	6	59	45	8.5	21	400
SHA-215762	3	7	68	54	9.6	22	550
SHA-215763	3	8	74	58	10.4	24	700
SHA-215764	3	9	82	64	12	27	900
SHA-215765	3	10	89	69	13.5	30	1100
SHA-215766	3	12	106	82	14.8	34	1500
SHA-215767	3	14	122	94	15.5	40	2200
SHA-215768	3	16	141	109	17.5	44	2900

1.



2.

3.



CABLE CLAMPS & THIMBLES

CABLE CLAMPS & THIMBLES

CODE	TYPE	(mm)	A(mm)	B(mm)	C(mm)
SHA-215641	1	6	5	26	13
SHA-215642	1	8	6	32	16
SHA-215643	1	10	8	42	19
SHA-215644	1	12	10	50	24
SHA-215645	1	14	10	50	24
SHA-215647	1	20	12	71	32
SHA-215631	2	4	11	17.5	6
SHA-215632	2	5	14	23	7
SHA-215633	2	6	17	26	8.5
SHA-215634	2	8	19	32	11.5
SHA-215637	2	10	21	34	13.5
SHA-215638	2	12	26	36	16
SHA-215639	2	14	30	46	18.5
SHA-215640	2	16	36	51	21



ANTI-VIBRATION

ANTI-VIBRATION SUPPORT

CODE	TYPE	A(mm)	B(mm)	C(mm)	D(mm)
AVS-C-2015-M6	1	20	15	14	M6
AVS-C-2025-M6	1	20	25	14	M6
AVS-C-2520-M8	1	25	20	18	M8
AVS-C-3020-M8	1	30	20	23	M8
AVS-C-3030-M8	1	30	30	23	M8
AVS-C-4030-M10	1	40	30	23	M10
AVS-P-2117-M6	2	21	17	23	M6
AVS-P-2522-M8	2	30	14	28	M8
AVS-P-4030-M8	2	40	30	20	M8
AVS-P-4060-M8	2	40	60	28	M8
AVS-P1-3825-M8	3	38/32	25	18	M8
AVS-P1-4825-M10	3	48/40	25	17	M10

OTHER SIZES AVAILABLE ON REQUEST

1.

2.



3.



WWW.DISTAG.COM

Get in touch

TULLOW
Distag QCS LTD
Industrial Estate Tullow
Tullow
Co.Carlow
IRELAND
R93 V585

Tel: +353 (0)59 915 1626
Fax: +353 (0)59 915 1264
Email: sales@distag.com

IPSWICH
Distag QCS (UK) LTD
Unit 24
Farthing Road Ind.Est.
Sproughton, Ipswich
Suffolk, UK
IP1 5AP

Tel: +44 (0)1473 744 612
Fax: +44 (0)1473 744 613
Email: info@distag.com

DUNGANNON
Distag QCS (UK) LTD
11 Cookstown Rd
Dungannon
Northern Ireland
BT71 4BB

Tel: +44 (0) 28 92 633380
Fax: +44 (0) 28 92 607231
Email: Nisales@distag.com