



*Green energy, easy life*

# **BRAND STORY**

## **PKCELL**

### **Mr Lee Zhijiang**

---

The brand story starts when Mr Lee Zhijiang, a physics engineer, set up Shenzhen PKCELL Battery CO., Ltd in 1998. Till to now, PKCELL has developed as a renowned battery manufacturer leader at domestic and overseas. The brand comes from Power King CELL. It means the King of power battery.

In 1997, Mr Lee was a senior engineer working in Chinese Physics research institute. One day he went to a small town for business. Unfortunately, the hotel happened to power outage when he was in urgent need of writing a document at that night. Furthermore, the flashlight was power off soon. He ran across several streets but failed to find suitable battery there.

Immersed in thought in darkness, he wondered if he could produce long-lasting batteries and spread them all over the world, it would be convenient to more people.

In the second year, He resolutely resigned his originally stable job regardless of his relative's and friend's dissuasion. Then, he came to ShenZhen to realize his dream and finally set up PKCELL Brand.

Innovation is not only the core competitiveness of manufacturing, but also the soul of PKCELL's continuous development. PKCELL specializes in battery manufacturing over 16 years, pursues excellence and perfect balance of science and technology innovation, keeps learning, updates technology, and constantly develops a series of strong and environmental-friendly battery. PKCELL is not only a creator in the field of battery, but also the founder of better life.

# CONTENTS

---

**1** COMPANY PROFILE

---

**2** ADVANTAGES

---

**3** DEVELOPMENT

---

**4** PRODUCTS DISPLAY

---

**5** PARTNERS

---

**6** FUTURE PROSPECTS

---



*Green energy, easy life*

Began in 1998

# COMPANY PROFILE

Shenzhen PKCELL Battery Co.,Ltd

Shenzhen PKCELL Battery Co.,Ltd which was established in 1998, a high-tech enterprise combining R &D ,manufacturing and marketing of batteries, battery chargers and power banks etc.Our products include Ni-MH/Ni-Cd rechargeable batteries, alkaline batteries ,super heavy duty batteries, alkaline and lithium button cells , Li-SOCl<sub>2</sub>,Li-MnO<sub>2</sub> batteries, cordless phone batteries, chargers and power banks which involve in many fields such as telecommunication, digital electronics , consumer electronics like , toys, household appliances ,water meters and emergency devices etc .

PKCELL owns an industrial area of 28,000 square meters, more than 500 skillful staff, including R&D engineering team with over 30 people who research and deveolop new products independently to ensure high quality products, and 50 professional quality control members. Our factory brings in advanced technology and production equipments with 20 high speed automatic production lines to be capable of providing high quality ,large production capacity and timely delivery .

PKCELL adheres to the concept of “Quick response, high quality ,competitive price, timely delivery and excellent service ” , our quality control is rigorously performed in accordance with IEC, CE, RoHS and 98/101/EC international standards. We have set up oversea distribution agents , exported products to more than 30 Countries , and have won a good reputation worldwide.PKCELL is proud to stand behind its reputation of quality , reliability of products , performance and service to customers all over the world and we are a true partner in your business successes!



# ***OUR ADVANTAGES***

## **About our quality**

ISO9001:2008, TUV approved enterprise. All PKCELL products go through five steps' full inspection from the incoming material to finished goods.

## **About our brand**

PKCELL brand has enjoyed a good reputation overseas.

## **About our products**

Ultra alkaline, super alkaline, super heavy duty, extra heavy duty, CR button cell, AG button cell, NiMH rechargeable battery, charger.

## **About our service**

Comprehensive supports including promotional material, advertisement, local exhibitions and decoration for unified retail stores, Professional marketing and selling training & advice. One-to-one pre-sales and after-sale service.

## **About battery business**

Battery will be seen in people's daily life. It is a big success and big fortune in your business.

# DEVELOPMENT

1998

Established in 1998, PKCELL developed high efficient Carbon Zinc battery, and then the first PKCELL battery came into being.

2001

With the introduction of Japanese quality management system, new environmental friendly zinc chloride and alkaline batteries were sold as industrial supporting products.

2003

Confirmed "To make PKCELL as Chinese first class battery brand" as strategic target formally, and set up exhibition booths in the major electronic shows abroad to develop overseas business vigorously.

2006

Put the first rechargeable battery product line into production and got ISO9001 Quality Management Certification in the same year.

2009

PKCELL entered international market formally, put efforts to build a sales circle with Europe&America as center and extending to Asia, Africa and Oceania.

2011

Researched and developed new product in hi-tech battery field---power bank, which made PKCELL the pioneer of power bank in Asia.

2014

Set up brand department and exert strength to make PKCELL a first-class battery brand in the world. With the upgrading of all products, PKCELL entered a new milestone.

# Non-rechargeable

## Products Series

- Ultra Digital Alkaline Battery
- Super Alkaline Battery
- Extra Heavy Duty Battery
- Super Heavy Duty Battery
- Button Cell
- Photo Lithium Battery



(compared with  
super alkaline)



# Ultra Digital Alkaline Battery

PKCELL Ultra Digital Alkaline Battery is newly developed by PKCELL R&D team. It is special for high drain devices with more than 10 years' warranty, offer unbeatable performance for digital cameras, music players and electronic games.



## LR20-2B

1.5V, D size



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 6 packs/box  
48 packs/carton  
**Carton dimension (cm)** 35(L) \* 25(W) \* 22(H)  
**Gross weight** 15kg  
**Volume** 0.0192cbm



## LR14-2B

1.5V, C size



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 6 packs/box  
72 packs/carton  
**Carton dimension (cm)** 30(L) \* 28.5(W) \* 21(H)  
**Gross weight** 11kg  
**Volume** 0.0179cbm



## LR6-2B

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 8kg  
**Volume** 0.0186cbm



## LR03-2B

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 5kg  
**Volume** 0.0150cbm



## LR6-4B

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 15kg  
**Volume** 0.0186cbm



## LR03-4B

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33.5(L) \* 26(W) \* 21(H)  
**Gross weight** 8kg  
**Volume** 0.0150cbm



## LR6-8B

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 8 pcs/pack, 12 packs/box  
72 packs/carton  
**Carton dimension (cm)** 31.5(L) \* 28.0(W) \* 22.5(H)  
**Gross weight** 15.1kg  
**Volume** 0.0198cbm



## LR03-8B

1.5V AAA



**Compliance** CE ROHS  
**Packing** 8 pcs/pack, 12 packs/box  
72 packs/carton  
**Carton dimension (cm)** 30.0(L) \* 22.0(W) \* 20.0(H)  
**Gross weight** 8.3kg  
**Volume** 0.0132cbm



## LR03-24B

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 24 pcs/pack, 12 packs/box  
24 packs/carton  
**Carton dimension (cm)** 25.5(L) \* 23.0(W) \* 18.5 (H)  
**Gross weight** 7.7kg  
**Volume** 0.010cbm



## LR6-24B

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 24 pcs/pack, 12 packs/box  
24 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26.5(W) \* 21.0(H)  
**Gross weight** 15kg  
**Volume** 0.0153cbm



## 6LR61-1B

9V



**Compliance** CE ROHS  
**Packing** 1 pcs/pack, 10 packs/box  
120 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 7kg  
**Volume** 0.0186cbm



## LR1-2B

1.5V



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 6 packs/box  
192 packs/carton  
**Carton dimension (cm)** 36.2(L) \* 25.0(W) \* 20.0(H)  
**Gross weight** 6.3kg  
**Volume** 0.0181cbm



## 23A-1B

12V



**Compliance** CE ROHS  
**Packing** 1 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 39.5(L) \* 16.6(W) \* 27(H)  
**Gross weight** 3.5kg  
**Volume** 0.0177cbm



## 27A-1B

12V



**Compliance** CE ROHS  
**Packing** 1 pcs/pack, 20 packs/box  
200 packs/carton  
**Carton dimension (cm)** 39.5(L) \* 16.6(W) \* 27(H)  
**Gross weight** 2.5kg  
**Volume** 0.0177cbm



## 23A-5B

12V



**Compliance** CE ROHS  
**Packing** 5 pcs/pack, 20 packs/box  
200 packs/carton  
**Carton dimension (cm)** 26.3(L) \* 18.8(W) \* 31(H)  
**Gross weight** 10kg  
**Volume** 0.0153cbm



## 27A-5B

12V



**Compliance** CE ROHS  
**Packing** 5 pcs/pack, 20 packs/box  
200 packs/carton  
**Carton dimension (cm)** 26.3(L) \* 18.8(W) \* 31(H)  
**Gross weight** 7kg  
**Volume** 0.0153cbm

# > Shrink Wrap Packaging



## LR20-4S

1.5V, D size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 6 packs/box  
30 packs/carton  
**Carton dimension (cm)** 38(L) \* 23(W) \* 14.5(H)  
**Gross weight** 22kg  
**Volume** 0.011cbm



## LR14-4S

1.5V, C size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 6 packs/box  
30 packs/carton  
**Carton dimension (cm)** 42(L) \* 23(W) \* 12.5(H)  
**Gross weight** 11kg  
**Volume** 0.012cbm



## LR20-2S

1.5V, D size



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
60 packs/carton  
**Carton dimension (cm)** 38(L) \* 23(W) \* 14.5(H)  
**Gross weight** 22kg  
**Volume** 0.011cbm



## LR14-2S

1.5V, C size



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
60 packs/carton  
**Carton dimension (cm)** 42(L) \* 23(W) \* 12.5(H)  
**Gross weight** 11kg  
**Volume** 0.012cbm



## 6LR61-1S

9V



**Compliance** CE ROHS  
**Packing** 1 pcs/pack, 24 packs/box  
288 packs/carton  
**Carton dimension (cm)** 31 (L) \* 18(W) \* 18(H)  
**Gross weight** 13kg  
**Volume** 0.01cbm



## 6LR61-4S

9V



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 6 packs/box  
72 packs/carton  
**Carton dimension (cm)** 31 (L) \* 18(W) \* 18(H)  
**Gross weight** 13kg  
**Volume** 0.01cbm

# Super Alkaline Battery

PKCELL super alkaline battery is widely used for many applications including cameras, toys, radios, flashlights, doorbell. It is always warmly welcomed by our customers for its outstanding performance and good cost performance.



## LR6-4S

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 15 packs/box  
180 packs/carton  
**Carton dimension (cm)** 31(L) \* 19(W) \* 18(H)  
**Gross weight** 18kg  
**Volume** 0.0106cbm



## LR03-4S

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 15 packs/box  
300 packs/carton  
**Carton dimension (cm)** 28(L) \* 1 .5(W) \* 20.5(H)  
**Gross weight** 15kg  
**Volume** 0.0083cbm



## LR6-2B

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 8kg  
**Volume** 0.0186cbm



## LR03-2B

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 5kg  
**Volume** 0.0150cbm




## LR6-8S

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 8pcs/pack, 20 packs/box  
80 packs/carton  
**Carton dimension (cm)** 25.0(L) \* 16.5(W) \* 24(H)  
**Gross weight** 16kg  
**Volume** 0.001cbm



## LR03-8S

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 8 pcs/pack, 20 packs/box  
80 packs/carton  
**Carton dimension (cm)** 23.5(L) \* 18.5(W) \* 22(H)  
**Gross weight** 8kg  
**Volume** 0.01cbm



## LR6-4B

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 15kg  
**Volume** 0.0186cbm



## LR03-4B

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 8kg  
**Volume** 0.0150cbm



## LR6-10S

1.5V, AA size



**Compliance** CE ROHS  
**Packing** 10 pcs/pack, 5 packs/box  
100 packs/carton  
**Carton dimension (cm)** 31(L) \* 19(W) \* 18(H)  
**Gross weight** 25kg  
**Volume** 0.0106cbm



## LR03-10S

1.5V, AAA size



**Compliance** CE ROHS  
**Packing** 10 pcs/pack, 5 packs/box  
100 packs/carton  
**Carton dimension (cm)** 28(L) \* 14.5(W) \* 20.5(H)  
**Gross weight** 12.5 kg  
**Volume** 0.0083cbm

# Extra Heavy Duty

PKCELL Zinc Carbon batteries offer a long shelf life as well as reliability, versatility and savings. It is a great choice for small household electronic devices that need continuous power such as calculators, flashlights, clocks, radios, remote controls.



|                       |                                            |
|-----------------------|--------------------------------------------|
| <b>R20P-4B</b>        |                                            |
|                       |                                            |
| 1.5V, D size          |                                            |
| Compliance            | CE ROHS                                    |
| Packing               | 4 pcs/pack, 4 packs/box<br>24 packs/carton |
| Carton dimension (cm) | 35(L) * 25(W) * 22(H)                      |
| Gross weight          | 9kg                                        |
| Volume                | 0.0192cbm                                  |



|                       |                                            |
|-----------------------|--------------------------------------------|
| <b>R14P-4B</b>        |                                            |
|                       |                                            |
| 1.5V, C size          |                                            |
| Compliance            | CE ROHS                                    |
| Packing               | 4 pcs/pack, 4 packs/box<br>36 packs/carton |
| Carton dimension (cm) | 30(L) * 28.5(W) * 21(H)                    |
| Gross weight          | 7kg                                        |
| Volume                | 0.0179cbm                                  |



|                       |                                            |
|-----------------------|--------------------------------------------|
| <b>R20P-2B</b>        |                                            |
|                       |                                            |
| 1.5V, D size          |                                            |
| Compliance            | CE ROHS                                    |
| Packing               | 2 pcs/pack, 6 packs/box<br>48 packs/carton |
| Carton dimension (cm) | 35(L) * 25(W) * 22(H)                      |
| Gross weight          | 9kg                                        |
| Volume                | 0.0192cbm                                  |




|                       |                                            |
|-----------------------|--------------------------------------------|
| <b>R14P-2B</b>        |                                            |
|                       |                                            |
| 1.5V, C size          |                                            |
| Compliance            | CE ROHS                                    |
| Packing               | 2 pcs/pack, 6 packs/box<br>72 packs/carton |
| Carton dimension (cm) | 30(L) * 28.5(W) * 21(H)                    |
| Gross weight          | 7kg                                        |
| Volume                | 0.0179cbm                                  |




|                       |                                              |
|-----------------------|----------------------------------------------|
| <b>R6P-4B</b>         |                                              |
|                       |                                              |
| 1.5V, AA size         |                                              |
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L) * 29.5(W) * 21(H)                      |
| Gross weight          | 8kg                                          |
| Volume                | 0.0186cbm                                    |



|                       |                                              |
|-----------------------|----------------------------------------------|
| <b>R03P-4B</b>        |                                              |
|                       |                                              |
| 1.5V, AAA size        |                                              |
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 27.5(L) * 26(W) * 21(H)                      |
| Gross weight          | 7kg                                          |
| Volume                | 0.0150cbm                                    |



|                       |                                              |
|-----------------------|----------------------------------------------|
| <b>R6P-12B</b>        |                                              |
|                       |                                              |
| 1.5V AA               |                                              |
| Compliance            | CE ROHS                                      |
| Packing               | 12 pcs/pack, 10 packs/box<br>48 packs/carton |
| Carton dimension (cm) | 31.5(L) * 28.0(W) * 22.5(H)                  |
| Gross weight          | 11.8kg                                       |
| Volume                | 0.0198cbm                                    |



|                       |                                             |
|-----------------------|---------------------------------------------|
| <b>R03P-12B</b>       |                                             |
|                       |                                             |
| 1.5V AAA              |                                             |
| Compliance            | CE ROHS                                     |
| Packing               | 12pcs/pack, 10 packs/box<br>48 packs/carton |
| Carton dimension (cm) | 30.0(L) * 22.0(W) * 20.0(H)                 |
| Gross weight          | 7.9kg                                       |
| Volume                | 0.0132cbm                                   |



|                       |                                              |
|-----------------------|----------------------------------------------|
| <b>R6P-24B</b>        |                                              |
|                       |                                              |
| 1.5V AA               |                                              |
| Compliance            | CE ROHS                                      |
| Packing               | 24 pcs/pack, 12 packs/box<br>24 packs/carton |
| Carton dimension (cm) | 27.5(L) * 26.5(W) * 21.0(H)                  |
| Gross weight          | 11.7kg                                       |
| Volume                | 0.0153cbm                                    |



|                       |                                              |
|-----------------------|----------------------------------------------|
| <b>R03P-24B</b>       |                                              |
|                       |                                              |
| 1.5V AAA              |                                              |
| Compliance            | CE ROHS                                      |
| Packing               | 24 pcs/pack, 12 packs/box<br>24 packs/carton |
| Carton dimension (cm) | 25.5(L) * 23.0(W) * 18.5 (H)                 |
| Gross weight          | 7.3kg                                        |
| Volume                | 0.010cbm                                     |



|                       |                                              |
|-----------------------|----------------------------------------------|
| <b>6F22-1B</b>        |                                              |
|                       |                                              |
| 9V                    |                                              |
| Compliance            | CE ROHS                                      |
| Packing               | 1 pcs/pack, 10 packs/box<br>120 packs/carton |
| Carton dimension (cm) | 33(L) * 29.5(W) * 21(H)                      |
| Gross weight          | 6kg                                          |
| Volume                | 0.0186cbm                                    |



|                       |                                            |
|-----------------------|--------------------------------------------|
| <b>6F22-2B</b>        |                                            |
|                       |                                            |
| 9V                    |                                            |
| Compliance            | CE ROHS                                    |
| Packing               | 2 pcs/pack, 5 packs/box<br>60 packs/carton |
| Carton dimension (cm) | 33(L) * 29.5(W) * 21(H)                    |
| Gross weight          | 6kg                                        |
| Volume                | 0.0186cbm                                  |

> Shrink Wrap Packaging



**R20P-2S**

1.5V, D size

6 942449 520425

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 6 packs/box  
120 packs/carton  
**Carton dimension (cm)** 33.5(L) \* 30(W) \* 22.5(H)  
**Gross weight** 22kg  
**Volume** 0.0226cbm



**R14P-2S**

1.5V, C size

6 942449 521019

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 6 packs/box  
240 packs/carton  
**Carton dimension (cm)** 33(L) \* 22.5(W) \* 27(H)  
**Gross weight** 22kg  
**Volume** 0.020cbm



**R6P-4S**

1.5V, AA size

6 942449 521644

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 15 packs/box  
300 packs/carton  
**Carton dimension (cm)** 30.5(L) \* 18.5(W) \* 27.5(H)  
**Gross weight** 17kg  
**Volume** 0.0155cbm



**R03P-4S**

1.5V, AAA size

6 942449 522238

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 15 packs/box  
540 packs/carton  
**Carton dimension (cm)** 33.5(L) \* 26.5(W) \* 15.5(H)  
**Gross weight** 17kg  
**Volume** 0.014cbm




**R6P-8S**

1.5V, AA size

6 942449 521668

**Compliance** CE ROHS  
**Packing** 8 pcs/pack, 20 packs/box  
80 packs/carton  
**Carton dimension (cm)** 25(L) \* 16.5(W) \* 24(H)  
**Gross weight** 9kg  
**Volume** 0.01cbm



**R03P-8S**

1.5V, AAA size

6 942449 522252

**Compliance** CE ROHS  
**Packing** 8 pcs/pack, 40 packs/box  
160 packs/carton  
**Carton dimension (cm)** 23.5(L) \* 18.5(W) \* 22(H)  
**Gross weight** 11kg  
**Volume** 0.01cbm



**R6P-10S**

1.5V, AA size

6 942449 521651

**Compliance** CE ROHS  
**Packing** 10 pcs/pack, 5 packs/box  
100 packs/carton  
**Carton dimension (cm)** 30.5(L) \* 18.5(W) \* 27.5(H)  
**Gross weight** 14kg  
**Volume** 0.0155cbm



**R03P-10S**

1.5V, AAA size

6 942449 522245

**Compliance** CE ROHS  
**Packing** 10 pcs/pack, 5 packs/box  
180 packs/carton  
**Carton dimension (cm)** 33.5(L) \* 26.5(W) \* 15.5(H)  
**Gross weight** 14kg  
**Volume** 0.014cbm



**6F22-1S**

1.5V, AA size

6 942449 524010

**Compliance** CE ROHS  
**Packing** 1 pcs/pack, 10 packs/box  
500 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 20(H)  
**Gross weight** 20kg  
**Volume** 0.014cbm

Super Heavy Duty Battery



PKCELL super heavy duty battery is always welcomed by our customers by its stable quality and good cost performance. It is widely used for many applications: clocks, remote controls, recorders and so on.



**R6P-4B**

1.5V, AA size

6 942449 521231

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 8kg  
**Volume** 0.0186cbm



**R03P-4B**

1.5V, AAA size

6 942449 521835

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 7kg  
**Volume** 0.0150cbm

Button Cell

PKCELL Button Cell provides stable energy for small electronic devices and is available in lithium, alkaline, silver oxide and zinc air chemistries, depending upon voltage and size requirements of your equipments, widely used for small electronic gadgets, such as car keys, calculators, hearing aids.



> Lithium Button Cell



CR2016-5B

3.0V



6 942449 561237

Compliance

CE ROHS

Packing

5 pcs/pack,  
30 packs/box  
600 packs/carton

Carton dimension(cm)

44(L) \* 41(W) \* 15(H)

Gross weight

9.5kg

Volume

0.027cbm

| Item No. | System  | Normal Voltage | Capacity (mAh) | Dimension (mm) | Weight (g) | Recommended Continuous Drain (ma) | Recommended Pulse Drain (ma) |
|----------|---------|----------------|----------------|----------------|------------|-----------------------------------|------------------------------|
| CR927    | Lithium | 3.0            | 30             | 9.5×2.7        | 0.6        | 0.5                               | 5                            |
| CR1216   | Lithium | 3.0            | 25             | 12.5×1.6       | 0.7        | 1.0                               | 5                            |
| CR1220   | Lithium | 3.0            | 40             | 12.5×2.0       | 0.9        | 1.0                               | 5                            |
| CR1225   | Lithium | 3.0            | 50             | 12.5×2.5       | 1.0        | 2.0                               | 5                            |
| CR1616   | Lithium | 3.0            | 50             | 16.0×1.6       | 1.2        | 2.0                               | 10                           |
| CR1620   | Lithium | 3.0            | 70             | 16.0×2.0       | 1.6        | 2.0                               | 10                           |
| CR1632   | Lithium | 3.0            | 120            | 16.0×3.2       | 1.3        | 2.0                               | 15                           |
| CR2016   | Lithium | 3.0            | 75             | 20.0×1.6       | 1.8        | 2.0                               | 15                           |
| CR2025   | Lithium | 3.0            | 150            | 10.0×2.5       | 2.4        | 2.0                               | 15                           |
| CR2032   | Lithium | 3.0            | 210            | 20.0×3.2       | 3.0        | 3.0                               | 20                           |
| CR2032   | Lithium | 3.0            | 220            | 20.0×3.2       | 3.1        | 3.0                               | 20                           |
| CR2320   | Lithium | 3.0            | 130            | 23.0×2.0       | 3.0        | 3.0                               | 20                           |
| CR2325   | Lithium | 3.0            | 190            | 23.0×2.5       | 3.5        | 3.0                               | 20                           |
| CR2330   | Lithium | 3.0            | 260            | 23.0×3.0       | 4.0        | 3.0                               | 20                           |
| CR2430   | Lithium | 3.0            | 270            | 24.5×3.0       | 4.5        | 3.0                               | 20                           |
| CR2450   | Lithium | 3.0            | 600            | 24.5×5.0       | 6.2        | 3.0                               | 20                           |
| CR2477   | Lithium | 3.0            | 900            | 24.5×7.7       | 7.0        | 3.0                               | 10                           |
| CR2477   | Lithium | 3.0            | 1000           | 24.5×7.7       | 9.9        | 3.0                               | 30                           |
| CR3032   | Lithium | 3.0            | 500            | 30.0×3.2       | 6.8        | 3.0                               | 20                           |

Different names of CR series batteries

| Name      | CR2032   | CR2025   | CR2016   | CR1620   | CR1616   | CR1225   | CR1220   | CR1216   |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ansi/neda | 5004LC   | 5003LC   | 5000LC   | 5009LC   | 5021LC   | 5020LC   | 5012LC   | 5034LC   |
| Iec       | CR2032   | CR2025   | CR2016   | CR1620   | CR1616   | CR1225   | CR1220   | CR1216   |
| Duracell  | DL2032   | DL2025   | DL2016   | DL1620   | DL1616   | -----    | DL1220   | DL1216   |
| Rayovac   | CR2032   | CR2025   | CR2016   | CR1620   | CR1616   | -----    | -----    | CR1216   |
| Energizer | E-CR2032 | E-CR2025 | E-CR2016 | E-CR1620 | E-CR1616 | E-CR1225 | E-CR1220 | E-CR1216 |
| Renata    | CR2032   | CR2025   | CR2016   | CR1620   | CR1616   | CR1225   | CR1220   | CR1216   |
| Panasonic | CR2032   | CR2025   | CR2016   | CR1620   | CR1616   | CR1225   | CR1220   | CR1216   |
| Toshiba   | CR2032   | CR2025   | CR2016   | -----    | CR1616   | -----    | CR1220   | CR1216   |
| Varta     | CR2032   | CR2025   | CR2016   | CR1620   | CR1616   | -----    | CR1220   | CR1216   |
| Maxell    | CR2032   | CR2025   | CR2016   | CR1620   | CR1616   | -----    | CR1220   | CR1216   |
| Gold peak | CR2032   | CR2025   | CR2016   | -----    | CR1616   | -----    | CR1220   | -----    |



CR2016-2B

3.0V



6 942449 561244

Compliance

CE ROHS

Packing

2 pcs/pack, 20 packs/box  
400 packs/carton

Carton dimension (cm)

39.5(L) \* 16.6(W) \* 27(H)

Gross weight

3.8kg

Volume

0.018cbm



CR2016-1B

3.0V



6 942449 561251

Compliance

CE ROHS

Packing

1pcs/pack,20packs/box  
400 packs/carton

Carton dimension (cm)

39.5(L) \* 16.6(W) \* 27(H)

Gross weight

3.5kg

Volume

0.018cbm



CR2025-5B

3.0V



6 942449 561831

Compliance

CE ROHS

Packing

5 pcs/pack, 30 packs/box  
600 packs/carton

Carton dimension (cm)

44(L) \* 41(W) \* 15(H)

Gross weight

11.5kg

Volume

0.027cbm



CR2025-2B

3.0V



6 942449 561848

Compliance

CE ROHS

Packing

2 pcs/pack, 20 packs/box  
400 packs/carton

Carton dimension (cm)

39.5(L) \* 16.6(W) \* 27(H)

Gross weight

3.9kg

Volume

0.018cbm



CR2025-1B

3.0V



6 942449 561855

Compliance

CE ROHS

Packing

1 pcs/pack, 20 packs/box  
400 packs/carton

Carton dimension (cm)

39.5(L) \* 16.6(W) \* 27(H)

Gross weight

3.7kg

Volume

0.018cbm



CR2032-5B

3.0V



6 942449 562432

Compliance

CE ROHS

Packing

5 pcs/pack, 30 packs/box  
600 packs/carton

Carton dimension (cm)

44(L) \* 41(W) \* 15(H)

Gross weight

13kg

Volume

0.027cbm



CR2032-2B

3.0V



6 942449 562449

Compliance

CE ROHS

Packing

1 pcs/pack, 20 packs/box  
400 packs/carton

Carton dimension (cm)

39.5(L) \* 16.6(W) \* 27(H)

Gross weight

4kg

Volume

0.018cbm



CR2032-1B

3.0V



6 942449 562456

Compliance

CE ROHS

Packing

1pcs/pack,20packs/box  
400 packs/carton

Carton dimension (cm)

39.5(L) \* 16.6(W) \* 27(H)

Gross weight

3.8kg

Volume

0.018cbm

> Super Alkaline Button Cell



| Item No. |                | Voltage (V) | Capacity (mAh) | Size Dia*H.(mm) | Weight (g) | Chemistry |
|----------|----------------|-------------|----------------|-----------------|------------|-----------|
| AG0      | LR63/179/521   | 1.5         | 10             | 5.75×2.1        | 0.28       | Alkaline  |
| AG1      | LR60/164/621   | 1.5         | 13             | 6.75×2.1        | 0.28       | Alkaline  |
| AG2      | LR59/106/726   | 1.5         | 28             | 7.85×2.6        | 0.44       | Alkaline  |
| AG3      | LR41/192       | 1.5         | 35             | 7.85×3.5        | 0.60       | Alkaline  |
| AG4      | LR66/177/626   | 1.5         | 18             | 6.75×2.5        | 0.32       | Alkaline  |
| AG5      | LR48/193/754   | 1.5         | 60             | 7.90×5.4        | 0.90       | Alkaline  |
| AG6      | LR69/171/920   | 1.5         | 32             | 9.40×2.1        | 0.55       | Alkaline  |
| AG7      | LR57/195/927   | 1.5         | 42             | 9.40×2.5        | 0.64       | Alkaline  |
| AG8      | LR55/191/L1120 | 1.5         | 45             | 11.50×2.1       | 0.79       | Alkaline  |
| AG9      | LR45/194/936A  | 1.5         | 45             | 9.40×3.5        | 0.86       | Alkaline  |
| AG10     | LR54/189/L1130 | 1.5         | 75             | 11.50×3.1       | 1.18       | Alkaline  |
| AG11     | LR58/162/721   | 1.5         | 20             | 7.85×2.1        | 0.38       | Alkaline  |
| AG12     | LR43/186       | 1.5         | 100            | 11.50×4.1       | 1.47       | Alkaline  |
| AG13     | LR44/A76       | 1.5         | 145            | 11.50×4.5       | 1.96       | Alkaline  |




AG1-10B

1.5V



Compliance CE ROHS  
Packing 10 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 44(L) \* 37(W) \* 13.8(H)  
Gross weight 6kg  
Volume 0.022cbm




AG1-5B

1.5V



Compliance CE ROHS  
Packing 5 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 44(L) \* 37(W) \* 13.8(H)  
Gross weight 4kg  
Volume 0.022cbm



AG1-2B

1.5V



Compliance CE ROHS  
Packing 2 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 39.5(L) \* 16.6(W) \* 27(H)  
Gross weight 2.4kg  
Volume 0.018cbm



AG3-10B

1.5V



Compliance CE ROHS  
Packing 10 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 44(L) \* 37(W) \* 13.8(H)  
Gross weight 6kg  
Volume 0.022cbm

Different names of AG series batteries

|      |        |     |      |     |       |     |         |
|------|--------|-----|------|-----|-------|-----|---------|
| AG13 | LR44   | G13 | LR44 | A76 | GP76A | 357 | SR44W   |
| AG12 | LR43   | G12 | LR43 | 186 | GP86A | 386 | SR43W   |
| AG11 | LR721  | G11 | LR58 | 162 | GP62A | 362 | SR721W  |
| AG10 | LR1130 | G10 | LR54 | 189 | GP89A | 389 | SR1130W |
| AG9  | LR936  | G9  | LR45 | 194 | GP94A | 394 | SR936W  |
| AG8  | LR1120 | G8  | LR55 | 191 | GP91A | 391 | SR1120W |
| AG7  | LR926  | G7  | LR57 | 195 | GP95A | 395 | SR927W  |
| AG6  | LR921  | G6  | LR69 | 171 | GP71A | 371 | SR920W  |
| AG5  | LR754  | G5  | LR48 | 193 | GP93A | 393 | SR754W  |
| AG4  | LR626  | G4  | LR66 | 177 | GP77A | 377 | SR626W  |
| AG3  | LR41   | G3  | LR41 | 192 | GP92A | 392 | SR41W   |
| AG2  | LR726  | G2  | LR59 | 196 | GP96A | 396 | SR726W  |
| AG1  | LR621  | G1  | LR60 | 164 | GP64A | 364 | SR621W  |
| AG0  | LR521  | G0  |      |     |       | 379 | SR521W  |




AG3-5B

1.5V



Compliance CE ROHS  
Packing 5 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 44(L) \* 37(W) \* 13.8(H)  
Gross weight 4kg  
Volume 0.022cbm



AG3-2B

1.5V



Compliance CE ROHS  
Packing 2 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 39.5(L) \* 16.6(W) \* 27(H)  
Gross weight 2.4kg  
Volume 0.018cbm




AG4-10B

1.5V



Compliance CE ROHS  
Packing 10 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 44(L) \* 37(W) \* 13.8(H)  
Gross weight 6.2kg  
Volume 0.022cbm



AG4-5B

1.5V



Compliance CE ROHS  
Packing 5 pcs/pack, 20 packs/box  
400 packs/carton  
Carton dimension (cm) 44(L) \* 37(W) \* 13.8(H)  
Gross weight 4.2kg  
Volume 0.022cbm



### AG4-2B

1.5V



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 39.5(L) \* 16.6(W) \* 27(H)  
**Gross weight** 2.5kg  
**Volume** 0.018cbm




### AG10-10B

1.5V



**Compliance** CE ROHS  
**Packing** 10 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 44(L) \* 37(W) \* 13.8(H)  
**Gross weight** 8kg  
**Volume** 0.022cbm



### AG10-5B

1.5V



**Compliance** CE ROHS  
**Packing** 5 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 44(L) \* 37(W) \* 13.8(H)  
**Gross weight** 6kg  
**Volume** 0.022cbm



### AG10-2B

1.5V



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 39.5(L) \* 16.6(W) \* 27(H)  
**Gross weight** 3.8kg  
**Volume** 0.018cbm




### AG13-10B

1.5V



**Compliance** CE ROHS  
**Packing** 10 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 44(L) \* 37(W) \* 13.8(H)  
**Gross weight** 11kg  
**Volume** 0.022cbm



### AG13-5B

1.5V



**Compliance** CE ROHS  
**Packing** 5 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 44(L) \* 37(W) \* 13.8(H)  
**Gross weight** 8.5kg  
**Volume** 0.022cbm



### AG13-2B

1.5V



**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 20 packs/box  
400 packs/carton  
**Carton dimension (cm)** 39.5(L) \* 16.6(W) \* 27(H)  
**Gross weight** 4kg  
**Volume** 0.018cbm

# PHOTO LITHIUM BATTERY


PKCELL PHOTO lithium batteries are widely used for big range of cameras.



### CR123A-1B

3V

**Compliance** CE ROHS  
**Packing** 1 pcs/pack, 8 packs/box  
96 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 3.85kg  
**Volume** 0.0150cbm



### CR2-1B

3V

**Compliance** CE ROHS  
**Packing** 1 pcs/pack, 8 packs/box  
96 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 2.75kg  
**Volume** 0.0150cbm



# Rechargeable

## Products Series

- Ready To Use Battery
- NiMH Rechargeable Battery
- Lithium Ion Battery



# Ready To Use Battery

PKCELL Ready to use battery is a pre-charged, long-life, energy, money saving and environmentally friendly battery which enable to hold charge for up to one year, 2times more cycle life than common batteries. It provides excellent performance-to-cost advantages over both conventional dry-cell batteries and common rechargeable batteries.



## Ni-Mh D9000mAh-2B



1.2V, D size

|                       |                                            |
|-----------------------|--------------------------------------------|
| Compliance            | CE ROHS                                    |
| Packing               | 2 pcs/pack, 6 packs/box<br>48 packs/carton |
| Carton dimension (cm) | 35(L)*25(W)*22(H)                          |
| Gross weight          | 17kg                                       |
| Volume                | 0.0192cbm                                  |



## Ni-Mh C4500mAh-2B



1.2V, C size

|                       |                                            |
|-----------------------|--------------------------------------------|
| Compliance            | CE ROHS                                    |
| Packing               | 2 pcs/pack, 6 packs/box<br>72 packs/carton |
| Carton dimension (cm) | 30(L)*28.5(W)*21(H)                        |
| Gross weight          | 13kg                                       |
| Volume                | 0.0179cbm                                  |



## NI-MH AA2600-4B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 20kg                                         |
| Volume                | 0.186cbm                                     |



## NI-MH AA2600-2B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 2 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 10kg                                         |
| Volume                | 0.186cbm                                     |



## NI-MH AA2000-4B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 19kg                                         |
| Volume                | 0.186cbm                                     |



## NI-MH AA2000-2B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 2 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 9.5kg                                        |
| Volume                | 0.186cbm                                     |



## NI-MH AA1200-4B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 18.5kg                                       |
| Volume                | 0.186cbm                                     |



## NI-MH AA1200-2B




|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 2 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 9kg                                          |
| Volume                | 0.186cbm                                     |



## NI-MH AA600-4B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 18kg                                         |
| Volume                | 0.186cbm                                     |



## NI-MH AA600-2B




|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 2 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 33(L)*29.5(W)*21(H)                          |
| Gross weight          | 8.5kg                                        |
| Volume                | 0.186cbm                                     |



## NI-MH AAA1000-4B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 27.5(L)*26(W)*21(H)                          |
| Gross weight          | 9kg                                          |
| Volume                | 0.015cbm                                     |



## NI-MH AAA1000-2B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 2 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 27.5(L)*26(W)*21(H)                          |
| Gross weight          | 5kg                                          |
| Volume                | 0.015cbm                                     |



## NI-MH AAA600-4B




|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 4 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 27.5(L)*26(W)*21(H)                          |
| Gross weight          | 8.5kg                                        |
| Volume                | 0.015cbm                                     |



## NI-MH AAA600-2B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 2 pcs/pack, 12 packs/box<br>144 packs/carton |
| Carton dimension (cm) | 27.5(L)*26(W)*21(H)                          |
| Gross weight          | 4.8kg                                        |
| Volume                | 0.015cbm                                     |



## Ni-MH 250mAh-1B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 1 pcs/pack, 10 packs/box<br>120 packs/carton |
| Carton dimension (cm) | 33 (L)*29.5(W)*21(H)                         |
| Gross weight          | 7.5kg                                        |
| Volume                | 0.02cbm                                      |



## Ni-MH 350mAh-1B



|                       |                                              |
|-----------------------|----------------------------------------------|
| Compliance            | CE ROHS                                      |
| Packing               | 1 pcs/pack, 10 packs/box<br>120 packs/carton |
| Carton dimension (cm) | 33 (L)*29.5(W)*21(H)                         |
| Gross weight          | 8kg                                          |
| Volume                | 0.02cbm                                      |

# NiMH Rechargeable battery

PKCELL Ni-MH Rechargeable batteries offer high capacity performance, produce less waste than disposable batteries & enable energy and raw material savings. Good for all applications: Digital camera, portable video, game, flashlight, remote control, toy, MP3/MP4 player, electric razor.



**Ni-Mh**  
**D10000mAh-2B**

1.2V, D size

6 942449 543622

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 6 packs/box  
48 packs/carton  
**Carton dimension (cm)** 35(L) \* 25(W) \* 22(H)  
**Gross weight** 17kg  
**Volume** 0.0192cbm



**Ni-Mh**  
**C5000mAh-2B**

1.2V, C size

6 942449 544223

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 6 packs/box  
72 packs/carton  
**Carton dimension (cm)** 30(L) \* 28.5(W) \* 21(H)  
**Gross weight** 13kg  
**Volume** 0.0179cbm



**Ni-MH**  
**AA2800mAh-4B**

1.2v, AA size

6 942449 545282

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 20kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA2800mAh-2B**

1.2V, AA size

6 942449 545268

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 10kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA2600mAh-4B**

1.2V, AA size

6 942449 544957

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 19kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA2600mAh-2B**

1.2V, AA size

6 942449 544988

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 9.5kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA2000mAh-4B**

1.2V, AA size

6 942449 544995

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 18kg  
**Volume** 0.0186cbm




**Ni-MH**  
**AA2000mAh-2B**

1.2V, AA size

6 942449 544940

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 9kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA1300mAh-4B**

1.2V, AA size

6 942449 544865

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 17.5kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA1300mAh-2B**

1.2V, AA size

6 942449 544827

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 8.5kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA600mAh-4B**

1.2V, AA size

6 942449 545558

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 16.5kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AA600mAh-2B**

1.2V, AA size

6 942449 545534

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 33(L) \* 29.5(W) \* 21(H)  
**Gross weight** 8.2kg  
**Volume** 0.0186cbm



**Ni-MH**  
**AAA1200mAh-4B**

1.2V, AAA size

6 942449 545329

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 10kg  
**Volume** 0.0150cbm



**Ni-MH**  
**AAA1200mAh-2B**

1.2V, AAA size

6 942449 545305

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L)\*26(W)\*21(H)  
**Gross weight** 5kg  
**Volume** 0.0150cbm



**Ni-MH**  
**AAA1000mAh-4B**

1.2V, AAA size

6 942449 545480

**Compliance** CE ROHS  
**Packing** 4 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L)\*26(W)\*21(H)  
**Gross weight** 9.8kg  
**Volume** 0.0150cbm



**Ni-MH**  
**AAA1000mAh-2B**

1.2V, AAA size

6 942449 545442

**Compliance** CE ROHS  
**Packing** 2 pcs/pack, 12 packs/box  
144 packs/carton  
**Carton dimension (cm)** 27.5(L) \* 26(W) \* 21(H)  
**Gross weight** 5kg  
**Volume** 0.0150cbm



**Ni-MH**  
**AAA600mAh-4B**

1.2V, AAA size

Compliance CE ROHS  
Packing 4 pcs/pack, 12 packs/box  
144 packs/carton  
Carton dimension (cm) 27.5(L) \* 26(W) \* 21(H)  
Gross weight 9.5kg  
Volume 0.0150cbm



**Ni-MH**  
**AAA600mAh-2B**

1.2V, AAA size

Compliance CE ROHS  
Packing 2 pcs/pack, 12 packs/box  
144 packs/carton  
Carton dimension (cm) 27.5(L) \* 26(W) \* 21(H)  
Gross weight 5kg  
Volume 0.0150cbm



**Ni-MH**  
**9V250mAh-1B**

9V

Compliance CE ROHS  
Packing 1 pcs/pack, 10 packs/box  
120 packs/carton  
Carton dimension (cm) 33 (L) \* 29.5(W) \* 21(H)  
Gross weight 7kg  
Volume 0.02cbm



**Ni-MH**  
**9V 350mAh-1B**

1.2V, AA size

Compliance CE ROHS  
Packing 1 pcs/pack, 10 packs/box  
120 packs/carton  
Carton dimension (cm) 33 (L) \* 29.5(W) \* 21(H)  
Gross weight 7.5kg  
Volume 0.02cbm

## Lithium Ion battery

- Widely used for most kinds of flashlight applications.
- Higher energy density and lower weight than other types rechargeable batteries
- Manufactured under ISO9001-2000 to assure quality
- Battery tested based on International Electrotechnical Commission (IEC) standard to ensure capacity, quality and life time



**Rechargeable 18650**  
**2600mAh**

3.7V

No memory effect Supports up to 500 circles  
Protection against short-circuit and overload  
Capacity 2600mAh 3.7V Li-ion

Dimension (mm): 18(D) \* 65(H)  
Weight (g) 50  
Packing 1 pcs/pack, 12 packs/box  
168 packs/carton  
Carton dimension (cm) 44(L) \* 24(W) \* 36(H)  
Gross weight 9.2kg  
Volume 0.038cbm



WWW.PKCELL.COM



# Electronic Products

## Products Series

- Charger
- Power Bank
- Flashlights & torches

### POWER BANK



### FLASHLIGHT

Bright, carry



# Charger

Proper charging of Nickel-Metal Hydride (NiMH) batteries is important to optimize performance in any product. PKCELL® offers a wide range of chargers to meet the needs of our customers in terms of special features and price.



## > Fast Charger

8152



**Charges:**

1-4 × AA


1-4 × AAA

NI-MH

NI-CD



LCD indication



### MAIN FEATURES

- Certificate: CE, ROHS, ETL
- Suitable for 1 to 4 pcs AA/AAA NI-MH/Ni-CD batteries.
- The high sensitivity –dv detector stops charging once it detects the batteries are fully charged.
- Defective and Non-rechargeable battery detection.
- Reverse polarity protection.
- Timer control protection
- Voltage control charging
- Short circuit protection
- Low battery leakage current
- Trickle charge after full charge
- Charging indicators: LCD
- Pulse charging Feature.

### SPECIFICATION

**Input:** AC 100-240V, 50/60HZ  
**Output:** DC 4\* 14V  
AA—400ma (for 1 or 2 batteries)  
--260ma (for 3 batteries)  
--200ma (for 4 batteries)  
AAA—200ma (for 1 or 2 batteries)  
--130ma (for 3 batteries)  
--100ma (for 4 batteries)  
**Trickle charge:** AA@16ma, AAA@8ma

### PACKING

**Packing:** 1pcs/pack, 32 packs/carton  
**Carton dimension (cm):** 50.5(L) \* 48.5(W) \* 30(H)  
**Gross weight:** 6kg **Volume:** 0.0735cbm

### AVAILABLE COLORS

Silver White



8154

**Charges:**

1-4 × AA

1-4 × AAA



NI-MH

NI-CD



### MAIN FEATURES

- Certificate: CE, ROHS, ETL
- Suitable for 1 to 4 pcs AA/AAA NI-MH/Ni-CD batteries.
- The high sensitivity –dv detector stops charging once it detects the batteries are fully charged.
- Timer Control Protection: The charger automatically detects the correct charging time and main charging current changes to a trickle current. The charger always shuts off the main charging current and switches to trickle charge after about 7 hours.
- Over Temperature Protection (up to 55 °C)
- Defective and Non-rechargeable battery detection
- Low Battery Leakage Current
- Trickle Charge After Full Charge
- Short Circuit Protection
- Charging Indicators
- Red LED on: Charging, Green LED on: Fully charged and trickle charging.
- Red LED Flashing: Defective batteries or Non-rechargeable battery Short circuit
- Pulse Charging Feature

### SPECIFICATION

**Input:** AC 100-240V, 50/60HZ  
**Output:** DC 4\* 14V  
AA—1000ma (for 1 or 2 batteries)  
--500ma (for 3 or 4 batteries)  
AAA—600ma (for 1 or 2 batteries)  
--300ma (for 3 or 4 batteries)  
Trickle charge: AA@50ma, AAA@30ma.

### PACKING

**Packing:** 1pcs/pack, 32 packs/carton  
**Carton dimension (cm):** 50.5(L) \* 48.5(W) \* 30(H)  
**Gross weight:** 6.5kg **Volume:** 0.0735cbm

### AVAILABLE COLORS

White



## > Standard Charger

8126



**Charges:**

1-4 × AA

1-4 × AAA



NI-MH

NI-CD



### MAIN FEATURES

- Certificate: CE, ROHS, ETL
- 1-2 pcs AA/AAA NI-MH/Ni-CD
- The LEDs show the charging situation of the batteries
- The LED would not turn on
- World wide voltage input.

### SPECIFICATION

**Input:** AC 100V-240V 50/60HZ  
**Output:** DC 1.2V 120ma\*2  
120ma\*1 9V 35ma\*130ma\*1

### PACKING

**Packing:** 1pcs/pack, 50 packs/carton  
**Carton dimension (cm):** 50.5 (L) \* 35(W) \* 18(H)  
**Gross weight:** 4.1kg **Volume:** 0.0318cbm

### AVAILABLE COLORS

Black White



# 8174



## Charges:


1-4 × AA

1-4 × AAA



NI-MH

NI-CD



## Includes:



## MAIN FEATURES

- Certificate: CE, ROHS,
- 2 or 4pcs AA/AAA NI-MH/NI-CD rechargeable batteries.
- The LEDs show the charging situation of the batteries.
- The LED would not turn on.
- World wide voltage input.

## SPECIFICATION

**Input:** AC 100-240V, 50/60HZ  
**Output:** DC 2.4V 200ma\*4 200ma\*2

## PACKING

**Packing:** 1pcs/pack, 60 packs/carton  
**Carton dimension (cm):** 59(L) \* 33(W) \* 39(H)  
**Gross weight:** 7kg **Volume:** 0.076cbm

## AVAILABLE COLORS

Silver White

# 8182

## Charges:

1-4 × AA

1-4 × AAA



NI-MH

NI-CD



## Includes:



## MAIN FEATURES

- Certificate: CE, ROHS
- 1- 4pcs AA/AAA/D/C NI-MH/NI-CD and 2pcs of 9V rechargeable batteries.
- The LEDs show the charging situation of the batteries.
- The LED would not turn on.
- World wide voltage input.

## SPECIFICATION

**Input:** AC 100V-240V 50/60HZ  
**Output:** DC 1.2V D/C/AA/AAA  
150ma\*4, 9V 25ma

## PACKING

**Packing:** 1pcs/pack, 20 packs/carton  
**Carton dimension (cm):** 51(L) \* 34(W) \* 22(H)  
**Gross weight:** 12kg **Volume:** 0.038cbm

## AVAILABLE COLORS

Silver

# POWER BANK

The indoor, outdoor can be used, small size, exquisite appearance and portable. More than 8 hours aging test, to ensure that each product quality. The intelligent IC conversion system, high efficiency, low loss. Intelligent protection system is stable and reliable. Bidirectional USB interface, plug and play. Support most brand mobile phone, PSP, mp3/mp4, PDA and other digital products.



# PK-9230



CE  
FCC  
ROHS



## FEATURE

- Large range of capacity available from 2200mAh to 3000mAh
  - Very smart design and easy to carry
  - With LED flashlight
  - Four smart LED indicators display remaining power
  - Multiple safety protection system to ensure devices safety
- protection for overcharge  
over discharge  
overvoltage  
overcurrent and short circuit

## SPECIFICATION

**Battery Type:** One 18650 Li-ion battery  
**Capacity:** 2200mAh—3000mAh  
**Input:** Micro USB 5V 0.8A  
**Output:** USB 5V 1A

## PACKING

**Dimension (mm):** 85\*37\*26  
**Weight:** 70g  
**Package:** card blister/ color box  
**Packing:** corlor box: 1pcs/pack, 65 packs/carton  
Card blister: 1pcs/card, 40packs/carton  
**Carton dimension (cm):** 44 (L) 24\*(W) 36\*(H)  
44 (L) 24 \* (W) 36 \* (H)  
**Gross weight:** 7.9 kg (color box), 5.6kg (blister card)  
**Volume:** 0.038cbm

## AVAILABLE COLORS

Black white

# PK-9408



CE  
FCC  
ROHS



## FEATURE

- High capacity of 4000mAh with small size
- Smart and similar design as Iphone
- Ultrathin, light and easy to carry
- Quick charge
- Four smart LED display remaining power
- Multiple safety protection system to ensure devices safety
  - protection for overcharge
  - over discharge
  - overvoltage
  - overcurrent and short circuit

## SPECIFICATION

**Battery Type:** Li-polymer battery  
**Capacity:** 4000mAh  
**Input:** Micro USB 5V 1A  
**Output:** USB 5V 2.1A

## PACKING

**Dimension (mm):** 123.8\*58.6\*8.5  
**Weight:** 130g  
**Package:** card blister/ color box  
**Packing:** 1pcs/pack, 40packs/carton  
**Carton dimension (cm):** 44 (L) 24\*(W) 36\*(H)  
**Gross weight:** 8 kg  
**Volume:** 0.038cbm

## AVAILABLE COLORS

Gold Gray Blue

# PK-9802



CE  
FCC  
ROHS



## FEATURE

- Polymer battery: safe and reliable without any explosion and memory effect.
- Inter microcomputer control products.
- Static low power design consumption.
- Single USB with large current and high conversion rate output.
- Automatically switch when the insert or pull out the load before automatically open or close the output.
- It has judgement of saturation function and will power off automatically when the output is less than 80mah/hour.
- Real-time intelligent level 4 LED indicator charge and discharge capacity
- Intelligent protection functions:
  - with many protections of over-charge
  - over-discharge
  - overcurrent and short-circuit
  - overcurrent and short circuit
- Auto-hibernation:
  - Auto-hibernation will prevent the electricity loss in non-working status.

## AVAILABLE COLORS

Gold Silver

## SPECIFICATION

**Battery Type:** Li-Polymer batteries  
**Capacity:** 8000mAh  
**Input:** Micro USB 5V 1A  
**Output:** USB: 5V 1A

## PACKING

**Dimension (mm):** 149 \* 68 \* 11.2  
**Weight:** 200g  
**Package:** color box  
**Packing:** 1pcs/pack, 40packs/carton  
**Carton dimension (cm):** 44 (L) 24\*(W) 36\*(H)  
**Gross weight:** 10.8kg  
**Volume:** 0.038cbm

# PK-9800



CE  
FCC  
ROHS



## FEATURE

- Polymer battery: safe and reliable without any explosion and memory effect.
- Inter microcomputer control products.
- Static low power design consumption.
- Double USB with large current and high conversion rate output.
- Automatically switch when the insert or pull out the load before automatically open or close the output.
- It has judgement of saturation function and will power off automatically when the output is less than 80mah/hour.
- Real-time intelligent LED indicator charge and discharge capacity
- Intelligent protection functions:
  - with many protections of over-charge
  - over-discharge
  - overcurrent and short circuit
- Auto-hibernation:
  - Auto-hibernation will prevent the electricity loss in non-working status.

## SPECIFICATION

**Battery Type:** Li-Polymer batteries  
**Capacity:** 8000mAh  
**Input:** Micro USB 5V 1A  
**Output:** 5V 1A, Output2: 5V 1A

## AVAILABLE COLORS

Silver

## PACKING

**Dimension (mm):** 157\*73\*12  
**Weight:** 300g  
**Package:** color box  
**Packing:** 1pcs/pack, 40packs/carton  
**Carton dimension (cm):** 44 (L) 24 \* (W) 36 \* (H)  
**Gross weight:** 14.8kg  
**Volume:** 0.038cbm

# Flashlights&torches

Imported patented LED technology,  
Bright & long lasting LED to **100,000 hours**,  
Low power consumption, up to **100 hours**  
of use.



## LED Mini Torch

Compact fits in your pocket  
Unique appearance, durable aluminum casing  
Water and shock resistant  
High-brightness LED flashlight bright flashlight.  
Best for camping, travel, boating or even walking the dog.



## Large Plastic AA Torch

Economical, general purpose, krypton, vacuum bulb  
Best for camping, travel, fishing, household use.



## Plastic Rechargeable Torch

Cloverleaf reflector system for maximum focus and intensity  
Long service life up to 500 hours continuous lighting.  
Best for household use, camping, travel, fishing walking the dog.




## Aluminum Alloy Torch

Powerful lights distances up to 150 meters  
Energy saving LEDs up to 5 times brighter, 8 times more effeicient than regular krypton bulbs  
Blasing rain still normal use.  
Handy grip with hooks, anti-roll design  
Best for household use, camping, travel, fishing walking the dog.



# Promotional Accessories



Note book



Pen



Bags



T-shirt



Kettle



U disk



Keychain



Mugs

# Partners

we are recruiting agents all over the world



## • North America

- Canada
- U. S. A

## • Caribbean/ Latin America

- Argentina
- Brazil
- Bolivia
- Chile
- Colombia
- Costa Rica
- Cuba
- Dominica
- Ecuador
- EL Salvador
- Guatemala
- Haiti
- Mexico
- Nicaragua
- Panama
- Paraguay
- Peru
- Puerto Rico
- Trinidad and Tobago
- Uruguay
- Venezuela

## • Middle East /Africa

- Algeria
- Benin
- Egypt
- Iran
- Israel
- Kuwait
- Lebanon
- Sierra Leone
- Saudi Arabia
- Syria
- S. Africa
- Tunisia
- U.A.E.
- Uganda

## • Europ

- Austria
- Albania
- Andorra
- Belarus
- Belgium
- Bosnia
- Bulgaria
- Czech
- Republic
- Croatia
- Cyprus
- Denmark
- Estonia
- Finland
- France
- Germany
- Georgia
- Greece
- Hungary
- Iceland
- Ireland
- Italy
- Latvia
- Lithuania
- Luxembourg
- Macedonia
- Malta
- Netherland
- Norway
- Portugal
- Poland
- Romania
- Russia
- Serbia
- Slovakia
- Slovenia
- Spain
- Sweden
- Switzerland
- Turkey
- United Kingdom
- Ukraine

## • Asia

- Afghanistan
- Armenia
- Azerbaijan
- Bangladesh
- Cambodia
- China
- Hong Kong
- Indonesia
- India
- Iraq
- Japan
- Jordan
- Korea
- Kazakhstan
- Lao
- Malaysia
- Pakistan

## • Oceania

- Australia
- Fiji
- New Zealand

Being a **leading and respected** enterprise in the field of power solution.

# Future

