

**ONE
YEAR
WARRANTY**

RHINOTEC®
BEST PRICE • TRUSTED QUALITY

RHINOTEC GT SERIES

Best Solution For Jersey Printing



GT 160^{SH}

GT 160^{DH}

GT 120

- Save Investment
- Low Cost Production
- High production
- Best Result
- Ideal Print Area

Package With
**PNEUMATIC
MACHINE**

MACHINE SPECIFICATION

MODEL	GT 120 SH			GT 160			GT 160 DH		
Printhead	Epson 4720			Epson 4720			Epson 4720		
Number of Printhead	Single Head Epson 4720 high quality up to 1440 dpi			Single Head Epson 4720 high quality up to 1440 dpi			Double Head Epson 4720 high quality up to 1800 dpi		
Speed	2 Pass	4 Pass	6 Pass	2 Pass	4 Pass	6 Pass	2 Pass	4 Pass	6 Pass
	360 x 1080 Dpi 32 Sqm/h	720 x 1200 Dpi 18 Sqm/h	720 x 1800 Dpi 12 Sqm/h	360 x 1080 Dpi 32 Sqm/h	720 x 1200 Dpi 18 Sqm/h	720 x 1800 Dpi 12 Sqm/h	360 x 1080 Dpi 68 Sqm/h	720 x 1200 Dpi 36 Sqm/h	720 x 1800 Dpi 24 Sqm/h
Color	4 Colors (C.M.Y.K)			4 Colors (C.M.Y.K)			4 Colors (C.M.Y.K)		
Ink Type	Sublimation INK			Sublimation INK			Sublimation INK		
Maximum Width Media	1250 mm			1650 mm			1650 mm		
Media Thickness	1.5mm to 8mm adjustable			1.5mm to 8mm adjustable			1.5mm to 8mm adjustable		
Max Roll Weight	75 Kg			75 Kg			75 Kg		
Media Type	Sublimation Paper			Sublimation Paper			Sublimation Paper		
High Printing quality	Three intelligent eclosion print function, VSD technology			Three intelligent eclosion print function, VSD technology			Three intelligent eclosion print function, VSD technology		
Media Heater	Pre/Post Heater (Can be controlled separately)			Pre/Post Heater (Can be controlled separately)			Pre/Post Heater (Can be controlled separately)		
Media Take-up Device	Strong Rolling take-up device with the automatic damper			Strong Rolling take-up device with the automatic damper			Strong Rolling take-up device with the automatic damper		
Drying system	Drying system(option)			Drying system(option)			Drying system(option)		
Interface	Port			Port			Port		
RIP Software	Maintop V5.3 5.5, Photoprint, Topaz, Seeget Wasatch			Maintop V5.3 5.5, Photoprint, Topaz, Seeget Wasatch			Maintop V5.3 5.5, Photoprint, Topaz, Seeget Wasatch		
Power	AC110V+/- 10%, AC220V+/-10%, 50/60+/HZ			AC110V+/- 10%, AC220V+/-10%, 50/60+/HZ			AC110V+/- 10%, AC220V+/-10%, 50/60+/HZ		
	Machine: 200W, Front & Back Heater: 600W, Dryer :1200W			Machine: 200W, Front & Back Heater: 600W, Dryer :1200W			Machine:300W, Front&Back Heater:800W, Dryer:1600W		
Temperature	Temperature:20°C-35°C Humidity: 35%RH-65%RH			Temperature:20°C-35°C Humidity: 35%RH-65%RH			Temperature : 25 - 32OC Humidity:35%RH-65%RH		
Dimensions of Printer	L 1999 x W 750 x H 1500mm			L 2392 x W 750 x H 1500mm			L 2740 x W 750 x H 1550mm		
Dimensions of Packing	L 2135 x W 770 x H 680mm			2535 x 770 x 680 mm			L 2870 x W 830 x H 730mm		
Net Weight	150 Kg			200 Kg			200 Kg		
Gross Weight	180 Kg			230 Kg			230 Kg		



**Explore
Your Creativity
with Rhnotec**

www.rhnotec.co.id


 Rhinoindonesia

PAKET USAHA SUBLIMASI RHINOTEC GT120^{SH}

ILUSTRASI PERHITUNGAN

Tinta Sublimation CMYK (CMYK+LCLM) --> 1L : Rp 350.000	4 l	Rp. 1.400.000
Satuan Tinta Per ml	4000 ml	Rp. 350
Asumsi Konsumsi Tinta Per M²	12 ml	Rp. 4.200
Konsumsi Tinta Cleaning Solution	2 ml	Rp. 800

COST TINTA - 120 X 100 cm **Rp. 5.000**

Transfer paper sublimation 120 x 100 cm	100 m	Rp. 560.000
Transfer paper sublimation 120 x 100 cm	1 m	Rp. 5.600

TOTAL COST TINTA + TRANSFERPAPER- 160 x 100 cm **Rp. 10.600**

Kain Dryfit - Rp. 60.000/kg = 4 Kaos	1 kaos	Rp. 15.000
Asumsi Oprasional Cost Listrik , Karyawan & Penyusutan Consumable Part	1 kaos	Rp. 15.000

TOTAL COST 1 JERSEY PRINTING SUBLIM **Rp. 40.600**

ILUSTRASI BEP

Cost Produksi 1 Jersey Print	1 pcs	Rp. 40.600
Asumsi Jual 1 Kaos Jersey Print	1 pcs	Rp. 100.000

PROFIT PENJUALAN JERSEY PRINTING **Rp. 59.400**

1 Hari Produksi Jersey Print	24 pcs	Rp. 1.425.600
1 Bulan / 25 Hari Produksi Jersey Print	600 pcs	Rp. 35.640.000

Rp. 35.640.000 PROFIT / BULAN