

PSHELL COMMAND LINE

FAQ's

1. How to create new database?

Command for creating a new database is:

```
create <database name>
```

```
PShell> create myGmail  
->database created!  
PShell>
```

2. How to select/chose database?

Database can be chosen by command:

```
db <database name>
```

Example: we enter `db myGmail` (where db stands for database).

```
PShell> create myGmail  
->database created!  
PShell> db myGmail  
PShell/myGmail>
```

Now you have noticed that the start line changed from PShell> to PShell/myGmail> which means that we have chosen *myGmail* database to add new values or make changes in that.

3. How to view/show stored databases?

If you want information of all the databases present in your PC than command is:

```
showDb
```

```
PShell/myGmail> showDb  
->myGmail
```

ShowDb command will show all the databases present in your PC.

4. How to store/add new entry in chosen databases?

To add a new entry in your current database the command is:

```
add <title>
```

After that you are asked to Enter User ID, than Password, and then Description.

Note: Don't enter blank entry otherwise you can't store that value.

```

PShell/myGmail> add codeNirvana
-> new value 'codeNirvana' added
->Enter data in 'codeNirvana'

codeNirvana/urID :codenirvana@example.com
codeNirvana/pswd :passwod here
codeNirvana/desp :its code nirvana's ID
-> data stored!
PShell/myGmail>

```

At the end of submitting all the three information correctly the output **data stored!** Confirms its successful storage in database.

5. How to view all the entries stored in current databases?

To view all the entries stored in current database the command is:

show *

Where `*` denotes all.

```

PShell/myGmail> show *
->codeNirvana

```

6. How to view values of particular entry stored in current databases?

To view the values stored in any entry the command is:

show <title>

```

PShell/myGmail> show codeNirvana

codeNirvana/urID> codenirvana@example.com
codeNirvana/pswd> passwod here
codeNirvana/desp> its code nirvana's ID

```

So it show all the values stored in it accordingly.

7. How to modify/change values of particular entry stored in current databases?

If you entered any wrong information in any entry and you want to modify that then command is:

modify <title>

```

PShell/myGmail> modify codeNirvana

codeNirvana/urID/old> codenirvana@example.com
enter 'e' to edit urID OR press enter to continue :e
codeNirvana/urID/modify> codenir@gmail.com

codeNirvana/pswd/old> passwod here
enter 'e' to edit pswd OR press enter to continue :

codeNirvana/desp/old> its code nirvana's ID
enter 'e' to edit desp OR press enter to continue :e
codeNirvana/desp/modify> this is my gmail ID
PShell/myGmail>

```

This will show you old value and ask to enter `e` to edit or press enter to continue.

When you press `e` that it asks you for the new value and after that it comes to the second option add when the information is modified is save it with the modifications made.

8. How to delete an entry stored in current databases?

If you want to delete any entry than command is:

```
del <title>
```

Where *del* refers to delete

```
PShell/myGmail> del codeNirvana  
-> 'codeNirvana' deleted from myGmail
```

And the output result confirms that the entry is successfully deleted from database.

9. How to delete a databases?

If you want to delete any database than command is:

```
delDb <database name>
```

When you enter this command and if the database is present then it asks to enter password, after entering correct password the database successfully deleted from your PC.

Note: Sometimes this operation fails to delete a database so you can ignore that and try again after re-starting the Terminal.

10. How to change password of PShell Terminal?

If you want to change password of your PSHELL Terminal the command for that is:

```
new password
```

When you enter that you are asked to enter current password, after entering current password you can change your password by entering new password successfully and re-login to Terminal.

11. How to export/backup a databases?

To export any database you need to enter command:

```
export <database name>
```

Which makes a text file in `export` folder at Password Shell installation folder, all your entries stored there.

Visit: <http://pwdshell.blogspot.in>