



Craftedtiles


Hand Made one by one.

Natasha Alvarez


•E-mail: info@crafted-tiles.com •Tel: +34 658 30 90 80

www.crafted-tiles.com


Arabesque




Ref: 000



Ref: 006



Ref: 011



Ref: 013



Ref: 059



Ref: 017


Craftedtiles

Hand Made one by one.

Natasha Alvarez • E-mail: info@crafted-tiles.com • Tel: +34 658 30 90 80

• www.crafted-tiles.com


Arabesque




Ref: 018



Ref: 025




Ref: 030



Ref: 031




Ref: 034



Ref: 041

Arabesque



Ref: 060



Ref: 065



Ref: 067



Ref: 072




Ref: 073



Ref: 076

Arabesque




Ref: 081



Ref: 075



Ref: 065



D5

D8

A1

A3

A9

Floral




Ref: 058



Ref: 066



Ref: 077



Ref: 015



Ref: 082



Ref: 022

Craftedtiles

Hand Made one by one.

Natasha Alvarez • E-mail: info@crafted-tiles.com • Tel: +34 658 30 90 80

• www.crafted-tiles.com

Floral




Ref: 028



Ref: 037



Ref: 039



Ref: 055




Ref: 069




Ref: 074


Retro




Ref: 056



Ref: 070



Ref: 078



Ref: 080



Ref: 010



Ref: 068

Craftedtiles

Hand Made one by one.

Natasha Alvarez • E-mail: info@crafted-tiles.com • Tel: +34 658 30 90 80

• www.crafted-tiles.com


Retro




Ref: 046




Ref: 049



Ref: 050



Ref: 053



Ref: 051




Ref: 054

Retro




Ref: 019




Ref: 023




Ref: 026



Ref: 035



Ref: 038



Ref: 040


Craftedtiles

Hand Made one by one.


Natasha Alvarez • E-mail: info@crafted-tiles.com • Tel: +34 658 30 90 80

• www.crafted-tiles.com

Retro



Ref: 004



Ref: 005




Ref: 007



Ref: 009




Ref: 012




Ref: 016

Retro




Ref: 014



Ref: 020



Ref: 032



Ref: 043




Ref: 044


Victorian



Ref: 033




Ref: 008



Ref: 048



Ref: 045



Ref: 052



Ref: 057


Victorian




Ref: 063



Ref: 042



Ref: 079



Ref: 029



Ref: 047

Craftedtiles

Hand Made one by one.


Natasha Alvarez • E-mail: info@crafted-tiles.com • Tel: +34 658 30 90 80

• www.Crafted-tiles.com


Plain & checks




Ref: Plain




Ref: 002



Ref: 001




Ref: 024



Ref: 071

Skirting



Ref: rod002



Ref: Rod000



Ref: Rod001




Craftedtiles

Hand Made one by one.

Natasha Alvarez • E-mail: info@crafted-tiles.com • Tel: +34 658 30 90 80

• www.crafted-tiles.com


Boarder



Ref: cen 005




Ref: cen 002



Ref: cen 004




Ref: cen 006



Ref: cen 007



Ref: cen 003



Ref: cen 001

Colors

A1	A2	A3
A4	A5	A6
A7	A8	A9

B1	B2	B3
B4	B5	B6
B7	B8	B9

C1	C2	C3
C4	C5	C6
C7	C8	C9

D1	D2	D3
D4	D5	D6
D7	D8	D9

Color Palette

E1	E2	E3
E4	E5	E6
E7	E8	E9

F1	F2	F3
F4	F5	F6
F7	F8	F9

G1	G2	G3
G4	G5	G6
G7	G8	G9

H1	H2	H3
H4	H5	H6
H7	H8	H9

Special

S1	S2	S3	S4
----	----	----	----

Craftedtiles

Hand Made one by one.

Natasha Alvarez

E-mail: info@crafted-tiles.com

Tel: +34 658 30 90 80

www.crafted-tiles.com

Technical characteristics

Encaustic cement tile.

Cement tiles.

Decorative pigmented cement tiles for indoor or outdoor use.

Composition

Cement, soapstone (marble dust), aggregates, inorganic pigments (iron oxides, cobalt, chromium, magnesium and titanium) Asbestos and lead free.

Dimensions

(Standard tile: 200X200X18 mm)

1m² = 25 pieces

Length and Width variation: +/- 0,3 mm

Thickness variation: +/- 0,6 mm

Diagonal variation: +/- 0,2mm

Edge straightness variation : +/- 0,2 mm

Fire resistance

Class A1

Tolerance on flatness and curvature

(Standard tile 200X200X17 mm)

Convexity observed: null

Maximum Concavity: 0.5 mm

Concavity (distribution)

80% of studied tiles, concavity < 0,3 mm

Technical characteristics

Encaustic cement tile.

Weather Resistance

Water absorption: 6.8% by volume (Untreated tile, fully immersed in water 24h)

Resistance to freeze / thaw:

No cracks or deformation after 25 freeze-thaw cycles (-15 ° to +60 °)

Breaking Load

(Standard tile 200X200X18 mm)

Breaking load: 6,0 N/mm²

Abrasion resistance

(Standard tiles 200X200X18 mm)

Method : Test with 50mm standard disk, result in mm.

Ranked from least to most hard:

slate	31,2
marble	27,3
Encaustic tile	25,3 y 23,7
Natural Stone	22,1 y 18,9
Ground Slabs porcelain	19,2 y 18,3
Volcanic Natural Stone - Basalt	18,0
Volcanic Natural Stone - Granite	16,6

Single tile weight:

+/- 1,200 g