

RANGE • PROFESSIONAL PLUS • HI-TECH

Professional Plus range features

Why Professional Plus?

The Professional Plus line offers a more contemporary appearance with larger knobs and handles to accentuate the “professional look” of the cooking block. The range offered is much larger in terms of measurements, colours, finishes, and functionality.

All electric ovens are the E3 type with standard electronic temperature control that can be regulated from 30°C to 300°C. Finally, below the ovens, there is a convenient removable drawer for storing cooking accessories. This drawer can be used as a food warmer when the oven is on.

Hobs

A wide range with a modular system allows diversified burners with power levels from 1.8 to 5 kW. Sturdy cast iron grills create a single work surface with a double advantage. Pots are more stable and therefore more safe and can be moved from one burner to another without lifting. All models are equipped with a thermocouple safety valve that ensure immediate gas interruption in the event of an anomaly or accidental extinguishing of the burner.



Stainless steel feet

Height from 10 to 16 cm



Plate warmer drawer

Drawer ideal for heating plates while the oven is being used.

All Professional Plus ranges are 60 cm deep.

The entire Professional Plus series comes with:

- **Triple glass cold door** (see page 20)
- **Tangential fan** (see page 21)
- **Sturdy cast iron grills** (see page 22)
- **Safety valves on burners** (see page 22)
- **Electric ignition built into the knobs** (see page 22)
- **Plate warmer drawer**
- **Large knobs and handles**

Versions available

LASER LINE	WINDOW	TRADITION
		
COLOURS:	COLOURS:	COLOURS:
 STAINLESS STEEL	 WHITE  STAINLESS STEEL	 STAINLESS STEEL  GRAPHITE/MAT
	 GRAPHITE/MAT  GLOSSY BLACK	
	 SOLO SU VERSIONE WINDOW OPTIONAL DECORI	

Finishes



Standard TECHNO knobs and handles

Applied decorations for Professional Plus

On certain models in the **Professional Plus series with “W”** appearance, the coloured decorations shown in the photos on these pages can be applied. The kit consists of coloured stainless steel panels that can be glued to the control panel, door, and drawer in the stainless steel cooking block. In some models the panels are also applied to the side profiles. The available decorations and related prices are provided below. Available in 30 business days



DECPW60/03/...

DECPW70/03/...

DECPW76/03/...

DECPW80/03/...

DECPW90/03/...

DECPW906/03/...

DECPDW90/03/...

DECPDW906/03/...

DECPDW100/03/...

DECPDW106/03/...

DECPSW120/03/...

DECPW120/03/...

DECPDW120/03/...

DECPW150/03/...

COLOURS



WHITE



ANTIQUE
WHITE



PEWTER



GRAPHITE/
MAT



BLUE



BURGUNDY



COPPER



EMERALD
GREEN




GLOSSY
BLACK



P60 PLUS




LASER LINE



COLOURS:

STAINLESS STEEL

WINDOW



OPTIONAL:



DECORATIONS

+
SEE PAGE 200

COLOURS:


WHITE

STAINLESS STEEL

GRAPHITE/MAT

GLOSSY BLACK

TRADITION




COLOURS:

STAINLESS STEEL

GRAPHITE/MAT

DEPTH 60



P60 PLUS

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS



HOBBS:

4 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3

PL60E3	LASER LINE
PW60E3	WINDOW
PF60E3	TRADITION

600 VG

PL60VG	LASER LINE
PW60VG	WINDOW
PF60VG	TRADITION

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Glass ceramic




600 E3

PLE60E3	LASER LINE
PWE60E3	WINDOW
PFE60E3	TRADITION

A: 1 glass ceramic zone Ø 150 mm 1,2 Kw
B: 1 double circuit glass ceramic zone Ø 210/120 mm 2,2 kW/0,75 Kw
C: 1 glass ceramic zone Ø 180 mm 1.80 kW
D: 1 oval double circuit glass ceramic zone L270/Ø 175 mm 2.4 kW/1.5 kW
Hob maximum power 7,6 kW

Induction



600 E3

PLI60E3	LASER LINE
PWI60E3	WINDOW
PFI60E3	TRADITION

A: 1 induction zone Ø 145 mm 1,4 kW
B: 2 induction zones Ø 180 mm 1,85 kW
C: 1 induction zone Ø 210 mm 2,3 kW
Hob maximum power 7,4 kW



OPTIONAL:



DUAL BURNER 5KW



ACCESSORIES FOR ALL
OVENS PAGE 26 - 27


FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

P70 PLUS




LASER LINE



COLOURS:

STAINLESS STEEL

WINDOW



OPTIONAL:



DECORATIONS

+
SEE PAGE 200

COLOURS:


WHITE

STAINLESS STEEL

GRAPHITE/MAT

GLOSSY BLACK

TRADITION




COLOURS:

STAINLESS STEEL

GRAPHITE/MAT

DEPTH 60



P70 PLUS

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS



HOBBS:

4 burners



OPTIONAL
DUAL **5KW**



ACCESSORIES
PAGE 31,35

600 E3

PL70E3 LASER LINE

PW70E3 WINDOW

PF70E3 TRADITION

600 VG

PL70VG LASER LINE

PW70VG WINDOW

PF70VG TRADITION

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW

Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:



DUAL BURNER **5KW**



ACCESSORIES FOR ALL
OVENS PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34


RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

RANGE • PROFESSIONAL PLUS • HI-TECH

PD70 PLUS



WINDOW




COLOURS:

STAINLESS STEEL

GLOSSY BLACK

DEPTH 60



PD70 PLUS

HIGH OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 GR - GRILL OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44 x 15 x 45 - 20,2 litres
- Cooking temperature 80-250°C
- Energy regulator 12 positions
- Grill function

CONSUMPTION

- Maximum absorption 2,5 kW
- Electric grill 2400 W

FUNZIONE



LOW OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION


- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



HOBBS:

4 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 600 GR

PDW70E3

WINDOW

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:



DUAL BURNER 5KW



ACCESSORIES FOR ALL
OVENS PAGE 26 - 27


FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

P76 PLUS



WINDOW



OPTIONAL:



DECORATIONS


+

SEE PAGE 200

COLOURS:

STAINLESS STEEL

DEPTH 60



P76 PLUS

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

700 E3 - ELECTRONIC MAXI OVEN 700

OVEN FEATURES

- Internal oven dimensions: 54x34x41,5 - 76 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 900 W / Bottom 1500 W / Circular 2400 W

10 FUNCTIONS



700 VG - VENTILATED GAS MAXI OVEN 700

OVEN FEATURES

- Internal oven dimensions: 54x31x41 - 69 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,3 kW

4 FUNCTIONS



HOBBS:

5 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

700 E3

PW76E3 WINDOW

700 VG

PW76VG WINDOW

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW



OPTIONAL:



DUAL BURNER 5KW



ACCESSORIES FOR ALL
OVENS PAGE 26 - 27


FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

P80 PLUS




LASER LINE



COLOURS:

STAINLESS STEEL

WINDOW



OPTIONAL:



DECORATIONS

+
SEE PAGE 200

COLOURS:


WHITE

STAINLESS STEEL

GRAPHITE/MAT

GLOSSY BLACK

TRADITION




COLOURS:

STAINLESS STEEL

GRAPHITE/MAT

DEPTH 60



P80 PLUS

OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 E3 - ELECTRONIC MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

10 FUNCTIONS



900 VG - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS



HOBBS:

Fish pan



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3

PL80E3	LASER LINE
PW80E3	WINDOW
PF80E3	TRADITION

900 VG

PL80VG	LASER LINE
PW80VG	WINDOW
PF80VG	TRADITION

Fish pan burner: max 3,1 kW - min 1 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

OPTIONAL:




OPTIONAL:



DUAL BURNER 5KW

5 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3

PL80CE3	LASER LINE
PW80CE3	WINDOW
PF80CE3	TRADITION

900 VG - Optinal DUAL non disponibile

PL80CVG	LASER LINE
PW80CVG	WINDOW
PF80CVG	TRADITION

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

Glass ceramic



900 E3

PLE80E3	LASER LINE
PWE80E3	WINDOW
PFE80E3	TRADITION

A: 2 glass ceramic zones Ø 150 mm 1.2 kW
B: 1 double circuit glass ceramic zone Ø 210/120 mm 2,2 kW/0,75 Kw
C: 1 glass ceramic zone Ø 180 mm 1.80 kW
D: 1 oval double circuit glass ceramic zone L270/Ø 175 mm 2.4 kW/1.5 kW
Hob maximum power 8,8 kW



ACCESSORIES FOR ALL
OVENS PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35


RANGE • PROFESSIONAL PLUS • HI-TECH

P90 PLUS



P90 PLUS


LASER LINE



COLOURS:

STAINLESS STEEL

WINDOW



COLOURS:

WHITE STAINLESS STEEL
GRAPHITE/MAT GLOSSY BLACK




OPTIONAL:

DECORATIONS

+
SEE PAGE 200


TRADITION



COLOURS:

STAINLESS STEEL GRAPHITE/MAT

DEPTH 60



OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 E3 - ELECTRONIC MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W /Top 800 W / Bottom 1500 W / circular 2400 W

10 FUNCTIONS



900 VG - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27


FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

P90 PLUS

HOBBS:

6 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3

PL906E3 LASER LINE

PW906E3 WINDOW

PF906E3 TRADITION

900 VG


PL906VG LASER LINE

PF906VG TRADITION

PW906VG WINDOW

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

Fish pan



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3

PL90E3 LASER LINE

PW90E3 WINDOW

PF90E3 TRADITION

900 VG


PL90VG LASER LINE

PW90VG WINDOW

PF90VG TRADITION

Fish pan burner: max 3,1 kW - min 1 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

900 E3

PL90FE3 LASER LINE

PW90FE3 WINDOW

PF90FE3 TRADITION

900 VG


PL90FVG LASER LINE

PW90FVG WINDOW

PF90FVG TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fryer



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3

PL90RE3 LASER LINE

PW90RE3 WINDOW

PF90RE3 TRADITION

Electric fryer
Absorption 2,3 kW
Thermostat
2.5 litre removable oil tray
1 Kg basket
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:




DUAL BURNER 5KW

P90 PLUS

HOBBS:

Barbecue



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3

PL90BE3 LASER LINE

PW90BE3 WINDOW

PF90BE3 TRADITION

900 VG

PL90BVG LASER LINE

PW90BVG WINDOW

PF90BVG TRADITION

Electric barbecue

Absorption 2,65 kW

Energy regulator

Lava stone for grill cooking


Sturdy cast iron grills

Triple ring burner: Ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x Ø 70 mm: max 2,6 - min 0,6 kW

Small burner: Ø 55 mm: max 1,8 - min 0,4 kW

2 induction zones



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3

PL90IE3 LASER LINE

PW90IE3 WINDOW

PF90IE3 TRADITION

Two zone induction

Absorption 2 x 1,85 kW - maximum 3,7 kW

Digital display

Dial controls

Stainless steel

Child protective lock

9 power levels


Automatic reheating function

Triple ring burner: Ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x Ø 70 mm: max 2,6 - min 0,6 kW

Small burner: Ø 55 mm: max 1,8 - min 0,4 kW

Glass ceramic



900 E3

PLE90E3 LASER LINE

PWE90E3 WINDOW

PFE90E3 TRADITION

A: 2 glass ceramic zones Ø 150 mm 1.2 kW

B: 1 double circuit glass ceramic zone Ø 210/120 mm 2,2 kW/0,75 Kw


C: 1 glass ceramic zone Ø 180 mm 1.80 kW

D: 1 oval double circuit glass ceramic zone

L270/Ø 175 mm 2.4 kW/1.5 kW

Hob maximum power 8,8 kW

Induction



900 E3

PLI90E3 LASER LINE

PWI90E3 WINDOW

PLI90E3 TRADITION

A: 1 induction zone Ø 145 mm 1,4 kW

B: 2 induction zones Ø 180 mm 1,85 kW

C: 1 induction zone Ø 210 mm 2,3 kW

D: 1 induction zone Ø 260 mm 2,4 kW

Hob maximum power 9,8 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • PROFESSIONAL PLUS • HI-TECH

PD90 PLUS



PD90 PLUS

LASER LINE




COLOURS:



STAINLESS STEEL

WINDOW



COLOURS:



WHITE



STAINLESS STEEL



GRAPHITE/MAT



GLOSSY BLACK




OPTIONAL:

DECORATIONS

+
SEE PAGE 200

TRADITION



COLOURS:




STAINLESS STEEL



GRAPHITE/MAT

DEPTH 60



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

PD90 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

300 E3 - MINI STATIC ELECTRONIC OVEN 300

OVEN FEATURES

- Internal oven dimensions: 25,7x32,5x43,5 - 36 litres
- Electronic programmer
- Energy class A+ **A+**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 1,7 kW
- Heating element absorption: Electric grill 1500 W / Top 800 W / Bottom 800 W

5 FUNCTIONS



300 E - MINI STATIC ELECTRIC OVEN 300

OVEN FEATURES

- Internal oven dimensions: 25,7x32,5x43,5 - 36 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

CONSUMPTION


- Maximum absorption 1,7 kW
- Heating element absorption: Electric grill 1500 W / Top 800 W / Bottom 800 W

4 FUNCTIONS



HOBBS:

6 burners



OPTIONAL
DUAL SKW



ACCESSORIES
PAGE 31,35

600 E3 + 300 E3


PDL906E3	LASER LINE
PDW906E3	WINDOW
PDF906E3	TRADITION

600 VG + 300 E

PDL906VG	LASER LINE
PDW906VG	WINDOW
PDF906VG	TRADITION

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW

Fish pan



OPTIONAL
DUAL SKW



ACCESSORIES
PAGE 31,35

600 E3 + 300 E3


PDL90E3	LASER LINE
PDW90E3	WINDOW
PDF90E3	TRADITION

600 VG + 300 E

PDL90VG	LASER LINE
PDW90VG	WINDOW
PDF90VG	TRADITION

Fish pan burner: max 3,1 kW - min 1 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL SKW



ACCESSORIES
PAGE 28-29,
31, 35

600 E3 + 300 E3

PDL90FE3	LASER LINE
PDW90FE3	WINDOW
PDF90FE3	TRADITION

600 VG + 300 E


PDL90FVG	LASER LINE
PDW90FVG	WINDOW
PDF90FVG	TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

PD90 PLUS

HOBBS:

Fryer



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 300 E3


PDL90RE3 LASER LINE

PDW90RE3 WINDOW

PDF90RE3 TRADITION

Electric fryer
Absorption 2,3 kW
Thermostat
2.5 litre removable oil tray
1 Kg basket
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 300 E3

PDL90BE3 LASER LINE

PDW90BE3 WINDOW

PDF90BE3 TRADITION

600 VG + 300 E

PDL90BVG LASER LINE

PDW90BVG WINDOW

PDF90BVG TRADITION

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

2 induction zones



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 300 E3


PDL90IE3 LASER LINE

PDW90IE3 WINDOW

PDF90IE3 TRADITION

Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW
Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Automatic reheating function
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Glass ceramic



600 E3 + 300 E3


PDLE90E3 LASER LINE

PDWE90E3 WINDOW

PDFE90E3 TRADITION

A: 2 glass ceramic zones Ø 150 mm 1.2 kW
B: 1 double circuit glass ceramic zone Ø 210/120 mm 2,2 kW/0,75 Kw
C: 1 glass ceramic zone Ø 180 mm 1.80 kW
D: 1 oval double circuit glass ceramic zone L270/Ø 175 mm 2.4 kW/1.5 kW
Hob maximum power 8,8 kW

Induction



600 E3 + 300 E3

PDLI90E3 LASER LINE

PDWI90E3 WINDOW

PDFI90E3 TRADITION

A: 1 induction zone Ø 145 mm 1,4 kW
B: 2 induction zones Ø 180 mm 1,85 kW
C: 1 induction zone Ø 210 mm 2,3 kW
D: 1 induction zone Ø 260 mm 2,4 kW
Hob maximum power 9,8 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • PROFESSIONAL PLUS • HI-TECH

PD100 PLUS



PD100 PLUS

LASER LINE




COLOURS:



STAINLESS STEEL

WINDOW



COLOURS:



WHITE



STAINLESS STEEL



GRAPHITE/MAT



GLOSSY BLACK




OPTIONAL:

DECORATIONS

+
SEE PAGE 200

TRADITION



COLOURS:




STAINLESS STEEL




GRAPHITE/MAT

DEPTH 60



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

PD100 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

400 E3 - MIDI STATIC ELECTRONIC OVEN 400

OVEN FEATURES

- Internal oven dimensions: 36x35x45 - 43,7 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

5 FUNCTIONS



400 E - MIDI STATIC ELECTRIC OVEN 400

OVEN FEATURES

- Internal oven dimensions: 35,7x32,5x43 - 50 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

4 FUNCTIONS



400 W - MIDI MICROWAVE 400

OVEN FEATURES

- Internal oven dimensions: 30x32x43 - 35 litres
- Microwave 500/800/1000 W
- Defrosting 270 W
- Combi grill + microwave 800 W
- Combi grill + microwave 500 W
- Timer
- Rotating plate ø 27 cm

CONSUMPTION


- Maximum absorption 3,2 kW
- Electric grill 1600 W
- Microwave power 1000 W

7 FUNCTIONS (MICROWAVE/COMBI/GRILL)



HOBBS:

6 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 400 E3

PDL1006E3 LASER LINE
PDW1006E3 WINDOW
PDF1006E3 TRADITION

600 VG + 400 E

PDL1006VG LASER LINE
PDW1006VG WINDOW
PDF1006VG TRADITION


600 E3 + 400 W

PDL1006E3W LASER LINE
PDW1006E3W WINDOW
PDF1006E3W TRADITION

Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW

Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

600 E3 + 400 E3

PDL100FE3 LASER LINE
PDW100FE3 WINDOW
PDF100FE3 TRADITION

600 VG + 400 E

PDL100FVG LASER LINE
PDW100FVG WINDOW
PDF100FVG TRADITION


600 E3 + 400 W

PDL100FE3W LASER LINE
PDW100FE3W WINDOW
PDF100FE3W TRADITION

Fry Top "full size" gas plate - Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Coup de Feu



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 400 E3

PDL100SE3 LASER LINE
PDW100SE3 WINDOW
PDF100SE3 TRADITION

600 VG + 400 E

PDL100SVG LASER LINE
PDW100SVG WINDOW
PDF100SVG TRADITION


"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

PD100 PLUS

HOBBS:

Fryer



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 400 E3

PDL100RE3 LASER LINE

PDW100RE3 WINDOW

PDF100RE3 TRADITION

Electric fryer

Absorption 2,3 kW

Thermostat

2.5 litre removable oil tray


1 Kg basket

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW

Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 400 E3

PDL100BE3 LASER LINE

PDW100BE3 WINDOW

PDF100BE3 TRADITION

600 VG + 400 E

PDL100BVG LASER LINE

PDW100BVG WINDOW

PDF100BVG TRADITION

Electric barbecue

Absorption 2,65 kW

Energy regulator

Lava stone for grill cooking

Sturdy cast iron grills

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW

Small burner: ø 55 mm: max 1,8 - min 0,4 kW

2 induction zones



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 400 E3

PDL100IE3 LASER LINE

PDW100IE3 WINDOW

PDF100IE3 TRADITION

Two zone induction

Absorption 2 x 1,85 kW - maximum 3,7 kW

Digital display

Dial controls

Stainless steel

Child protective lock

9 power levels


Automatic reheating function

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW

Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Glass ceramic



600 E3 + 400 E3

PDLE100E3 LASER LINE

PDWE100E3 WINDOW

PDFE100E3 TRADITION

600 E3 + 400 W

PDLE100E3W LASER LINE

PDWE100E3W WINDOW

PDFE100E3W TRADITION

A: 2 glass ceramic zones Ø 150 mm 1.2 kW

B: 2 double circuit glass ceramic zones Ø 210/120 mm 2,2 kW/0,75 Kw


C: 1 glass ceramic zone Ø 180 mm 1.80 kW

D: 1 oval double circuit glass ceramic zone

L270/Ø 175 mm 2.4 kW/1.5 kW

Hob maximum power 11 kW

Induction



600 E3 + 400 E3

PDLI100E3 LASER LINE

PDWI100E3 WINDOW

PDFI100E3 TRADITION

600 E3 + 400 W

PDLI100E3W LASER LINE

PDWI100E3W WINDOW

PDFI100E3W TRADITION

A: 2 induction zones Ø 145 mm 1,4 kW

B: 2 induction zones Ø 180 mm 1,85 kW

C: 2 induction zones Ø 210 mm 2,3 kW

Hob maximum power 11,1 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • PROFESSIONAL PLUS • HI-TECH

PT100 PLUS



PT100 PLUS


WINDOW



COLOURS:




BLIND DOOR




COLOURS:



DEPTH 60



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

PT100 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

400 E3 - MIDI STATIC ELECTRONIC OVEN 400

OVEN FEATURES

- Internal oven dimensions: 36x35x45 - 43,7 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety


CONSUMPTION

- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

5 FUNCTIONS



GRILL OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

600 GR - GRILL OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44 x 15 x 45 - 20,2 litres
- Cooking temperature 80-250°C
- Energy regulator 12 positions
- Grill function

CONSUMPTION

- Maximum absorption 2,5 kW
- Electric grill 2400 W


FUNZIONE



PT100 PLUS

HOBBS:

6 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35


600 E3 + 400 E3 + 600 GR

PTW1006E3 WINDOW

PTQ1006E3 BLIND DOOR

Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35


600 E3 + 400 E3 + 600 GR

PTW100FE3 WINDOW

PTQ100FE3 BLIND DOOR

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Glass ceramic




600 E3 + 400 E3 + 600 GR

PTWE100E3 WINDOW

PTQE100E3 BLIND DOOR

A: 2 glass ceramic zones Ø 150 mm 1.2 kW
B: 2 double circuit glass ceramic zones Ø 210/120 mm 2,2 kW/0,75 Kw
C: 1 glass ceramic zone Ø 180 mm 1.80 kW
D: 1 oval double circuit glass ceramic zone L270/Ø 175 mm 2.4 kW/1.5 kW
Hob maximum power 11 kW

Induction



600 E3 + 400 E3 + 600 GR

PTWI100E3 WINDOW

PTQI100E3 BLIND DOOR

A: 2 induction zones Ø 145 mm 1,4 kW
B: 2 induction zones Ø 180 mm 1,85 kW
C: 2 induction zones Ø 210 mm 2,3 kW
Hob maximum power 11,1 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • PROFESSIONAL PLUS • HI-TECH

PT110 PLUS




PT110 PLUS


WINDOW



COLOURS:




BLIND DOOR




COLOURS:



DEPTH 60



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

PT110 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

400 E3 - MIDI STATIC ELECTRONIC OVEN 400

OVEN FEATURES

- Internal oven dimensions: 36x35x45 - 43,7 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety


CONSUMPTION

- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

5 FUNCTIONS



GRILL OVEN:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

600 GR - GRILL OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44 x 15 x 45 - 20,2 litres
- Cooking temperature 80-250°C
- Energy regulator 12 positions
- Grill function

CONSUMPTION

- Maximum absorption 2,5 kW
- Electric grill 2400 W


FUNZIONE



PT110 PLUS

HOBBS:

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

600 E3 + 400 E3 + 600 GR

PTW110FE3 WINDOW

PTQ110FE3 BLIND DOOR

Fry Top "full size" gas plate

Fish pan burner 3,1 kW - min 1kW

Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW

Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW

Two small burners: 2 x ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • PROFESSIONAL PLUS • HI-TECH

P120 PLUS



P120 PLUS

LASER LINE




COLOURS:



STAINLESS STEEL

WINDOW



COLOURS:



WHITE



STAINLESS STEEL



GRAPHITE/MAT



GLOSSY BLACK




OPTIONAL:

DECORATIONS

+
SEE PAGE 200

TRADITION



COLOURS:




STAINLESS STEEL




GRAPHITE/MAT

DEPTH 60



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 E3 - ELECTRONIC MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

10 FUNCTIONS



900 VG - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

P120 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

300 E3 - MINI STATIC ELECTRONIC OVEN 300

OVEN FEATURES

- Internal oven dimensions: 25,7x32,5x43,5 - 36 litres
- Electronic programmer
- Energy class A+ **A+**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 1,7 kW
- Heating element absorption: Electric grill 1500 W / Top 800 W / Bottom 800 W

5 FUNCTIONS



300 E - MINI STATIC ELECTRIC OVEN 300

OVEN FEATURES

- Internal oven dimensions: 25,7x32,5x43,5 - 36 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,7 kW
- Heating element absorption: Electric grill 1500 W / Top 800 W / Bottom 800 W


4 FUNCTIONS



P120 PLUS

HOBBS:

7 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3 + 300 E3

PL1207E3 LASER LINE

PW1207E3 WINDOW

PF1207E3 TRADITION

900 VG + 300 E


PL1207VG LASER LINE

PW1207VG WINDOW

PF1207VG TRADITION

Fish pan burner: max 3,1 kW - min 1 kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

900 E3 + 300 E3

PL120FE3 LASER LINE

PW120FE3 WINDOW

PF120FE3 TRADITION

900 VG + 300 E


PL120FVG LASER LINE

PW120FVG WINDOW

PF120FVG TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Coup de Feu



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3 + 300 E3

PL120SE3 LASER LINE

PW120SE3 WINDOW

PF120SE3 TRADITION

900 VG + 300 E


PL120SVG LASER LINE

PW120SVG WINDOW

PF120SVG TRADITION

"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry top + Fryer



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

900 E3 + 300 E3


PL120FRE3 LASER LINE

PW120FRE3 WINDOW

PF120FRE3 TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Electric fryer
Absorption 2,3 kW
Thermostat
2,5 litre removable oil tray
1 Kg basket
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3 + 300 E3

PL120BE3 LASER LINE

PW120BE3 WINDOW

PF120BE3 TRADITION

900 VG + 300 E


PL120BVG LASER LINE

PW120BVG WINDOW

PF120BVG TRADITION

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry Top + 2 induction zones



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29,
31, 35

900 E3 + 300 E3

PL120FIE3 LASER LINE

PW120FIE3 WINDOW

PF120FIE3 TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW
Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Automatic reheating function
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:




DUAL BURNER 5KW

PS120 PLUS



PS120 PLUS


LASER LINE



COLOURS:

STAINLESS STEEL

WINDOW



COLOURS:

WHITE

STAINLESS STEEL

GRAPHITE/MAT

GLOSSY BLACK




OPTIONAL:


DECORATIONS

+
SEE PAGE 200

DEPTH 60



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

700 E3 - ELECTRONIC MAXI OVEN 700

OVEN FEATURES

- Internal oven dimensions: 54x34x41,5 - 76 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 900 W / Bottom 1500 W / Circular 2400 W

10 FUNCTIONS



700 VG - VENTILATED GAS MAXI OVEN 700

OVEN FEATURES

- Internal oven dimensions: 54x31x41 - 69 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,3 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

PS120 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Rotisserie
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

400 E3 - MIDI STATIC ELECTRONIC OVEN 400

OVEN FEATURES

- Internal oven dimensions: 36x35x45 - 43,7 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-250°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

5 FUNCTIONS



400 E - MIDI STATIC ELECTRIC OVEN 400

OVEN FEATURES

- Internal oven dimensions: 35,7x32,5x43 - 50 litres
- Energy class A **A**
- Cooking temperature 50-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,9 kW
- Heating element absorption: Electric grill 1600 W / Top 850 W / Bottom 900 W

4 FUNCTIONS



400 W - MIDI MICROWAVE 400

OVEN FEATURES

- Internal oven dimensions: 30x32x43 - 35 litres
- Microwave 500/800/1000 W
- Defrosting 270 W
- Combi grill + microwave 800 W
- Combi grill + microwave 500 W
- Grill
- Timer
- Rotating plate ø 27 cm

CONSUMPTION

- Maximum absorption 3,2 kW
- Electric grill 1600 W
- Microwave power 1000 W


7 FUNCTIONS (MICROWAVE/COMBI/GRILL)



PS120 PLUS

HOBBS:

7 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

700 E3 + 400 E3

PSL1207E3 LASER LINE

PSW1207E3 WINDOW

700 VG + 400 E

PSL1207VG LASER LINE

PSW1207VG WINDOW


700 E3 + 400 W

PSL1207E3W LASER LINE

PSW1207E3W WINDOW

Fish pan burner: max 3,1 kW - min 1 kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

700 E3 + 400 E3

PSL120FE3 LASER LINE

PSW120FE3 WINDOW

700 VG + 400 E

PSL120FVG LASER LINE

PSW120FVG WINDOW


700 E3 + 400 W

PSL120FE3W LASER LINE

PSW120FE3W WINDOW

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Coup de Feu



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

700 E3 + 400 E3

PSL120SE3 LASER LINE

PSW120SE3 WINDOW


700 VG + 400 E

PSL120SVG LASER LINE

PSW120SVG WINDOW

"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry top + Fryer



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35


700 E3 + 400 E3

PSL120FRE3 LASER LINE

PSW120FRE3 WINDOW

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Electric fryer
Absorption 2,3 kW
Thermostat
2.5 litre removable oil tray
1 Kg basket
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

700 E3 + 400 E3

PSL120BE3 LASER LINE

PSW120BE3 WINDOW


700 VG + 400 E

PSL120BVG LASER LINE

PSW120BVG WINDOW

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry Top + 2 induction zones



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

700 E3 + 400 E3

PSL120FIE3 LASER LINE

PSW120FIE3 WINDOW

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW
Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Automatic reheating function
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • PROFESSIONAL PLUS • HI-TECH

PD120 PLUS



PD120 PLUS

LASER LINE




COLOURS:



STAINLESS STEEL

WINDOW



COLOURS:



WHITE



STAINLESS STEEL



GRAPHITE/MAT



GLOSSY BLACK




OPTIONAL:

DECORATIONS

+
SEE PAGE 200

TRADITION



COLOURS:




STAINLESS STEEL




GRAPHITE/MAT

DEPTH 60



MAIN OVEN LEFT:



← 60 →

GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- 10 functions
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 VG - VENTILATED GAS OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x30,5x41,5 - 56 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 1,74 kW
- Electric grill 1600 W
- Gas oven burner power 3 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

PD120 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 M - MULTI-FUNCTION OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION


- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

9 FUNCTIONS



HOBS:

7 burners



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 600 E3


PDL1207E3	LASER LINE
PDW1207E3	WINDOW
PDF1207E3	TRADITION

600 VG + 600 M

PDL1207VG	LASER LINE
PDW1207VG	WINDOW
PDF1207VG	TRADITION

Fish pan burner: max 3,1 kW - min 1 kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

600 E3 + 600 E3


PDL120FE3	LASER LINE
PDW120FE3	WINDOW
PDF120FE3	TRADITION

600 VG + 600 M

PDL120FVG	LASER LINE
PDW120FVG	WINDOW
PDF120FVG	TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Coup de Feu



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 600 E3

PDL120SE3	LASER LINE
PDW120SE3	WINDOW
PDF120SE3	TRADITION

600 VG + 600 M


PDL120SVG	LASER LINE
PDW120SVG	WINDOW
PDF120SVG	TRADITION

"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW Small burner: ø 55 mm: max 1,8 - min 0,4 kW

PD120 PLUS

HOBBS:

Fry top + Fryer



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

600 E3 + 600 E3


PDL120FRE3 LASER LINE

PDW120FRE3 WINDOW

PDF120FRE3 TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Electric fryer
Absorption 2,3 kW
Thermostat
2.5 litre removable oil tray
1 Kg basket
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

600 E3 + 600 E3

PDL120BE3 LASER LINE

PDW120BE3 WINDOW

PDF120BE3 TRADITION

600 VG + 600 M


PDL120BVG LASER LINE

PDW120BVG WINDOW

PDF120BVG TRADITION

Electric barbecue Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry Top + 2 induction zones



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

600 E3 + 600 E3

PDL120FIE3 LASER LINE

PDW120FIE3 WINDOW

PDF120FIE3 TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two zone induction
Absorption 2 x 1,85 kW - maximum 3,7 kW
Digital display
Dial controls
Stainless steel
Child protective lock
9 power levels
Automatic reheating function
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:



DUAL BURNER 5KW


RANGE • PROFESSIONAL PLUS • HI-TECH

P150 PLUS



P150 PLUS


LASER LINE



COLOURS:

STAINLESS STEEL

WINDOW



COLOURS:

WHITE

STAINLESS STEEL

GRAPHITE/MAT

GLOSSY BLACK




OPTIONAL:

DECORATIONS

+
SEE PAGE 200

TRADITION




COLOURS:


STAINLESS STEEL

GRAPHITE/MAT

DEPTH 60



MAIN OVEN LEFT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Transversal rotisserie
- Triple glass cold door (EN60335-2-6-11.101)

900 E3 - ELECTRONIC MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x33,5x41,5 - 89 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,9 kW
- Heating element absorption: Electric grill 2200 W / Top 800 W / Bottom 1500 W / circular 2400 W

10 FUNCTIONS



900 VG - VENTILATED GAS MAXI OVEN

OVEN FEATURES

- Internal oven dimensions: 64x30x41,5 - 80 litres
- Electronic programmer (grill functions)
- Energy class A **A**
- Safety valve
- Cooking temperature 150-250°C
- Thermostat

CONSUMPTION

- Maximum absorption 2,3 kW
- Electric grill 2200 W
- Gas oven burner power 3,5 kW

4 FUNCTIONS




ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

FEET: PAGE 30
TOE STRIPS: PAGE 34

RAIL: PAGE 32-33
CLEANING KIT: PAGE 35

P150 PLUS

SECONDARY OVEN RIGHT:



GENERAL FEATURES

- High density insulation
- Tangential cooling fan
- Internal light
- Triple glass cold door (EN60335-2-6-11.101)



ACCESSORIES FOR ALL OVENS
PAGE 26 - 27

600 E3 - ELECTRONIC OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Electronic temperature control
- Cooking temperature 30-300°C
- Thermostat with electronic probe
- Child safety

CONSUMPTION

- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

10 FUNCTIONS



600 M - MULTI-FUNCTION OVEN 600

OVEN FEATURES

- Internal oven dimensions: 44x33,5x41 - 60 litres
- Electronic programmer
- Energy class A **A**
- Cooking temperature 50-250°C
- Double probe thermostat

CONSUMPTION


- Maximum absorption 2,65 kW
- Heating element absorption: Electric grill 1600 W / Top 900 W / Bottom 1300 W / Circular 2400 W

9 FUNCTIONS



HOBBS:

Fry-Top



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

900 E3 + 600 E3


PL150FE3	LASER LINE
PW150FE3	WINDOW
PF150FE3	TRADITION

900 VG + 600 M

PL150FVG	LASER LINE
PW150FVG	WINDOW
PF150FVG	TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Coup de Feu



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3 + 600 E3

PL150SE3	LASER LINE
PW150SE3	WINDOW
PF150SE3	TRADITION

900 VG + 600 M

PL150SVG	LASER LINE
PW150SVG	WINDOW
PF150SVG	TRADITION

"Coup de Feu" plate in cast iron with rings
Gas burner, 2,6 kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Fry-Top + Coup de Feu



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

900 E3 + 600 E3

PL150FSE3	LASER LINE
PW150FSE3	WINDOW
PF150FSE3	TRADITION

900 VG + 600 M


PL150FSVG	LASER LINE
PW150FSVG	WINDOW
PF150FSVG	TRADITION

Fry Top "full size" gas plate
Fish pan burner 3,1 kW - min 1kW
Gas burner, 2,6 kW
Triple ring burner: ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Two large burners: 2 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

P150 PLUS

HOBBS:

Fry top + Fryer



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 28-29, 31, 35

900 E3 + 600 E3


PL150FRE3 LASER LINE

PW150FRE3 WINDOW

PF150FRE3 TRADITION

Fry Top "full size" gas plate
Thermostat
2.5 litre removable oil tray
1 Kg basket
Two triple ring burners:
Electric fryer
Absorption 2,3 kW
Fish pan burner 3,1 kW - min 1kW
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW

Barbecue



OPTIONAL
DUAL 5KW



ACCESSORIES
PAGE 31,35

900 E3 + 600 E3

PL150BE3 LASER LINE

PW150BE3 WINDOW

PF150BE3 TRADITION

900 VG + 600 M

PL150BVG LASER LINE

PW150BVG WINDOW

PF150BVG TRADITION

Electric barbecue
Absorption 2,65 kW
Energy regulator
Lava stone for grill cooking
Sturdy cast iron grills
Two triple ring burners: 2 x ø 120 mm: max 4,3 kW - min 1,7 kW
Fish pan burner: max 3,1 kW - min 1 kW
Three large burners: 3 x ø 70 mm: max 2,6 - min 0,6 kW
Small burner: ø 55 mm: max 1,8 - min 0,4 kW



OPTIONAL:



DUAL BURNER 5KW