

. **E YAMAHA ₩Y/\MAHA**

Solid Sounds Come from Solid Experience

Yamaha electric guitars and basses, like all Yamaha musical instruments, are made with just one desire in mind: to provide performance, musicality and reliability second to none.

And this is possible only with dedicated craftsmen who are music lovers in the strictest sense besides being specialists in their respective fields. Learning to understand and appreciate subtle musical nuances as well as musical instrument response and feel is a Yamaha tradition that has been followed with great success for more than ninety years.

In developing any new guitar or bass, Yamaha first makes literally hundreds of prototypes which are then tested and evaluated by many top professional players and technicians. This process is repeated until the best possible sound, action and durability are achieved in a beautifully conceived and well-built instrument. And, before shipping, each of these instruments is fully adjusted by Yamaha. It arrives in your hands ready to play.

To prove to yourself the successful application of this system, just pick up any Yamaha guitar or bass. You'll realize that solid sounds come from solid experience.



Yamaha designed the new SF Series especially to give the modern guitarist a new experience in sound versatility. The unique double cutaway body design is functional and allows your hands to move freely over 24 frets of the lightest, fastest action ever!

String vibrations transmitted by the carefully selected woods of the body and neck are delivered as bright, sparkling tones by the newly developed Yamaha humbucking pickups. Especially with the SF-1000, due to its Bi-Sound switch for instant push-

button change from humbucking to single-coil sound.



▲ Open-Type Humbucking Pickups



▲ Bi-Sound System SF-1000

A steel truss rod reinforces the neck and counteracts the string tension. The rod is sheathed in a U-shaped aluminum channel and is pre-curved. This distributes their tension over the entire length




A Body Contour



Even with its non-symmetrical shape, the SF Series guitars offer excellent playability due to the body contours and weight balance.








A T-Cross Maple & Sustain Plate SG-2000/1500



▲ One-Piece Body & Neck SG-2000

And one-piece body and neck construction in the SG-2000 assures maximum tonality plus increased playability.




The SG-2000 and SG-1500 are for those who demand the very finest in both feel and sound. Both feature Yamaha's exclusive T-Cross maple and mahogany construction as well as solid brass sustain plates. Fingerboards are ebony.

deep double cutaways provides easy access to even the highest notes.



Brown Sunburst*, Cherry Sunburst,









▲ Bridge & Toilpiece



A Bi-Sound System SG-1000/700




Similar materials are used in the SG-1000 and SG-700, except for the mahogany neck and rosewood finger-board of the latter. Both feature a Bi-Sound switch for instantaneous selection of either humbucking or single-coil sounds. The SG-1000 also has a Tone-Bypass circuit that lets high register sounds go straight through without losing any of their original clarity or brightness.



The SG-500, the finest guitar in its class, is for those who want the most solid value for their money. The maple and agathis body with the mahogany neck produces great sounds.







The dynamic solidbody guitars in the Yamaha SC Series feature three powerful bar-magnet, single-coil pickups for the hard-driving sounds required by modern guitarists. Pickup response is sharp and biting, yet the body sound comes through faithfully. Pickup phase reversal switches are another exclusive feature. These can be set at any combination of positions for the widest possible variety of tone colors. Sounds are full and clear even when choking.

Another feature is the extra sturdy die-cast bridge and tailpiece unit which stays firmly in place at all times. This unit allows precise adjustment of a

Brown Stain*



▲ Bar-Magnet Pickups



▲ Phase Reversal Switches

individual scale lengths and string heights. Strings can be changed rapidly, accurately and conveniently by merely inserting them through the holes in the back of the body.



▲ Back of the Body



An aluminum-channel encased truss rod prevents warping and twisting of the neck for the life of the instrument. Deep double cutaways allow free access. to all positions. And the one-piece body and neck construction

of the SC-1200










▲ Bridge & Tailpiece

The new Yamaha SA Series of semiacoustic guitars are designed and assembled by master craftsmen. Rigidly selected beech and birch for the bodies and mahogany for the necks deliver funky, mellow sounds that are outstandingly balanced from bass to treble.

The meaty sounds of the semi-acoustic bodies are reproduced naturally by the new high-performance humbucking pickups with anti-magnetic nickelsilver cover plates. Remarkably long sustain is delivered by the sturdy stop tailpiece which is firmly bolted to a laminated maple and spruce block inside the body. The stud-type bridge faithfully transmits string vibrations






▲ Overbinding Frets





Brown Sunburst*, Burgundy Red





DE-2000

Antique Stain*




A Humbucking Pickup & Bridge







Tailpiece


RE-2000 AE-1200



Sounds that are delicate and mellow result from the solid carved spruce top of the AE-2000. And the same high quality sounds come from the solid pressed spruce top of the AE-1200. Solid maple necks, extended to the 20th fret, are reinforced to assure perfect neck alignment for the life of the instrument. And the "Bi-Sound" system provides a smooth transition from humbacking to single-coil sound while










The new BB Series Yamaha electric basses were developed on the basis of discussions with top professionals to discover exactly what was required to match contemporary playing styles. The results are something you have to play and hear to believe!

One-piece laminated rock maple and mahogany construction was used for the BB-1200, which allows extra stability and a neck shaped for easy access to the upper registers. Selected alder was used for all the bodies to give an authentic wood bass sound. Hard rock maple was used for the necks of the BB-1000 and BB-800.

With 21 frets, a full 3 octaves are available. Balance is exceptional throughout the range, whatever the gauge of strings used.



▲ Split-Type Pickup



▲ Die-Cast Bridge

Yamaha developed diametricallyphased, split-type pickups to keep string response smooth and even throughout the entire scale.

The truss rods are encased in U-shaped aluminum channels and prevent warping and twisting of the necks.




▲ Torque-Adjustable Tuning Machines

BB-1200 BB-1000 BB-800

The smooth-turning tuning machines feature torque adjustment. And a discast bridge assembly allows a large range of adjustment.

The 8B-1200 includes a pickguard which can be easily installed if desired.





Brown Stein*,







Solidbody Basses

The Yamaha SB Series electric basses feature 8-pole, single-coil pickups that capture string vibrations with extreme sensitivity, even at maximum volume. Special die-cast bridges hold the high tension bass strings in perfect alignment and at the perfect height. Scale lengths of each individual string can also be fine adjusted.



▲8-Pole Single-Coil Pickup

The large-diameter control knobs are arranged for easy, rapid adjustments. Volume increases gradually and smoothly from "0" to "10".

The alder bodies of the SB-800 and SB-700 deliver the heavy, rhythmic sound beloved by all bassmen. Nyatoh wood is used for the bodies of the SB-600 and SB-500. Both types produce massive, solid sounds effortlessly. And stender hard rock maple necks assure the smoothest and fastest actions possible.



▲ Large-Diameter Control Knobs

SB-800 SB-700 SB-600 SB-500

All models are equipped with black laminated pickguards with attractively bevelled edges.



Natural*, Yellow Sunburst



Yellow Sunburst*






Brown

Superb Features of Yamaha Electric Guitars & Basses


➤ One-Piece Body and Neck

In this type of construction, the body and neck are carved from a single block of wood from the top of the headstock to the lower bout. This allows better transmission of string vibrations to the pickups for better tonality and greater playability at high positions. Featured in the SG-2000, SC-1200 and BB-1200 models.



▲ Pickups

Yamaha developed two basic types of pickups: the humbucking type for the SF, SG, SA and AE Series. And the single-coil type for the SC, BB and SB Series. Yamaha fabricates each pickup to function perfectly in its specific application.





A Bridge and Tailpiece
The SF, SG and SA Series use a die-cest bridge for better transmission of string vibrations. Six individual saddles allow precise scale length and string height adjustments. A die-cast bridge and tailpiece unit is employed for the SC, BB and SB Series for easier scale length and height adjustments on each



A Solid Planed Spruce Top


Made of the finest selected spruce, the solid planed top of the AE-2000 with its exclusive Yamaha bracing pattern delivers sounds of great delicacy and tone quality.




A Bi-Sound Switch
The SG-1000/700, SF-1000 and AE-2000/1200 models feature Bi-Sound switches that isolate one of the coils within each pickup, resulting in a complete tonal change when desired.

▼ Overbinding Frets

The SG, SA and AE Series have overbinding frets to make playing easier and surer, even when choking or vibrato.






▲ Tone-Bypass Circuit

When volume and tone controls of the SG-1000 are set to "10", pickup pulses bypass these controls and are fed directly to the amplifier. For brilliant and loud sounds,



A Phase Reversal Switch

SC Series guitars are equipped with pickup phase reversal switches. Used in accordance with the table shown above, a wide range of tone colors can be selected.





SPECIFICATIONS

	SF-1000	SF-700	SF-800	\$6,7000	50-1500	26-1	1900	SG-700	3G-800	SC-1200	SC-1000	SC-800
Number of Frots	24	40	+	22	-	(4)		*	-	21		
Body Materials	Mapie 8 Alder	-	Taun & Manageny	Vector & Metogeny	*	-		-	Maple & Agathis	Alder, Mapre & Matiogany	Alder	4
Neck Material	Maple	-	Mahogany	Magris & Wehspany	-	-		Mahogami	-	Mategany	Manie	
Fingerboard Material	Ebony	Rosewood	*	Boony		-		Resewood		Ebony	-	160
Body-Neck Construc-	Set Neck	+	Detachabite	One-Piece Body & Neck	Set Neck	-			+	One-Place Body & Neck	Detachable	*
Pickups	2 Humbueking	***	Mr.	2 Humbucking	**	1		*	+	3 Sar Type - Single-Coll	* 1601	.90
Centrols	2 Volume 2 Tone	+	*	2 Volume 2 Tone	-	THE STATE OF THE S		+		1 Volume 1 Tone	*	-
Herdware	Gold Plate	Chrome Plote	+	Gold Parts	Chrome Plans	Geriel		Chroma Plate	+	Chrome Plate	*	+
Strings	Ernie Sall "Super Slinky"	Yamaha Super Light Gauge	+	France Bast "Super Skinky"	-	+		Yamaha Super Light Cauge	-	Sirve Ball Super Stinky	*	*
Longth	1,027mm (40-3/8")	+	+	998mm (39-1/0")		-		•	*	999 Smm (29-3/8")	+	+
Width	347mm (13.6,8*)	(Table	-	320mm (12:6/8")	+	100		+	*	330mm (137)	***	
Rody Depth	43mm (s.g,a*)	**	+	8/2mm (3-3/8°)	#	-		*	*	43mm (1-3/4")	+	
Scale Longth	628mm (24-3/4*)	*	*	629mm (26-3/9")	+	*	1	+-	*	648mm (25-1/2")	*	-
Net Weight*	4.3kg (9.6lbs.)	96	*	6.45g (9.2mc)	*	*		*	+	3.7kg (8.20m.)	3.6kg (2.98n.)	+
Special Features	Ri-Sound System	-	-	T-Cross Mapse Sustain Plate	*	Bi-Sc Sym Tone Byte Cuts	HE .	Bi-Second System		Lst Pickup Cn/OH Seitch, 2 Phase Seitches	•	-
Supplied Hard Case	Model: SPC	**	*	Model SGD	+ +	Mos	n SGC	•	ŧ	Model: SCD	(#)	-
Color	Blond, Oil Stain	Brown Stain, Personmon	Ivory White, Brown	Charry Sankant, Franc Sankant,	Charry	Cher	V 1011	Charry	Cherry.	Natural.	Blond,	Blood
Finishes		Red	Surbunit	CHIT, BOWL FIRS	Black	Sunt Sunt	100	Brown Brown	Block	Brown State	Brown Stain	Personence Red
	SA-2000	Red SA-1000	AG-2000	AE-120	Black	2100	100				Brown Stein 88-690	
Model Number of		1000		Fixs	Black	5uno	suret	Brown	Maise	Scown-State		Red
Model Number of Frets	SA-2000	SA-1006	A9-2000	AF-120	D DE 21	Sund Sund B-1200** Ider, aple & chopary	BB-1000	BR-800	88 800	88-700	88 690	88-500
Model Number of Frets Body Meterials	SA-2000 22 Basch &	BA-1000	AG-2000 20 Solid Spruse Beach & Bird	AF-120	D DE 21	Sunb 8-1200**	80-1000 4-	BOAT BB 800	88 800 20 Alder	88-700 +	\$8 400 +-	88-500 4-
Model Number of Frets Body Motorials Nack Meterial Fingerbeard Meterial	SA-2000 22 Basch & Birch	£A-1000 	AG 2000 20 Solid Spruce Beach & Birs (Back & Side	AF-120	21 A) 54 54 54	Sund Sund B-1200** Ider, aple & chopary	BB 1000	Brows BB 800	SB 800 20 Aster	88-700 +	\$8 400 +-	88-500 4-
Model Number of Frets Body Motorials Neck Meterial	SA-2000 22 Blach & Brich Mahogany	6A-1000 	AC-2000 20 Solid Spruce Beach & Birr (Back & Side Maple	AG-120	Disco.	G-1200** Ideo, opie & chopery spie & chopery	00-1000 +- Alder	BB-800	SB 800 20 Aster	88-700 	\$8 400 +-	88-500 4-
Model Number of Frets Body Meterials Neck Meterial Fringerboard Meterial Body-Neck Construe-	SA-2000 22 Basch & Birch Mahogany Ebony	6A-1000 	AC-2000 20 Solid Spruce Besch & Birr (Back & Side Maple Ebony	AE-120	Ciack CO BE All All All All All All All A	Ider, aple & chopery spla & chopery sorry	BB-1000 +- Alder +-	BB-800	SB 800 20 Auser Maple	88-700 	\$8 400 +-	88-500 4-
Model Number of Frets Body Motorials Nack Meterial Fingerboard Motorial Body-Neck Construe-	SA-2000 22 Basch & Birch Mahogany Ebony Sat Neck	6A-1000 	AC-2000 20 Solid Spruce Besch & Bire (Back & Side Maple Ebony Set Black	AE-120	21 AA	Ider, aple & chopery spla & chopery sorry ne-Pieca ocry & Neck Split Type	BB 1000 Alder Ostachol	BB-800	SB 800 20 Alcter Maple Detachable	88-700 	SB 690 +- Nyetoh	88-500 4-
Model Number of Frets Body Motorials Neck Motorial Fingerbeard Motorial Body-Neck Construc- tion Pickups Controls	SA-2000 22 Basch & Brich Mahagany Ebany Set Neck 2 Humbucking 2 Volume	6A-1000	AC-2000 20 Solid Spruce Beach & Birri (Back & Side Maple Ebeny Set Mack 2 Humbacking 2 Volume	AE-120	Clark	Sunta B-1200** Mor. spile & shogary spile & shogary sprie & shogary sorry ne-Piece sorry Neck Spile Type ngla Coil	BB-1099 Alder Ostachet	Brown BB-800 Florenzace Florenzace +-	SB 800 20 Asser Maple Detachable 2 Single-Coll 2 Volume	88700 +- +- +-	SB 600 +- Nyetoh	88-500 *-
Model Number of Frets Body Motorials Neck Meterial Fingerboard Motorial Body-Neck Construc- tion Pickups	SA-2000 22 Basch & Birch Mahogany Eborry Set Neck 2 Humbucking 2 Volume 2 Tose Gold Pate	# + + Chroms	AG-2000 20 Solid Spruce Besch & Birr (Back & Side Maple Ebony Set Mack 2 Humbacking 2 Votuma 2 Tone Gold	AE-120 ((Top)	Charter Co. Bee Co.	Mor. aprile & chrostery poorty	BB-1000 Alder Ostudiak	Brown BB-800 Hossycood +- +- Hossycood	SB 600 20 Aloter Maple Detachable 2 Single-Coil 2 Volume 1 Tone Chrome	\$700	SB 690 Nyetoh	88-500 *-
Model Number of Frets Body Metorials Neck Metorial Fingerbeard Metorial Body-Neck Donstruc- tion Pickups Controls Hardware Strings	SA-2000 22 Basch & Birch Mahogany Ebony Set Neck 2 Humbucking 2 Volume 2 Yose Gold Pate	EA-1000	AG-2000 20 Solid Spruce Besch & Bire (Back & Side Maple Ebony Set Mack 2 Humbacking 2 Volume 2 Tone Gold Plate Gibson	AE-120 ((Top)	Charter Co. St. Co. St	Sunt Sunt B-1200** More apin & shoppiny spla & shopping spla Coll Volume Tone storms storms atomic storms storms atomic storms	BB-1000	Brown BB-600 Figureau F	SB 600 20 Aloter Maple Detachable 2 Single-Coil 2 Volume 1 Tone Chrome Place***	\$700	SB 600 +- Nyetoh +- + Yamehe	88-500 *-
Model Number of Frets Body Meterials Neck Meterial Meterial Body-Neck Construc- ion Pickups Controls Hardware Strings Langth	SA-2000 22 Basch & Birch Mahogany Ebony Set Neck 2 Humbucking 2 Volume 2 Yolume 2 Yolume Gold Pata Erak Bell "Regular Slinky" 1,006.5mm	EA-1000	AG-2000 20 Solid Spruce Besch & Bire (Back & Side Maple Ebeny Set Mack 2 Humbacking 2 Volume 2 Tome Gold Plate Gibson # 040L 1,051,4mm	AE-120	Character Char	Sunt Sunt B-1200** More apine & obiogony spla & shogony spla & sh	BB-1000 Alder Oetachol	Brown BB-600 Figureau F	SB 600 20 Aloter Maple Detachable 2 Single-Coil 2 Volume 1 Tone Chrome Place*** Plotocound "Swring Sto	88700	SB 690 +- Nyetah +- + Yamehe Fistmound	88-500 +
Model Number of Frets Body Metorials Neck Fingerbeard Metorial Body-Neck Construc- tion Pickups Controls Hardware	SA-2000 22 Banch & Birch Mahogany Eborry Set Neck 2 Humbucking 2 Volume 2 Tone Gold Pata Ernic Boll "Regular Slinky" 1,000,5mm (42-1/4") 403mm	EA-1000	AG-2000 20 Solid Spruce Besch & Bire (Back & Side Maple Ebony Set flack 2 Humbacking 2 Volume 2 Torle Gold Plate Gibson + 040L 1,081,4mm (41-3/4*) 430mm	AE-120	Character Char	Mor, opie & ohosony spie & shosony spie & sony spie & shosony spie & spi	BB-1000 Alder Ostastat	Brown BB-800 4- 4- Francourdoo	Black SB 800 20 Alder Maple Detachable 2 Single-Coll 2 Volume 1 Tone Chrome Plate*** Plotocound "Swing 8cc 1,176mm [46-1,47] 355mm	\$8700	SB 690 Nyetoh Yamaha Flatinound	# + + + + + + + + + + + + + + + + + + +
Model Number of Frets Body Motorials Neck Motorial Fingerbeard Motorial Body-Neck Construc- tion Pickups Controls Hardwers Strings Length Ridth	SA-2000 22 Basch & Birch Mahogany Ebony Set Neck 2 Humbucking 2 Volume 2 Yours Gold Pata Enic Ball "Regular Slinky" 1,000,5mm (42-1/4") 403mm (15-7/9") 87mm	## ## ## ## ## ## ## ## ## ## ## ## ##	AG-2000 20 Solid Spruce Beach & Bird (Back & Side Maple Ebony Set flack 2 Humbacking 2 Volume 2 Volume 2 Tone Gold Plate Gibson # 040L 1,081,4mm (41-3/4") 430mm (16-7/8")	AE-120 ((Top)	Charter	Mor, opie & ohosony spie & shosony spie & sony spie & shosony spie & spi	BB-1000 Alder Detachol + + + +	Brown BB-800	Black SB 808 20 Alcter Maple Detachable 2 Single-Coil 2 Volume 1 Tone Chrome Plate*** Plotocound "Swing 8te 1,176me 146*1,4** 355mun (14**)	88700	SB 600 Nyetoh Yamshe Fletinound	# + + + + + + + + + + + + + + + + + + +
Model Number of Frets Body Meterials Neck Meterial Fingerbeard Meterial Body-Neck Construc- tion Controls Hardware Strings Length Ridth Body Depth Seele	SA-2000 22 Basch & Birch Mahogany Eborry Set Neck 2 Humbucking 2 Volume 2 Tone Gold Pate Ernic Betl "Regular Slinky" 1,000.5mm (42-1/4") 403mm (15-7/8") 67mm (25/8")	#	AG-2000 20 Solid Spruce Beach & Bire (Back & Side Maple Ebony Set Mack 2 Humbacking 2 Volume 2 Yours Gold Plate Gibson # 040'L 1,061,4mm (41-3/4") 430mm (16-7/8") 116,8mm (46-7/8") 840mm	AE-120	Charter	Sunta 6-1200** Mor. Gelica & shogory spile Type spile	BD-1000 Alder Oetachet	Brown BB 600	Black SB-800 20 Alcter Maple Detachable 2 Single-Coll 2 Volume 1 Tone Chrome Plate*** Hotocound "Swing Bos 1,175mm (48-1,4") 305mm (14") 950mm	\$8700	SB 600 +- Nyetoh	# # # # # # # # # # # # # # # # # # #
Model Number of Frets Body Meterials Neck Meterial Body-Neck Construc- tion Pickups Controls Hardwers Strings Length Nidth Sody Spth Cost Length Vac Length Vac Length Vac Length Vac Length Vac	SA-2000 22 Basch & Birch Mahogany Eborry Set Neek 2 Humbucking 2 Volume 2 Tone Gold Pate Erale Bell "Regular Slinky" 1,006.5mm (42-1/4") 403mm (15-7/8") 67mm (24-3/4")	# # # # # # # # # # # # # # # # # # #	AG-2000 20 Solid Spruce Beach & Bire (Back & Side Maple Ebony Set Maple Ebony Set Mack 2 Humbacking 2 Volume 2 Volume Gold Plate Gibson # 0404 1,061,4mm (41.3/4") 430mm (16.7/8") 116,8mm (46.6") 840mm (25.1/4")	AE-120	Black	Mor. spile & choppiny spile & chopping & Coll Volume Tone wrome sto*** 1 Type from \$-1/27 Chopping \$-1/27	BB-1000 Alder Oetachol +- +- +- +- +-	Brown BB-800 4- 4- Florewadd	Maple Detachable 2 Single-Coil 2 Volume 1 Tone Chrome Plate*** Hotosound "Swing Bes 1,176-en (14") 40-en (15,0") 950-en (13,7,6") 3.8kg	# # # # # # # # # # # # # # # # # # #	SB 690 Nyetah Yamaha Flatinound	# + + + + + + + + + + + + + + + + + + +

For details please contact:

