

# VERSAPASS® DG Magenta

## Safety Data Sheet



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/25/2011

Revision date: 04/04/2019

Supersedes: 06/27/2018

Version: 6.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : VERSAPASS® DG Magenta

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Inkjet printing  
Restrictions on use : No additional information available

#### 1.3. Supplier

Memjet Ltd.  
61-62 Fitzwilliam Lane  
Dublin, Ireland  
T +353 1 678 0420  
[msds@memjet.com](mailto:msds@memjet.com) [www.memjet.com](http://www.memjet.com)

Memjet  
10918 Technology Place  
San Diego, CA 92127 - USA  
T 858 673 3300  
[www.memjet.com](http://www.memjet.com)

#### 1.4. Emergency telephone number

Emergency number : For Hazardous Materials Incidents (spill, leak, fire, exposure, or accident) call: CHEMTREC:  
U.S. 1-800-424-9300 International: +1-703-527-3887  
CHEMTREC (24 HOURS)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Eye Irrit. 2	H319	Causes serious eye irritation
Repr. 1B	H360	May damage fertility or the unborn child
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects

Full text of hazard classes and H-statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H319 - Causes serious eye irritation  
H360 - May damage fertility or the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe mist, spray, vapors.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P314 - Get medical advice/attention if you feel unwell.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards which do not result in classification

No additional information available

# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

3% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

3% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

3% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Water	(CAS-No.) 7732-18-5	70 - 75	Not classified
Ethylene glycol	(CAS-No.) 107-21-1	9 - 10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
2-pyrrolidone	(CAS-No.) 616-45-5	7 - 9	Eye Irrit. 2A, H319 Repr. 1B, H360
Glycerol	(CAS-No.) 56-81-5	3 - 5	Not classified
Proprietary magenta dye	(CAS-No.) not assigned	3 - 5	Eye Irrit. 2A, H319 Aquatic Chronic 2, H411
2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate	(CAS-No.) 9014-85-1	0.5 - 1	Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : May cause damage to organs (kidneys) (through prolonged or repeated exposure).
- Symptoms/effects after inhalation : Inhalation may cause: irritation, cough, shortness of breath.
- Symptoms/effects after skin contact : May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Causes serious eye irritation.
- Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

### 4.3. Immediate medical attention and special treatment, if necessary

Avoid all eye and skin contact and do not breathe vapor and mist.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, hazy water.
- Unsuitable extinguishing media : None known.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : Not expected to be a fire/explosion hazard under normal conditions of use.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known.

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Exercise caution when fighting any chemical fire.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flammable resistant/retardant clothing. Use self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid all eye and skin contact and do not breathe vapor and mist.

# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.1.1. For non-emergency personnel

Protective equipment : Avoid contact with skin and eyes. Wear suitable gloves : butyl rubber gloves and natural rubber gloves.

Emergency procedures : Evacuate unnecessary personnel. Stop leak, if possible without risk.

### 6.1.2. For emergency responders

Protective equipment : Avoid all eye and skin contact and do not breathe vapor and mist. Wear suitable protective clothing and gloves: butyl rubber and rubber. Use eye protection designed to protect against liquid splashes.

Emergency procedures : Stop leak if safe to do so.

### 6.2. Environmental precautions

Do not discharge into drains or the environment.

### 6.3. Methods and material for containment and cleaning up

No additional information available

### 6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Hygiene measures : Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store away from heat.

Incompatible products : Oxidizing agent.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>2-pyrrolidone (616-45-5)</b>		
Not applicable		
<b>Glycerol (56-81-5)</b>		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total) 5 mg/m³ (respirable fraction)
<b>2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)</b>		
Not applicable		
<b>Ethylene glycol (107-21-1)</b>		
ACGIH	Local name	Ethylene glycol
ACGIH	ACGIH Ceiling (mg/m³)	100 mg/m³
ACGIH	ACGIH Ceiling (ppm)	39.4 ppm
ACGIH	Remark (ACGIH)	Kidney dam; URT & eye irr
<b>Water (7732-18-5)</b>		
Not applicable		
<b>Proprietary magenta dye (not assigned)</b>		
Not applicable		

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid splashing. No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. butyl rubber gloves. natural rubber gloves. Minimum glove thickness is 0.11 mm.

# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Use splash goggles when eye contact due to splashing is possible.

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Semi-opaque.
Color	: Magenta.
Odor	: No data available
Odor threshold	: No data available
pH	: 6.5 - 7.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 90 °C
Flash point	: > 93.3 °C Closed cup (Pensky-Martens)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: > 1 (Air = 1)
Relative density	: 1 - 1.1
Relative density of saturated gas/air mixture	: 1 - 1.1
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 1.7 - 2.1 mPa·s
Explosive limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Keep/Store away from incompatible materials.

### 10.5. Incompatible materials

Oxidizing agent.

# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.6. Hazardous decomposition products

No dangerous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

2-pyrrolidone (616-45-5)	
LD50 oral rat	5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	5000 mg/kg body weight

Glycerol (56-81-5)	
LD50 oral rat	5570 mg/kg
ATE US (oral)	5570 mg/kg body weight

2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 2 mg/l/4h

Ethylene glycol (107-21-1)	
LD50 dermal rat	> 3500 mg/kg (mouse)
LC50 inhalation rat (mg/l)	> 2.5 mg/l/4h
ATE US (oral)	500 mg/kg body weight

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : May damage fertility or the unborn child.  
Specific target organ toxicity – single exposure : Not classified  
Specific target organ toxicity – repeated exposure : May cause damage to organs through prolonged or repeated exposure.

2-pyrrolidone (616-45-5)	
NOAEL (oral,rat,90 days)	207 mg/kg bodyweight/day The kidneys were the most affected organs.

2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
NOAEL (subacute,oral,animal/male,28 days)	200 mg/kg body weight

Ethylene glycol (107-21-1)	
LOAEL (oral,rat,90 days)	1000 mg/kg bodyweight/day
NOAEL (oral,rat,90 days)	150 mg/kg bodyweight/day kidney

Aspiration hazard : Not classified  
Likely routes of exposure : Inhalation. Skin and eye contact.  
Symptoms/effects : May cause damage to organs (kidneys) (through prolonged or repeated exposure).  
Symptoms/effects after inhalation : Inhalation may cause: irritation, cough, shortness of breath.  
Symptoms/effects after skin contact : May cause an allergic skin reaction.  
Symptoms/effects after eye contact : Causes serious eye irritation.  
Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>2-pyrrolidone (616-45-5)</b>	
LC50 fish 1	> 4600 (4600 - 10000) mg/l 96 hr. Danio rerio
EC50 Daphnia 1	> 500 mg/l
ErC50 (algae)	> 500 mg/l
NOEC (acute)	4640 mg/l
<b>Glycerol (56-81-5)</b>	
LC50 fish 1	68 - 72 mg/l
<b>2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)</b>	
LC50 fish 1	52.5 mg/l juvenile S. maximus
EC50 Daphnia 1	166 mg/l
ErC50 (algae)	15 mg/l
NOEC chronic algae	1 mg/l
<b>Ethylene glycol (107-21-1)</b>	
LC50 fish 1	72860 mg/l Pimephales promelas
EC50 Daphnia 1	> 100 mg/l
NOEC chronic fish	15380 mg/l Pimephales promelas
NOEC chronic crustacea	8590 mg/l Ceriodaphnia sp.

### 12.2. Persistence and degradability

<b>VERSAPASS® DG Magenta</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>2-pyrrolidone (616-45-5)</b>	
Persistence and degradability	Readily biodegradable.
<b>Glycerol (56-81-5)</b>	
Persistence and degradability	Readily biodegradable.
<b>2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)</b>	
Persistence and degradability	Not readily biodegradable.
<b>Ethylene glycol (107-21-1)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	> 60 % 28 d

### 12.3. Bioaccumulative potential

<b>2-pyrrolidone (616-45-5)</b>	
Bioconcentration factor (BCF REACH)	3.16
Log Pow	- 0.32
Bioaccumulative potential	Not expected to bioaccumulate.
<b>2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)</b>	
Bioconcentration factor (BCF REACH)	< 24
Bioaccumulative potential	Not expected to bioaccumulate.
<b>Ethylene glycol (107-21-1)</b>	
Log Pow	- 1.36
Bioaccumulative potential	Not expected to bioaccumulate.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Do not dispose in household garbage. Dispose in a safe manner in accordance with local/national regulations.

# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated.

#### Transportation of Dangerous Goods

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Ethylene glycol	CAS-No. 107-21-1	5 - 10%
-----------------	------------------	---------

##### 2-pyrrolidone (616-45-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Glycerol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### 2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

##### Ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.

CERCLA RQ

5000 lb

##### Proprietary magenta dye (not assigned)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

##### 2-pyrrolidone (616-45-5)

Listed on the Canadian DSL (Domestic Substances List)

##### Glycerol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

##### 2,4,7,9-Tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)

Listed on the Canadian DSL (Domestic Substances List)

##### Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

##### Proprietary magenta dye (not assigned)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

##### EU-Regulations

##### VERSAPASS® DG Magenta

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)- Directive 79/831/EEC, sixth Amendment of Directive 67/548/EEC (dangerous substances)

# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Glycerol (56-81-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Ethylene glycol (107-21-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

#### Glycerol (56-81-5)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on Taiwan National Chemical Inventory  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on NZIoC (New Zealand Inventory of Chemicals)

#### Ethylene glycol (107-21-1)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on Taiwan National Chemical Inventory  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

### 15.3. US State regulations



#### WARNING

This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Ethylene glycol (107-21-1)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
No	Yes	No	No		8700 µg/day (oral)
U.S. - California - Proposition 65 - Other information		Ingestion			

#### 2-pyrrolidone (616-45-5)

U.S. - Pennsylvania - RTK (Right to Know) List

#### Glycerol (56-81-5)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

#### Ethylene glycol (107-21-1)

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities  
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances  
U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Revision date : 04/04/2019



# VERSAPASS® DG Magenta

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Repr. 1B	Reproductive toxicity Category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### Abbreviations and acronyms:

ATE: Acute Toxicity Estimate
CAS (Chemical Abstracts Service) number
DNEL: Derived No Effect Level
EC50: Environmental Concentration associated with a response by 50% of the test population.
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals)
IPPC: Integrated Pollution Prevention and Control
LD50: Lethal Dose for 50% of the test population
NOEC: No Observable Effect Concentration
PNEC: Predicted No Effect Level
OSHA: Occupational Safety & Health Administration
PBT: Persistent, Bioaccumulative, Toxic
STEL: Short Term Exposure Limits
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average

### Indication of changes:

Section	Changed item	Change	Comments
2.1	Hazard statements (GHS US)	Modified	
2.1	Precautionary statements (GHS US)	Modified	
2.1	Signal word (GHS US)	Modified	
2.1	GHS-US classification	Modified	

**SDS Prepared by:** The Redstone Group  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43017  
T 614-923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*