


# ***ELECTRIC GUITARS & BASSES***



 YAMAHA

# ***Quality and Technology That Only Yamaha Can Deliver***

*At Yamaha, our craftspeople are entirely committed to bringing you the best electric guitars and basses possible. Fully dedicated to the art of guitar manufacturing, our instruments have won respect from musicians the world over for their consistent quality, high-quality materials and excellent craftsmanship.*

*Always striving to be the best, we constantly seek the advice, opinions and ideas from some of the greatest players in the music business. Their input combined with our advanced design and manufacturing technology results in guitars and basses that satisfy the needs of contemporary players everywhere.*



**PACIFICA**



**RGX**



**AES**



**AEX**



**SG**



**SA**



**ATTITUDE**



**BB**



**TRB**



**RBX**

# PACIFICA

The Pacifica line combines traditional styling with the latest in technological innovations. Designed to exceed the demands of the most discriminating players, these high quality guitars are equipped with features that distinguish them above all others in their class. Select woods, detailed craftsmanship, maximum sonic flexibility and exceptional playability are featured throughout the line. Seven new guitars are featured in the lineup. At the high end, the 821D has a beautiful figured maple body with DiMarzio pickups installed. Mid range models include the new 12-string 303-12II, and 6-string 312II, 312MII, 311S and 311MS models. At the low end of the spectrum is the new 120S created with high-quality materials and craftsmanship that only Yamaha can deliver.



**NEW**

**821D**

Translucent Blue



**821DX**

Magenta Burst



**904**

Old Violin Sunburst

- Warmouth Neck & Sperzel Locking Pegs**  
 The Pacifica 604W and 904 both feature top-quality Sperzel locking tuning machines for precise and reliable tuning. The 904 additionally features an American-made Warmouth neck for clean, comfortable fingering. The neck also has a relatively thick heel for solid, full bodied sound.
- "Vintage Custom" Tremolo (904)**  
 Wilkinson VS100 Tremolo (604W, 812W, 812WX)  
 The "Vintage Custom" tremolo system is a highly refined version of the traditional type tremolo featuring a two-point fulcrum. The Pacifica 904's tremolo is cast from solid steel for a refined sound with improved stability. The tremolo featured on the Pacifica 812W, 812WX, 604W is a Wilkinson VS100 tremolo system made by Gotoh.


## PACIFICA SPECIFICATIONS

MODEL	PACIFICA 821D	PACIFICA 821DX	PACIFICA 904
CONSTRUCTION	Body-on	Body-on	Set-Neck
SCALE LENGTH	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)
FINGERBOARD	Rosewood	Rosewood	Rosewood
RADIUS	12-3/4" (324mm)	12-3/4" (324mm)	Compound 9-1/2" - 15-1/4" (241-389mm)
PEGS	24	24	24 (Lan Open Gear VS100)
ROSETT	Abor (2 gold Maple Laminate)	Abor	Light ash lacquer back
VIBRATO SYSTEM	TRE-Pro	TRE-Pro II	"Vintage Custom"
PICKUPS	0 DiMarzio Air Classic II B x 2 DiMarzio Blue Velvet S/C x 1	0 DiMarzio Air Classic II B x 2 0 DiMarzio Blue Velvet S/C x 1	0 Gotoh G-2 (Neck P) DiMarzio S-1 (Bridge P)
PICKUP SWITCH	5-Position	5-Position	5-Position
CONTROLS	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone
COIL SPLIT	By Pickup Selector Switch	By Pickup Selector Switch	Push-Push SW on Tone Pot
COLORS	Cherry Red Sunburst Translucent Blue	Abor, Magenta Burst	Faded Blue, Old Violin Sunburst, Faded Burst

# PACIFICA



**812W**  
Natural



**812WX**  
Aqua Marine



**604W**  
Translucent Blue



**NEW**  
**303-12**  
Honey Burst




**NEW**  
**312II**  
Translucent Dark Green



**NEW**  
**312MII**  
Old Violin Sunburst



Ty Tabor (King's X)



Rik Emmett



Craig Goldy



Marc Bonilla



Carlos Rios



Ernie Isley



Bill Leverty (Fishbone)



Kevin Duken (Jackson Browne)

112

Vintage White

\* Pacifica 112L: Left Handed Model Available

112M

Black

112X

Natural Satin

112MX


Natural Satin

PACIFICA SPECIFICATIONS

MODEL	PACIFICA 112M	PACIFICA 112M	PACIFICA 112X	PACIFICA 112M	PACIFICA 112MX
CONSTRUCTION	Bolt-on	Bolt-on	Bolt-on	Bolt-on	Bolt-on
SCALE LENGTH	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)
FINGERBOARD	Rosewood	Rosewood	Rosewood	Rosewood	Maple
RADIUS	12-3/4" (325mm)	12-3/4" (325mm)	12-3/4" (325mm)	12-3/4" (325mm)	12-3/4" (325mm)
TRITS	22	22	22	22	22
BODY	Alder (Pickup Maple Laminated)	Alder	Alder	Alder (Oak Laminated)	Alder (Oak Laminated)
VIBRATO SYSTEM	Wilkinson VS-100	Wilkinson VS-100	Wilkinson VS-100	Vintage	Vintage
PICKUPS	Seymour Duncan Vintage II 2 Seymour Duncan '59 - 1	Seymour Duncan Mustang C10 - 2 Seymour Duncan '59 - 1	Single Coil - 2 (Alnico V) Double Single Coil - 1 (Alnico V)	Single Coil - 2 (Alnico V) Humbucking - 1 (Alnico V)	Single Coil - 2 (Alnico V) Humbucking - 1 (Alnico V)
PICKUP SWITCH	5-Position	5-Position	5-Position	5-Position	5-Position
CONTROLS	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone Push-pull SW. w/ State Pat.	Master Volume, Master Tone	Master Volume, Master Tone
COIL SPLIT	By Pickup Selector Switch	By Pickup Selector Switch	No	No	No
COLORS	Natural, Old Viola Sandbar, Translucent Blue	Acas Marine, Candy Red Sunburst	Black, Cherry Red Candy, Translucent Blue	Old Viola Sandbar, Honey Burst, Translucent Dark Green, Translucent Red	Old Viola Sandbar, Honey Burst, Translucent Dark Green, Translucent Red
MODEL	PACIFICA 112L	PACIFICA 112L 112L	PACIFICA 112M	PACIFICA 112E	PACIFICA 112MX
CONSTRUCTION	Bolt-on	Bolt-on	Bolt-on	Bolt-on	Bolt-on
SCALE LENGTH	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)
FINGERBOARD	Rosewood	Rosewood	Maple	Rosewood	Maple
RADIUS	12-3/4" (325mm)	12-3/4" (325mm)	12-3/4" (325mm)	12-3/4" (325mm)	12-3/4" (325mm)
TRITS	22	22	22	22	22
BODY	Alder (Oak Laminated)	Alder	Alder	Alder	Alder
VIBRATO SYSTEM	17 string adjustable	Vintage	Vintage	Vintage	Vintage
PICKUPS	Single Coil - 3 (Alnico V)	Single Coil - 2 Humbucking - 1	Single Coil - 2 Humbucking - 1	Single Coil - 2 Humbucking - 1	Single Coil - 2 Humbucking - 1
PICKUP SWITCH	5-Position	5-Position	5-Position	5-Position	5-Position
CONTROLS	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone
COIL SPLIT	No	No	No	No	No
COLORS	Old Viola Sandbar, Honey Burst	Light Brown Satin, Vintage White, Natural Satin, Black	Light Brown Satin, Vintage White, Natural Satin, Black	Natural Satin	Natural Satin

NO color available in 112L

# PACIFICA



**Mike Stern Model**  
Natural Satin



**NEW**  
**311S**  
Orange Stain



**NEW**  
**311MS**  
Vintage Blonde



• Seymour Duncan® Pickups  
Pickups by Seymour Duncan can  
be found on the Mike Stern Model.

# Mike Stern



**Mikael "Nord" Andersson**  
(*Roxette*)



**Sheldon Reynolds**  
(*E. W. & F.*)



**Marc Bonilla**

**NEW**

**120S**

Black

**102S**

Light Brown Satin

**102SX**

Natural Satin

## PACIFICA SPECIFICATIONS

MODEL	PACIFICA 120S Black Series Model	PACIFICA 102S	PACIFICA 102S	PACIFICA 102S	PACIFICA 102SX TEDES
LEAD SELECTOR	Roll-off	Roll-off	Roll-off	Roll-off	Roll-off
SCALE LENGTH	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)	25-1/2" (648mm)
FINGERBOARD	Maple	Rosewood	Maple	Resonant	Rosewood
RADIUS	7-1/4" (184mm)	13-3/4" (350mm)	10-3/4" (273mm)	13-3/4" (350mm)	10-3/4" (273mm)
POLETS	32	32	32	32	32
BODY	Ash	Alder (Ash-Lark model)	Alder (Ash-Lark model)	Alder	Alder
VIBRATO SYSTEM	Non-Vibrato	Non-Vibrato	Non-Vibrato	Non-Vibrato	Non-Vibrato
PICKUPS	Seymour Duncan® SH-1 Seymour Duncan® SH-2A x 1	Humbucking x 1 (Alnico V) Double Coil	Humbucking x 1 (Alnico V) Double Coil	Humbucking x 2	Single Coil x 2
PICKUP SWITCH	3-Position	3-Position	3-Position	3-Position	3-Position
CONTROLS	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, Master Tone
OUTPUT	10	10	10	10	10
COLORS	Black	Natural, Vintage Blonde, Orange Sun	Natural, Vintage Blonde, Orange Sun	Natural Satin, Black, Vintage White	Light Brown Satin, Natural Satin, Black

102SX color available in 102SX

# RGX

Contemporary styling mixed with the ultimate in high-performance; the RGX series offers players an instrument with maximum sonic power. Smooth and sleek necks fitted to rock-solid alder bodies. Low profile hardware and direct mount pickups offer unobtrusive playability and produce a tight, well-defined sound. For precision performance that is unbeatable in its field, the RGX delivers.

**721DG**

Translucent Blue

**421D**

Natural Satin

**421DM**

Old Violin Sunburst


Translucent Red

*\*RGX421DL: Left Handed Model Available*

## RGX SPECIFICATIONS

MODEL	RGX 721DG
CONSTRUCTION	S/S P-90
SCALE LENGTH	25 1/2" (648mm)
FINGERBOARD	Basswood
RADIUS	12 3/4" (325mm)
FRETS	24
BODY	Alder
HUBBARD SYSTEM	TR9-Pro™
PICKUPS	Humbucker x 2 Single Coil x 1
PICKUP SWITCH	3-Position
CONTROL	Master Volume, Master Tone
COIL SPLIT	By Pickup Selector Switch
COLORS	Translucent Blue Translucent Red

*\* Licensed under Ford's Trade Dress.*



**121D**

Natural Satin



**121DM**

Black



**120D**

Red

**MODEL 121D/121DM**

Body: Maple  
 25-1/2" (648mm)  
 Release  
 13-3/4" (350mm)  
 24  
 Alder  
 180-Freq  
 Humbucking x 2  
 Single Coil x 1  
 5-Position  
 Master Volume, Master Tone  
 3-Position Selector Switch  
 Natural Satin  
 Back Plate

**MODEL 120D**

Body: Maple  
 25-1/2" (648mm)  
 Release  
 13-3/4" (350mm)  
 24  
 Alder  
 180-Freq  
 Humbucking x 2  
 Single Coil x 1  
 5-Position  
 Master Volume, Master Tone  
 3-Position Selector Switch  
 Red, White, Black  
 Back Plate

**MODEL 121D**

Body: Maple  
 25-1/2" (648mm)  
 Release  
 13-3/4" (350mm)  
 24  
 Alder  
 180-Freq  
 Humbucking x 2  
 Single Coil x 1  
 5-Position  
 Master Volume, Master Tone  
 No  
 Red, White Satin, Black  
 Back Plate

**MODEL 120DM**

Body: Maple  
 25-1/2" (648mm)  
 Release  
 13-3/4" (350mm)  
 24  
 Alder  
 180-Freq  
 Humbucking x 2  
 Single Coil x 1  
 5-Position  
 Master Volume, Master Tone  
 No  
 Red, White, Antique Clear Satin, Black  
 Back Plate


**MODEL 120D**

Body: Maple  
 25-1/2" (648mm)  
 Release  
 13-3/4" (350mm)  
 24  
 Alder  
 180-Freq  
 Humbucking x 2  
 Single Coil x 1  
 5-Position  
 Master Volume, Master Tone  
 No  
 Red, White, Black  
 Back Plate


# AES

Retro looks bring back memories of time gone by but state-of-the-art technology provides the AES series with a sound that is up-to-date. Solid body models include

the AE5500, AE5800 and the new AE5800B with a Bigsby tremolo. The AE51500 features classic elegance with precision state-of-the-art technology and manufacturing. Made from select woods it produces a full-bodied tone that is truly inspirational.



**NEW**  
**800B**  
Shelby Blue



**800**

Cherry Red Sunburst




**800**

Brown Sunburst



• **Bigsby® Tremolo**  
The Bigsby Tremolo is a classic design that offers excellent string support, stable tuning, smooth tremolo action and superior sustain.



Ricardo Silveira



**500**  
Silver



**500**  
Gold



**500**  
Cream White



**1500**  
Pearl Snow White



**1500**  
Orange Stain

**AES SPECIFICATIONS**

MODEL	AES 500	AES 900	AES 990	AES 999
CONSTRUCTION	Semi	Solid	Body-on	Body-on
SCALE LENGTH	25-1/2" (649mm)	25-1/2" (649mm)	25-1/2" (649mm)	25-1/2" (649mm)
FINGERBOARD	Rosewood	Rosewood	Rosewood	Rosewood
BRIDGE	12-0/4" (305mm)	12-0/4" (305mm)	12-0/4" (305mm)	12-0/4" (305mm)
TRUSS	22	22	22	22
BODY	12e-plate Figured Maple	Alder	Alder (Mating and Laminated)	Alder
BRIDGE	T.O. M-10182	Epiphone® R-92	T.O. M-10182	Royalty
PICKUPS	DiMarzio® Q108 x 2	DiMarzio® Q108 x 2	DiMarzio® Q108 x 2	Humbucker x 2
PICKUP SWITCH	3-Position	3-Position	3-Position	3-Position
CONTROLS	Master/Rear Volume, Front/Rear Tone	Master Volume, Master Tone, Reverse Phase Control	Master Volume, Master Tone, Reverse Phase Control	Front Volume, Rear Volume, Master Tone
OUT. SPLIT	Push-pull 5M. on Tone Pot	By Pickup Selector Switch	By Pickup Selector Switch	Push-pull 5M. on Tone Pot
COLORS	Orange Stain, Pearl Snow White	Shred Blue	Black, Burgundy, Cherry Red, Redburst	Black, Cream White, Gold, Silver

# AEX

The AEX1500 and AEX500 combine a unique blend of tradition and technology to bring the quality and tone of both acoustic and electric

guitars into a single instrument. Both instruments incorporate a floating neck pickup with the same acoustic bridge pickup as found in our APX series guitars. These hybrid acoustic/jazz guitars can produce both straight-ahead jazz and accurate acoustic tone. The ability to blend both pickups together opens up vast new possibilities in tone creation.

Three new models, the 520, 502 and 500N, expand the AEX line. The 500N is a nylon string guitar is fitted with our acoustic bridge pickup for an elegant classical sound. The 520 and 502 are both electrics with Alnico's "Dog Ear 90" pickups on the 502 and small humbuckers on the 520 for a great jazz sound.

**NEW**

**520**


Brown Sunburst



**NEW**

**502**

Orange Stain



**500**

Brown Sunburst



• **AEX520 Pickups**  
Small humbuckers by Alnico on the AEX520.



• **AEX502 Pickups**  
Alnico's "Dog Ear" single coil pickups are featured on the AEX502.



Martin Taylor



Nylon Strings

NEW

500N

Black

Natural



1500

Antique Stain

Natural



**AEX500N Controls**

The AEX500N is equipped with a 3-band graphic equalizer that offers precise tone control right at the playing position.



**AEX500N Piezo Pickup**

Full, crisp acoustic sound is produced by means of a highly responsive piezo pickup mounted in the bridge of the AEX500N. The warmth and clarity of the nylon strings along with subtle picking and attack nuances creates a sound that is truly exquisite.

**AEX1500 Piezo Pickup**


Mounted in the bone and ebony bridge, the Piezo pickup delivers full crisp acoustic sound. Highly responsive, even the subtlest picking and attack nuances will be reproduced accurately.

**AEX1500 Floating Humbucker Pickup**

The Mini Humbucker produces a warm and expressive sound that is full of range and depth. A floating mount is used to allow the top of the guitar to vibrate freely insuring excellent acoustic sound.

**AEX1500 Controls**

Pickup selection is made possible by a 3-way selector. Separate controls for the pickups consist of a 3-band linear EQ with variable mid range (400Hz-2kHz) for the piezo pickup and a tone control for the humbucker. The 3-band EQ controls allow extensive tone control of the piezo pickup right at the playing position. There is also a MIX control which permits balance of the two pickups creating a broad range of sonic possibilities.



**AEX500 Pickups and Controls**

The AEX500 incorporates the same pickup and control system found in Yamaha's APX line. The balance between the high quality piezo-electric pickup, mounted in the bridge, and the magnetic pickup offers sound that is nothing less than superb. A 3-band graphic EQ provides extended tonal control right at the playing position.



**AEX SPECIFICATIONS**


MODEL	AEX 500N	AEX 500	AEX 1500	AEX 500N	AEX 500
CONSTRUCTION	50-in	49-in	50-in	50-in	50-in
SCALE LENGTH	25-1/4" (640mm)	24-3/4" (628mm)	24-3/4" (628mm)	24-3/4" (628mm)	24-3/4" (628mm)
FINGERBOARD	Ebony	Rosewood	Rosewood	Rosewood	Rosewood
PAINT	12-3/4" (320mm)	12-3/4" (320mm)	13-3/4" (350mm)	12-3/4" (320mm)	12-3/4" (320mm)
FRETS	20	22	22	20	20
BODY	Laminated Figured Maple	Figured Maple/Koa Back	Figured Maple/Koa Back	Sonoma Top/Koa Back	Sonoma Top/Wild Back
BRIDGE	Bone + Ebony	T-O-M Bridge	T-O-M Bridge	-	-
PICKUPS	Mini Humbucker + Piezo Pickup in Bridge	Mini Humbucker	Mini Humbucker	Piezo Bridge Pickup	Alnico Mini Humbucker + Piezo Bridge Pickup
PICKUP SWITCH	3-Position	3-Position	3-Position	-	3-Position
CONTROLS	Master Volume, Humbucker Tone, Piezo EQ	Master Volume, Master Tone	Master Volume, Master Tone	Master Volume, 3-Band EQ	Master Volume, 3-Band EQ for Piezo, Humbucker/Piezo Balance
COIL SPLIT	No	No	No	No	No
COLORS	Antique Stain, Tobacco Burst, Natural	Black, Orange Stain, Brown Sunburst	Black, Orange Stain, Brown Sunburst	Black, Natural	Black, Brown Sunburst

# SG/SA


The tone and playability of the original SG is still alive in the SG700S and SG500B. Both models possess beautiful arched top bodies covered with exquisite finishes. Along with gold hardware, the SG700S features beautiful inlay work on the neck and headstock exhibiting Yamaha's meticulous attention to detail. Our master craftsmen have refined the semi-hollow bodied guitar to perfection with the SA2200. This meticulously crafted guitar features Alnico humbucking pickups for full, fat tone and individual coil splitters for added tonal versatility.



Barry Finnerty



Bireli Lagrane



## SG700S

Translucent Green Sunburst



## SG500B

Cherry Red Sunburst



## SA2200

Violin Sunburst

### SG/SA SPECIFICATIONS

	SG 700S	SG 500B	SA 2200
BODY	Spruce	Alder	Alder
CONSTRUCTION	Semi-hollow	Semi-hollow	Semi-hollow
SCALE LENGTH	24 3/4" (628 mm)	24 3/4" (628 mm)	24 3/4" (628 mm)
FINGERBOARD	Rosewood	Rosewood	Maple
RADIUS	12 3/4" (324 mm)	12 3/4" (324 mm)	12 3/4" (324 mm)
Frets	22	22	22
Neck	Maple	Maple	Laminated Flamed Maple
BRIDGE	T.O.M. Bridge	T.O.M. Bridge	T.O.M. Bridge
PICKUPS	Humbucking x 2 (Alnico V)	Humbucking x 2	Humbucking x 2 (Alnico V)
PICKUP SWITCH	3-Position	3-Position	3-Position
CONTROL	Front/Rear Volume, Front/Rear Tone	Front/Rear Volume, Front/Rear Tone	Front/Rear Volume, Front/Rear Tone
COIL SPLIT	Push-pull SW. on Tone Pk.	No	Push-pull SW. on Tone Pk.
COLORS	Translucent Green Sunburst, Cherry Red Sunburst, Black, Translucent Green Sunburst	Cherry Red Sunburst, Gold Top, Black	Violin Sunburst, Translucent Green Sunburst

# ATTITUDE

Designed and developed in the U.S.A., the Attitude basses meet the needs of today's progressive bassists. Collaborating with Billy Sheehan lead to the development of the Limited II. Designed to meet Billy's specific needs this bass is equipped with DiMarzio pickups, a Hipshot™ "D" tuner and scalloped fingerboard. For cutting edge performance, nothing beats an Attitude.



Perry Richardson (Firehouse)

## Limited II

Sea Foam Green

- Hipshot™ Tuner (Limited II) Attached to the "E" string's tuner, the Hipshot™ allows you to accurately drop the pitch of the "E" string down to a "D" with the simple flick of a lever.

## Plus

Red

Black

\*Attitude Plus M: Maple Fingerboard Model Available



Billy Sheehan

### ATTITUDE SPECIFICATIONS

MODEL	Attitude Limited II	Attitude Plus
CONSTRUCTION	Body-on	Body-on
SCALE LENGTH	34" (863.5mm)	34" (863.5mm)
FINGERBOARD	Maple	Flame Maple
RADIUS	18" (457mm)	10" (254mm)
FRETS	21	21
BODY	Alder	Alder
BRIDGE	Equalizers	Fixed
PICKUPS	DiMarzio WilPower™ P-03 x 2	Split x 1
CONTROLS	Rock Volume, Rock Tone, Rock Balance, World's Best EQ	Master Volume, Master Tone
COLORS	Sea Foam Green, Black	Black, Sea Foam Green, Red*

\*color: Rosewood Fingerprint \*\*color: Maple Fingerprint



# BB

The BB series has long received recognition from amateur and professional bassists worldwide. The same bass line that firmly established Yamaha as a bass authority has evolved

into a highly refined instrument through extensive artist feedback and improvement. Eight new models, including a fretless and two left-hand versions, generously expand the BB lineup. All BB-basses, from the 5-string Nathan East Signature model to the workhorse 4-string models, feature bolt-on neck construction for powerful punch and exceptional sonic performance.

## Nathan East Model

Amber Burst

## N5A

Translucent Blue

## G5A

Amber Burst

NEW

## G5S

Pearl Snow White


### • Active 5-Control System (NE/1500A)

The active control system featuring 3-band EQ gives the BB-series basses tremendous tonal versatility. The midrange EQ control is a presettable 3-position switch for fast, repeatable settings.

### BB SPECIFICATIONS

	BB Nathan East Model	BB N5A	BB G5S
MODEL	BB NE	BB N5A	BB G5S
CONSTRUCTION	Bolt-on	Bolt-on	Bolt-on
SCALE LENGTH	34" (863.5mm)	34" (863.5mm)	34" (863.5mm)
FINGERBOARD	Ebony	Rosewood	Rosewood
PICKUPS	22-507 (4000ohm)	22-507 (4000ohm)	22-507 (4000ohm)
PICTS	24	24	24
BODY	Figured Maple Top/Water Base	Maple Top/Water Base	Alder
BRIDGE	Solid Brass	Solid Brass	Die-cast
PICKOFFS	Double Coil x 2 (Alnico V)	Double Coil x 2 (Alnico V)	Double Coil x 2
CONTROLS	Active 5-Control	Active 5-Control	Active 5-Control
COLORS	Translucent Blue, Amber Burst	Translucent Blue, Amber Burst	Amber Burst, Apple Green, Translucent Blue

# Nathan East




**NEW**  
**N5II**  
Black

**NEW**  
**G4AII**  
Aquamanne

**NEW**  
**G4SII**  
Lake Placid Blue

**NEW**  
**N4III**  
Natural Satin

**1500A**  
Wino Rod



\*BB NSLII: Left Handed Model Available

\*BB N4LIII: Left Handed Model Available  
BB N4FII: Fretless Model Available

BB NSL	BB NSL / NSLII	BB G4S	BB G4SII	BB N4L / N4LII / N4LIII	BB 1500A
Body: 41"	Body: 41"	Body: 41"	Body: 41"	Body: 41"	Body: 41"
34" (863 mm)	34" (863 mm)	34" (863 mm)	34" (863 mm)	34" (863 mm)	34" (863 mm)
Flameburst	Rockwood	Rockwood	Rockwood	Rockwood	Rockwood
22-547" (600 mm)	24-547" (600 mm)	24-547" (600 mm)	24-547" (600 mm)	24-547" (600 mm)	24-547" (600 mm)
21	21	21	21	21-24	21
Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
Black	Black	Black	Black	Black	Black
Double Coil x 2	Double Coil x 2	Double Coil x 2	Double Coil x 2	Double Coil x 2	Single Coil x 2 (White V)
Active 4-Controls	Front Vol, Rear Vol, Master Tone	Active 4-Controls	Active 4-Controls	Face Vol, Rear Vol, Master Tone	Active 3-Controls
Sunburst, Lake Placid Blue, Pearl Snow White, Black	Black, Red, White, Blue, Red (NSL only)	Black, White, Aquamarine, Translucent Red	Sunburst, Lake Placid Blue, Pearl Snow White, Black	Black, Natural Satin, Red (N4L only)	Wino Rod, Natural

# TRB

The TRB series is a product of Yamaha quality craftsmanship and technological vision. Developed in close collaboration with some of today's leading bassists, the TRB series basses are designed to exceed the exacting demands of sound and playability for discriminating players. Designed specifically for John Patitucci, his signature model features a custom sculptured body of highly figured maple, ash and alder, a six string bolt-on 34" scale neck, active electronics, custom inlay and gold hardware. The balance of the TRB line offers 4-, 5-, or 6-string models all featuring 35" scale bolt-on necks with slightly narrower widths for greater response and improved playability.


## John Patitucci Model

Amber

Charcoal Gray



Photo shown Charcoal Gray model



### • New Active 3-band EQ

The active control system featuring 3-band EQ gives the TRB series basses even more tonal versatility. Precise control provided by the continuous mid-range EQ control offers wider tonal possibilities and lets you find that sweet spot with ease.

# John Patitucci




Oscar Cartaya



Abraham Laboriel



Verdine White (E, W & F)




**6 II**  
Amber Burst



**5 II**  
Translucent Blue  
*\* TRB 5 IIL:  
Left Handed Model  
Available*



**5 IIF**  
Amber Burst



**4 II**  
Magenta Burst


## TRB SPECIFICATIONS

	TRB John Patitucci Model	TRB 6 II	TRB 5 IIF 5 II F 5 IIF	TRB 4 II
NECK	Maple	Maple	Maple	Maple
CONSTRUCTION	Set-Neck	Set-Neck	Set-Neck	Set-Neck
SCALE LENGTH	34" (863mm)	34" (863mm)	34" (863mm)	34" (863mm)
FINGERBOARD	Maple	Maple	Maple	Maple
PINETS	47 (1000mm)	47 (1000mm)	47 (1000mm)	47 (1000mm)
FRETS	24	24	24	24
BODY	Figured Maple / Ash/Alder	Ash	Ash	Ash
BRIDGE	Set-Neck Bridge	Set-Neck Bridge	Set-Neck Bridge	Set-Neck Bridge
PICKUPS	5 or 6 or 8 or Double Coil (Wireless)	Double Coil x 2 (Wireless)	Double Coil x 2 (Wireless)	Double Coil x 2 (Wireless)
CONTROLS	Active 3-Controls	Non-Active 3-Controls	Non-Active 3-Controls	Non-Active 3-Controls
COLORS	Amber, Charcoal Gray	Amber Burst, Translucent Blue, Magenta Burst	Amber Burst, Translucent Blue, Magenta Burst (Set-Neck)	Amber Burst, Translucent Blue, Magenta Burst

# RBX

If raw, sonic power is what you want, the RBX line delivers it. Rock solid alder bodies provide solid tone. Fast action 24-fret necks along with wide body

cutouts offer extended playability. Along with the new 760All we are proud to introduce the John Myung Signature Model. This 6-string bass incorporates an active 5-control system that provides precision control over the tone of the bass.



**NEW**  
**John Myung Model**  
Turquoise Blue



**765A**  
Translucent Green



**NEW**  
**760All**  
Translucent Blue




• **New Active 3-band EQ (JM Model)**  
The active control system featuring 3-band EQ gives the RBX series basses even more tonal versatility. Precise control provided by the continuous mid-range EQ control offers wider tonal possibilities and lets you find that sweet spot with ease.



• **Active 4-Control System (7600 series)**  
Full bodied lows to brilliant highs, and precise control over the RBX's entire sound is achieved through the use of separate controls for bass, treble, master volume, and mix.

# John Myung (Dream Theater)

Photo shown Ruby Red model



**460**

Translucent Red



**360**

Light Brown Satin



**260**

Red



**260F**

Black

## RBX SPECIFICATIONS

MODEL	RBX460 John Myung Model	RBX360	RBX260R	RBX260	RBX260F
CONTROLLING SYSTEM	Active	Passive	Active	Active	Active
SCALE LENGTH	35" (889.3mm)	34" (863.0mm)	34" (863.0mm)	34" (863.0mm)	34" (863.0mm)
FINGERBOARD	Maple	Rosewood	Rosewood	Rosewood	Rosewood
HEADSTOCK	23-5/8" (603mm)	22-5/8" (580mm)	18" (457mm)	18" (457mm)	18" (457mm)
FRETS	24	24	24	24	24-24
BODY	Aluminum/Metal Laminated	Aluminum/Metal Laminated	Aluminum/Metal Laminated	Aluminum	Aluminum
BRIDGE	Bridge	Bridge	Bridge	Bridge	Bridge
PICKUPS	Double Coil x 2 (Active)	Double Coil x 2	Hambacker x 2	Split x 1, Single Coil x 1	Split x 1, Single Coil x 1
CONTROLS	Active 3-band EQ	Active 4-Control	Active 4-Control	Master Volume, Master Tone, Balance	Master Volume, Master Tone, Balance
COLORS	Turquoise Blue, Ruby Red	Translucent Blue, Translucent Green, Translucent Red	Translucent Blue, Translucent Green, Translucent Red	Black, Light Brown Satin	Black, Light Brown Satin

Not available in Festival City

# DG Amplifiers

ECM (Electronic Circuit Modeling) technology allows Yamaha's DG series Guitar Amplifiers to capture the essence of tube tone. Starting with the DG1000 digital preamp, its user-friendly interface provides an instinctively familiar approach to sound creation and a truly flexible tonal palette from which to create rich soundscapes. That same creative power is now offered in a full lineup of amplifier configurations. The same preamp section as found in the DG-1000, is enhanced with onboard digital effects, high-quality power amps, Celestion speakers, and mounted in rugged chassis. Up-to-date technology and classic tone, the best of both worlds rolled into one.



## DG100-212 Guitar Amplifier

A high-quality 100watt power amp with twin Celestion "Vintage 30" speakers all fitted into a rugged chassis complete with large caster wheels

### DG100-212 Specifications

■ A/D Converter: 20 bit ■ D/A Converter: 20 bit ■ Sampling Frequency: 48 kHz  
■ Power rating: 100Wrms/System impedance 4Ω ■ Speaker: Celestion "Vintage 30" (30cm, 8Ω) × 2 ■ Digital: Digital Signal Processing, Internal 8 channel preset, Digital Reverb, Digital Tape Echo, Speaker Simulator ■ Controllers: • Front panel: TRIM, OUTPUT, GAIN, MASTER, TREBLE, HIGH MID, LOW MID, BASS (T.M.E), PRESENCE (FEED BACK), REVERB (LEVEL) • Switch: AMP SELECT (LEAD1, LEAD2, DRIVE1, DRIVE2, CRUNCH1, CRUNCH2, CLEAN1, CLEAN2), REVERB, MODE, B, R, STORE, RECALL ■ Rear panel: LINE OUT LEVEL, EFFECT BLEND ■ Inputs & Outputs: INPUT HIGH/LOW, SPEAKER, EFFECT SEND/RETURN (Standard phone mono jack), LINE OUT (Carve jack), MIDI IN, MIDI OUT ■ Display: AMP SELECT display LED × 6, MODE display LED × 3, Reverb type display LED × 3, 7 Segment LED × 2 ■ Power Requirements: U.S. and Canadian models: 120V, 60Hz/General model: 230V, 50Hz ■ Power Consumption: 100W ■ Dimensions (W×H×D): 712 × 574 × 284 mm (28" × 22.6" × 11.2") including 4 castor ■ Weight: 33.5 kg (75 lbs 13 oz)





## DG80-112 NEW Guitar Amplifier

Mounted in a compact, easy to transport unit, the DG80-112 drives a single Celestion "G12H-100" speaker with 80watts of power.

### DG80-112 Specifications

- **Digital Section:** Complete Digital Signal Processing, Internal 8 Channel Preset, Digital Reverb (SPRING, HALL, PLATE), Digital Tape Echo, Speaker Simulator (LINE OUT)
- **Analog Section:** 80W (8U) Solid State Power Amp. ■ **MIDI Function:** ■ **Receive:** Program change, Control Change (No. 7, 91, 94), Bulk In ■ **Transmit:** Bulk Out, Merge Out
- **Controller/Switch:** ■ **Front Panel:** TRIM, OUTPUT, GAIN, MASTER, TREBLE, HIGH MID, LOW MID, BASS (TIME), PRESENCE (FEED BACK), REVERB (LEVEL) ■ **Rear Panel:** LINE OUT volume, EFFECT BLEND ■ **Switch:** AMP SELECT (LEAD1, LEAD2, DRIVE1, DRIVE2, CRUNCH1, CRUNCH2, CLEAN1, CLEAN2), REVERB, MODE,  $\frac{1}{2}$ ,  $\frac{3}{4}$ , STORE, RECALL
- **Display:** AMP SELECT display LED x 8, MODE display LED x 3, REVERB type display x 3, 7 segment LED x 2 digits ■ **Indicator:** Trim Level Display LED (Green), Trim Clip Display LED (Red) ■ **Connection Jacks:** ■ **INPUT HIGH/LOW:** Standard Phone Mono Jack, ■ **SPEAKER x 2:** Standard Phone Mono Jack ■ **EFFECT SEND/RETURN:** Standard Phone Mono Jack ■ **LINE OUT:** Cannon Jack ■ **MIDI IN, MIDI OUT:** 5 pin DIN
- **A/D Converter:** 20 bit ■ **D/A Converter:** 20 bit ■ **Sampling Frequency:** 48 kHz
- **Memory Number:** 128 ■ **Input Level/Impedance:** ■ **INPUT HIGH:** -30dBm (THRU/1M $\Omega$ ) ■ **INPUT LOW:** -20dBm (THRU/1M $\Omega$ ) ■ **EFFECT RETURN:** 0dBm/120k $\Omega$
- **Output Level/Impedance:** ■ **SPEAKER:** 80W RMS/8 $\Omega$ , 100W RMS/4 $\Omega$  ■ **LINE OUT:** +4dBm/2.2k $\Omega$  ■ **EFFECT SEND:** 0dBm/2.2k $\Omega$  ■ **Power Requirements:** ■ **U.S. and Canadian models:** 120V, 60Hz ■ **General model:** 230V, 50Hz ■ **Power Consumption:** 100W ■ **Dimensions (W-H-D):** 542 x 510 x 284 mm (21.3" x 20.1" x 11.2") ■ **Weight:** 25.0 kg (55 lbs 2 oz)



## DG130H NEW Guitar Amplifier Head

If you prefer a separate head unit, the DG130H provides 130watts of power that can be matched with the S412V cabinet.

### DG130H Specifications

- **Digital Section:** Complete Digital Signal Processing, Internal 8 Channel Preset, Digital Reverb (SPRING, HALL, PLATE), Digital Tape Echo, Speaker Simulator (LINE OUT)
- **Analog Section:** 130W (4U) Solid State Power Amp ■ **MIDI Function:** ■ **Receive:** Program change, Control Change (No. 7, 91, 94), Bulk In ■ **Transmit:** Bulk Out, Merge Out
- **Controller/Switch:** ■ **Front Panel:** TRIM, OUTPUT, GAIN, MASTER, TREBLE, HIGH MID, LOW MID, BASS (TIME), PRESENCE (FEED BACK), REVERB (LEVEL) ■ **Rear Panel:** LINE OUT volume, EFFECT BLEND ■ **Switch:** AMP SELECT (LEAD1, LEAD2, DRIVE1, DRIVE2, CRUNCH1, CRUNCH2, CLEAN1, CLEAN2), REVERB, MODE,  $\frac{1}{2}$ ,  $\frac{3}{4}$ , STORE, RECALL
- **Display:** AMP SELECT display LED x 8, MODE display LED x 3, REVERB type display x 3, 7 segment LED x 2 digits ■ **Indicator:** Trim Level Display LED (Green), Trim Clip Display LED (Red) ■ **Connection Jacks:** ■ **INPUT HIGH/LOW:** Standard Phone Mono Jack, ■ **SPEAKER x 2:** Standard Phone Mono Jack ■ **EFFECT SEND/RETURN:** Standard Phone Mono Jack ■ **LINE OUT:** Cannon Jack ■ **MIDI IN, MIDI OUT:** 5 pin DIN ■ **A/D Converter:** 20 bit
- **D/A Converter:** 20 bit ■ **Sampling Frequency:** 48 kHz ■ **Memory Number:** 128
- **Input Level/Impedance:** ■ **INPUT HIGH:** -30dBm (THRU/1M $\Omega$ ) ■ **INPUT LOW:** -20dBm (THRU/1M $\Omega$ ) ■ **EFFECT RETURN:** 0dBm/120k $\Omega$  ■ **Output Level/Impedance:** ■ **SPEAKER:** 130W RMS/8 $\Omega$  ■ **LINE OUT:** +4dBm/2.2k $\Omega$  ■ **EFFECT SEND:** 0dBm/2.2k $\Omega$
- **Power Requirements:** ■ **U.S. and Canadian models:** 120V, 60Hz ■ **General model:** 230V, 50Hz ■ **Power Consumption:** 140W ■ **Dimensions (W-H-D):** 711 x 250 x 284 mm (28" x 9.8" x 11.2") ■ **Weight:** 18.0 kg (39 lbs 11 oz)



## DG-1000 NEW Guitar Pre Amplifier

This is where it started. The DG-1000 preamp delivers rich tube tone with its ECM technology. Match its sound capabilities with components of your liking for a truly personalized sound.

### DG-1000 Specifications

- **A/D Converter:** 20 bit + 5 bit Floating ■ **D/A Converter:** 20 bit ■ **Sampling Frequency:** 48kHz
- **Memory:** 128 ■ **Input Impedance:** 1M $\Omega$  (Input Jack) ■ **Output Impedance:** 1k $\Omega$  (Output Jack)
- **Controllers:** ■ **Analog:** TRIM, OUTPUT ■ **Digital:** GAIN, MASTER, TREBLE, HIGH MID, LOW MID, BASS, PRESENCE, AMP SELECT (LEAD1, LEAD2, DRIVE1, DRIVE2, CRUNCH1, CRUNCH2, CLEAN1, CLEAN2),  $\frac{1}{2}$ ,  $\frac{3}{4}$ , STORE, RECALL, MIDI
- **Display:** AMP SELECT display LED x 8, MODE display LED x 3, 7 Segment LED x 2 Place
- **Indicator:** TRIM level display LED (green) TRIM clip display LED (red) ■ **Power Requirements:** U.S. and Canadian models: 120V, 60Hz ■ **General model:** 230V, 50Hz ■ **Power Consumption:** 20Watts
- **Dimensions (W-H-D):** 480 x 89 x 275 mm (18.9" x 3.5" x 10.8") ■ **Weight:** 6.0 kg (13 lbs 4 oz)

## NEW S412V Speaker Enclosure

Four Celestion "Vintage 30" speakers enclosed in a rugged cabinet provide the utmost in classic tone reproduction.

### S412V Specifications

- **Speakers:** 30cm speaker (Celestion "Vintage 30") x 4 ■ **Speaker Size:** 30cm (12")
- **Voice Coil Size:** 44s mm ■ **Magnet:** Ferrite 1.42kg (31lbs 3oz) ■ **Frequency Range:** 70Hz-9kHz ■ **Sensitivity:** 100dB (1mW) ■ **Power Rating:** 60W (RMS) ■ **Nominal Impedance:** 8 $\Omega$  ■ **Fundamental Frequency:** 20Hz ■ **Power Rating:** 240W
- **Impedance:** 8 $\Omega$  ■ **Dimensions (W-H-D):** 765 x 820 x 350mm (30.1" x 32.3" x 14.1") (excluding) ■ **Weight:** 44.0kg (97lbs) (w/cablers) ■ **Accessory:** Speaker Cable

Visit our DG homepage at

<http://www.yamaha.co.jp/english/product/guitar/dg/>

On our homepage you'll find more information and free DG preset data downloads for the DG series amplifiers.

## Available Colors



## Accessories



**NEW**  
GUITAR/BASS AUTO TUNER **YT-150**

Both the YT150 and YT250 are auto tuners that allow quick and accurate tuning of instruments. The YT150 is for guitar and basses of up to 6 strings. The YT250 is a chromatic tuner. Electric instruments can be connected directly to the tuners or via the internal mic for acoustic instruments. Easy to read indicators facilitate quick and accurate tuning.



**NEW**  
CHROMATIC TUNER **YT-250**



GUITAR/BASS AUTO TUNER **YT-1100**



GUITAR/BASS AUTO TUNER **YT-1200**



GUITAR/BASS AUTO TUNER **YT-2100**



GUITAR/BASS AUTO CHROMATIC TUNER **YT-2200**



QUARTZ METRONOME **QT-1/QT-1B**

The QT-1 quartz metronome offers soft or bright sound settings, volume control and a flashing LED atop its unique design. Tuning notes over a one octave range are provided in half-step increments with adjustable standard pitch.



MULTI METRONOME **YM-2000**

The new YM-2000 puts a lot of time in a package the size of a cassette tape. 30 different rhythm patterns, 11 beat patterns ranging from 1 to 7 beats as well as duplet, triplet and quintuplet beats. The sweeping LED tempo indicator is also easy to see even under low light situations.

### ELECTRIC GUITAR STRINGS (Nickel Round Wound)



### ELECTRIC BASS STRINGS (Stainless Steel Wound, Long Scale)



		10	20	30	40	50	60
EN09	(Super Light)	.009	.013	.018	.024	.032	.042
EN10	(Light)	.010	.015	.021	.028	.037	.048
EN11	(Regular)	.011	.016	.022	.030	.040	.052
EN05H0	(Heavy Backed)	.009	.013	.018	.024	.032	.042
EN10H0	(Heavy Backed)	.010	.015	.021	.028	.037	.048
	High C	18	20	24	28	36	48
H4030	(4 String)	-	.045	.065	.085	.105	-
H4050	(5 String)	-	.045	.065	.085	.105	.125
H4070	(6 String)	.012	.045	.065	.085	.105	.125

All specifications subject to change without notice.