

## **BELTOR QDS Heavy Duty Winder with Hydraulic Legs**

### **Features :**

- QDS or KAT Connection.
- Protection over gearbox.
- Easy to access controls.
- For use on Cable or Belt.
- Hydraulic Legs for Levelling and height adjustment.
- Plant Safety File included with implement.

All Beltor products are **FULLY WELDED**, unless noted otherwise. A fully welded product means no water traps between members and plates that may encourage premature rust and reduce life of implement

### **Specification :**

- Size – 2845mm Wide x 1450mm High x 2025 mm Long.
- Tare – 1.5 Tonne,
- Payload – 6.0 Tonne
- Spindle Width - 1810mm
- Cable Capacity for 50mm cable –
- Belt Capacity – 1600 BW x 6.0 Tonne
- Brevini Gearbox, Output, - 13450 Nm Cont, 20000 Nm Peak.
- Line Pull 4.0 Tonne @ 2000 psi.
- Compliance Plate and Plant No. attached.



***A Heavy Duty QDS Winder designed for mine conditions***



[www.beltorengineering.com.au](http://www.beltorengineering.com.au)  
THE BROADWAY, KILLINGWORTH, N.S.W. 2278 PO BOX 4187 EDGEWORTH 2285  
[admin@beltorengineering.com.au](mailto:admin@beltorengineering.com.au)

PH. 02 4953 2444  
FAX. 4953 3140  
A.C.N. 001 300 661

## **BELTOR Winder Accessories**

### **HT Reel**



Capacity - Up to 300metres



Pulling Belt (limitations apply)

### **Miner Shuttle Car Reels**



### **Reel Sleds**



### **Loading on and off Sleds**



**For Transportation of Reels to work area.**

***A Heavy Duty QDS Winder designed for mine conditions***

