

Barn Light 70w



DESCRIPTION:

Touch-Plate's Barn Lights are designed to offer better security, more lumens, and higher cost savings. Our Barn Lights can offer energy savings of 70% or greater over traditional metal halide or high pressure sodium lighting. Our LEDs are optimal for new construction and retrofit installations.

PRODUCT FEATURES:


- Aluminum housing
- Photosensor
- 120° beam angle
- Instant Start: no flickering or humming
- Uniform Light
- UL Listed (E470400)
- DLC Listed:
 - YAXW70
- Lifetime of 50,000 hrs or greater
- 5 Year Limited Warranty

SPECIFICATIONS:

- Wattage: 70w
- Lumens: 9,100 (approx > 130lm/w)
- Equivalence: 200w HID/HPS/MH
- CRI: >80Ra
- IP Rating: IP65
- LED Chips: Epistar
- PF: >0.90

PHYSICAL PARAMETERS:

- Dimensions
 - Length: 14.72"
 - Width: 9.92"
 - Height: 5.48"
- Weight
 - 3.85 lbs



4822 Projects Drive Fort Wayne, IN 46825

P: 260.426.1565

E: ledsales@touchplate.com

www.ledlightingandcontrols.com




Barn Light

ORDERING GUIDE

| LED Type XXX - | Lumens - Wattage XXX - XXX | CCT XX - | Voltage X - | |
|---|---|---|---|--|
| <ul style="list-style-type: none"> BNL Barn Light | <ul style="list-style-type: none"> 091-070 9,100lm -70w | <ul style="list-style-type: none"> 50 5000k | <ul style="list-style-type: none"> U 120-277v | |

PHOTOMETRIC



Barn Light

INSTALLATION INFORMATION (WIRING)

This product must be installed in accordance with National Electrical Code(NEC) and/or applicable local codes, by a qualified electrician.

DANGER - RISK OF SHOCK - DISCONNECT POWER BEFORE INSTALLATION

- Barn Lights can be ordered with a specified twist lock plug or without a plug.
- Plug in the Barn Light or make the necessary 'HOT' (Black or Brown), 'Neutral' (White or Blue), and 'Ground' (Green) connections in an approved junction box.

INSTALLATION INFORMATION

