






The Jackson Slony

20 Years Worth of Axes to Grind


Let's face it; guitarists don't pick up Jackson® guitars to strum. They select the custom-finished, nitrous-powered axes to grind! So, how did a Southern Californian luthier create the six-stringed tools that would become the "Unholy Grails" of electric guitars? It all started in Azusa, California in the early Seventies, when Wayne Charvel started building the absolute best aftermarket guitar parts available.

Charvel began hot rodding production guitars by replacing their stock hardware with heavier duty components. These "souped up" models were sonically superior to their stock counterparts and their necks were incredibly playable. Like

all good things, Wayne's reputation started spreading like wildfire as players such as Eddie Van Halen, Jeff Beck, Steve Vai and Allan Holdsworth started flocking to Wayne's shop. In 1977, Grover Jackson began working for Charvel® and in 1978 he bought the company. Jackson realized early on that there was a market for custom "made to order" instruments. The first Charvel guitars were built in 1979. These instruments featured 22 jumbo frets, wider nuts, hotter pickups and killer paint jobs. In 1980, Jackson moved to a larger facility in San Dimas, California and met a diminutive and gifted guitarist who would solidify and showcase the professional quality of Jackson guitars - Randy Rhoads.



Osbourne, Rhoads wanted Jackson to build him a guitar that – according to his drawings – incorporated an offset V-shaped body. Originally, it was to be named the "Concorde" and would include two humbuckers, a neck-thru body design and Jackson's now famous shark fin inlays. Being so radically different than previous Charvel guitars, Jackson decided to put his name on the headstock. With the Randy Rhoads model, Jackson had created the definitive heavy metal guitar.



In 1983, Jackson® produced its first Soloist™, Kelly™ and King V™ models. Soloist guitars featured a more traditional offset body, with unlimited hardware and pickup choices, while the Kelly and King V models were radical departures from traditionally shaped guitars. The Kelly and King V guitars showcased supercharged electronics, lightening-fast fingerboards and the most stunning paint jobs in the world. These custom paint jobs began to define the Jackson brand as no other guitar builder could match Jackson's creativity and craftsmanship. In 1985, Grover Jackson sold the business to International Music Co. in Fort Worth, Texas and in 1986 the factory moved to Ontario, California.

Since the 1980s, artists such as Phil Collen and Scott Ian have been drawn to the fold to peel the paint off the walls of studios and stadiums all over the world with their Jackson guitars. Long known for their insane custom paint jobs, angular bodies, easiest-playing ebony fingerboards and high-output pickups and hardware — Jackson guitars are the killer tools for a new breed of guitarist. What's your pedigree?






RANDY Rhoads

Few guitarists have impacted rock music as much as Randy Rhoads. During his days with Quiet Riot and Ozzy Osbourne, Rhoads lit up the heavy metal world with his blisteringly-fast solos and intricate rhythm work. Although he was smallish in size and painfully shy, when the lights went down – Rhoads was a monster. Before the days of twin-guitar glam bands, Rhoads' endless bag o' tricks and classical guitar mastery laid all other "guitar heroes" to waste. Today, Jackson® offers several different Randy Rhoads models – all bearing the same vision and features inherent in Randy's original sketches.






RANDY Rhoads From the USA Randy Rhoads RR1, with its handmade neck-thru construction and real pearl shark fin inlays, to the RX10D, which comes complete with two highoutput humbuckers and tremolo system - once again - Jackson® and Rhoads have come together to put the next legend on the heavy metal map. olack work **USA Randy Rhoads** RR1T **Eerie Dess Swirl** 280-3061 Randy Rhoads RR1

Floyd Rose Original tremolo system

8 - Randy Rhoads

Blue & Orange Flames

280-3060








While the story of how the first Randy Rhoads model was created will forever be shrouded in mystery; the results of Randy and Grover Jackson's efforts are legendary. Single-handedly, the Jackson® Randy Rhoads guitar paired the two artists together forever in the annals of rock guitar lore. As the story goes, Randy first came to Grover in December of 1980 with some rough sketches of his "Concorde" dream machine. His drawings showed a sharp, offset V-shaped body, dual humbuckers and an ebony fingerboard complete with shark fin mother-of-pearl inlays. Two months later, Randy received the very first Jackson guitar — a black and gold heavy metal masterpiece. Randy was to receive one more signature model before his tragic and untimely death in March of 1982. Although fate stole one of the world's greatest guitarists, the Jackson Randy Rhoads models live-on as a proud and distinct reminder of the magic and mastery of heavy metal's favorite son.



5010151 The standard by which all other guitars are judged... period. Sporting neck-thru design and the most playable neck on **USA Soloist** the market, the Soloist™ guitar is the perfect tool for SLS articulating lightning-fast licks and amped-up arpeggios. **Custom Finish** It all begins with a form-fitting contoured alder body 280-3074 and a heel-less neck. Soloist guitar necks are then topped-off with the blackest ebony (USA) or rosewood fingerboards and come complete with shark fin inlays. The USA Soloist SLS features a lightweight mahogany neck and body.


























USA Kelly KE2 Silver Swirl 280-3030







Made famous by heavy metal's most prestigious players, the Jackson[®] King V™ guitar needs no introductions. Responsible for the most killer tones and riffs this side of Hades, in a player's hands – the King V guitar lays audiences to waste with its bone-crushing guitar tones. While the dual Seymour Duncan humbuckers are sure to set your licks apart, perhaps the most striking features of the King V guitar are its piercing "V"-shaped points. Strap it on and start killing!








USA King V™ KV2 guitars are available with a Silver/Black Dragon hand-painted design.





WARTOR

Kick introductions and common courtesies to the curb with one of the most radical guitars ever, the Jackson® Warrior™ guitar. Onlookers won't be able to get over the angular curves of the WR1's alder body and oil-finished neck-thru design. Nor, will they be able to get their ears to stop ringing after surviving the bombast unleashed via its Seymour Duncan Invader and Full Shred pickups, and Floyd Rose Original or licensed tremolo systems. The Warrior guitar is also available with an alder body, flame maple top and a bolt-on maple neck. Make your entrance. Introduce yourself and your music to the world with the Warrior guitar from Jackson.


USA Warrior WR1 Bolted Steel 280-3080



Phil collen

With more than two decades worth of sold-out world tours and multi-platinum albums, Phil Collen has driven Def Leppard to heights unreachable by mere mortals. Night after night, his legions of fans expect the best hard rock music of the '80s, '90s and beyond. The Jackson® Phil Collen Signature Guitar delivers that, and then some. With its mahogany body, deep quilted maple top, flame maple fingerboard and satin-smooth quartersawn maple bolt-on neck – the PC1 is drop dead gorgeous. Like Collen's British counterpart, Special Agent 007, this baby comes equipped for every situation. Its secret arsenal includes DiMarzio pickups, a Floyd Rose Original tremolo and the Jackson Sustainer unit – a single coil neck pickup that will keep your guitar and your audience screaming for more all night long.













Solid, stylin' and slammin' are three words that describe Scott lan's playing in Anthrax and S.O.D. They also describe his Jackson® "JJ2 Scott lan" Signature Series guitar to a "T." The JJ2 guitar has a soft "V"-shaped neck with two Seymour Duncan Scott lan signature pickups holding on for dear life. Transparent-finished models feature mahogany bodies and quatersawn mahogany necks, while solid-finished models utilize alder bodies and quatersawn maple necks. With its custom dice inlays, "extortion" style logo and Scott's own mug on the headstock, the JJ2 is definitely a no nonsense guitar.









ISSERIES

Who says you can't afford to have your guitar built by the same team as Def Leppard, Anthrax, Evanescence or Superjoint Ritual? Anyone can afford to rock with Jackson® JS Series guitars. And, they're not just for show either. These babies were designed in the USA and come loaded with some of the same features as their Jackson counterparts, including select tone wood bodies with flame maple tops and Jackson pickups — standard.

JS Series guitar headstocks are available in several styles, including traditional Jackson, three-on-a-side or the popular reverse. The JX10 pictured at left features three Duncan Designed Hot Rails humbucking pickups. Get off on the right foot. Become a member of metal's elite, with a JS Series guitar


JS Series

JX10

Dark Metallic Red

290-1200







CONCERT BASSES


Whether you're pickin' or slappin' your bass silly,
Jackson® Concert Series basses are built to lay rock's
solid foundation. These four-string tone generators
come equipped with alder bodies, deep flame maple
tops and either passive or active pickup configurations.
The C20 features a 24-fret maple neck with a rosewood
fingerboard, two pickups and a contoured alder body.
Pick one up today and lay your root down!

Concert Bass

C20

Deep Metallic Red

290-9000



quilar specifications

MODEL NAME	SERIES	MODEL NUMBER	COLORS	BODY	NECK	FINGERBOARD	NECK DIMENSIONS
AG4	AntiGravity™ Bass Series	280-9000/ LH 280-9100	Group A	SS	B-O Q-S MAH GR	MRW	3rd Fret: .820", 12th Fret: .920"
AG4Q	AntiGravity Bass Series	280-9001/ LH 280-9101	Group C (Less MAH)	SS with QMT	B-O Q-S MAH GR	MRW	3rd Fret: .820", 12th Fret: .920"
AG5	AntiGravity Bass Series	280-9002 /LH 280-9102	Group A	SS	B-O Q-S MAH GR	MRW	3rd Fret: .820", 12th Fret: .920"
AG5Q	AntiGravity Bass Series	280-9003/ LH 280-9103	Group C (Less MAH)	SS with QMT	B-O Q-S MAH GR	MRW	3rd Fret: .820", 12th Fret: .920"
C20	Concert Bass Series	290-9000	SC 03, 27, 28, 68, TC 01, 82, 86, 90	Indian Cedro	8-0 RM	Rosewood	1st Fret: .810", 12th Fret: .918"
CMG	Concert Bass Series	290-9003	SC 03, 05, 22, TC 01, 85, 87, 90	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .800", 12th Fret: .890"
DK1	USA Select Series	280-3010/ LH 280-3110	Group A, B, C, E (Less MAH)	. Alder w/FMT on TC	B-O Q-S M	Ebony	3rd Fret: .750", 12th Fret: .810"
DK2	Pro Series	290-1000/ LH 290-1001	SC 03, 28, 68, TC 01, 85, 86, 90, GC 11, 26, 33, 46, 98	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DK27	MG Series	290-0102	SC 03, 05, 22	Alder	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DK2FF	Pro Series	290-1004	03	Alder	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DK2FS	Pro Series	290-1002	SC 03, 28, TC 01, 86, 90	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DK2S	Pro Series	290-1003	SC 03, 28, TC 01, 85, 86, 90	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DKMG	MG Series	290-0100	SC 03, 05, 22, 68, TC 01, 85, 87, 90, GC 23	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DKMGFF	MG Series	290-0107	03	Alder	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DKMGT	MG Series	290-0101	SC 03, 05, 22, 68, TC 01, 85, 87, 90, GC 23	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DKMGTFF	MG Series	290-0106	03	Alder	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
DX10D	X Series	290-1103	SC 03, 27, 28, TC 01, 82, 86, 90	Alder w/FMV on TC	B-0 M	Rosewood	1st Fret: .745", 12th Fret: .820"
DX10DFS	X Series	290-1104	SC 03, 27, 28, TC 01, 82, 86, 90	Alder w/FMV on TC	B-0 M	Rosewood	1st Fret: .775", 12th Fret: .880"
DXMG	MG Series	290-0103	03	Alder	B-0 M	Rosewood	1st Fret: .775", 12th Fret: .880"
JJ2	Artist Signature Series	280-3020/ LH 280-3120	Group A, B, C, E	Alder on SC, MAH on TC	NTB Q-S, Soft "V" Shape	Ebony	3rd Fret: .850", 12th Fret: .950"
JS1	JS Series	290-0010	03, 27, 28	Indian Cedro	B-O RM	Rosewood	1st Fret: .735", 12th Fret: .810"
JS20	JS Series	290-0011	SC 03, 27, 28, TC 01, 82, 86, 90	Indian Cedro w/FMV on TC	B-0 M	Rosewood	1st Fret: .775", 12th Fret: .910"
JS30	JS Series	290-0012	SC 03, 27, 28, 44, TC 85, 86	Alder w/FMV on TC	B-0 M	Rosewood	1st Fret: .775", 12th Fret: .910"
JX10	X Series	290-1200	SC 03, 27, 28, TC 01, 82, 86, 90	Indian Cedro w/FMV on TC	B-0 M	Rosewood	1st Fret: .775", 12th Fret: .910"
KE2	USA Select Series	280-3030/ LH 280-3130	Group A, B, C, D, E (Less MAH)	Alder w/FMT on TC	NTB Q-S M	Ebony	3rd Fret: .775", 12th Fret: .835"
KE3	Pro Series	290-2000	SC 03, 30, TC 85, 86, 90, GC 26, 33, 98	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .720", 12th Fret: .805"
KV2	USA Select Series	280-3040/ LH 280-3140	Group A, B, C, D, E (Less MAH)	Alder w/FMT on TC	NTB Q-S M	Ebony	3rd Fret: .775", 12th Fret: .835"
KV2T	USA Select Series	280-3041/ LH 280-3141	Group A, B, C, E	MAH	NTB Q-S MAH	Ebony	3rd Fret: .790", 12th Fret: .850"
KVX10	X Series	290-1300	SC 03, 27, 28, TC 01, 86, 90, GC 23	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .775", 12th Fret: .810"
PC1	Artist Signature Series	280-3050/ LH 280-3150	02, 21, 57, 63, 67, 79	MAH with QMT	B-O Q-S M	Flame Maple	3rd Fret: .825", 12th Fret: .890"
RR1	USA Select Series	280-3060/ LH 280-3160	Group A, B, C, D, E (Less MAH)	Alder w/FMT on TC	NTB Q-S M	Ebony	3rd Fret: .790", 12th Fret: .850"
RRIT	USA Select Series	280-3061/LH 280-3161	Group A, B, C, D, E (Less MAH)	Alder w/FMT on TC	NTB Q-S M	Ebony	3rd Fret: .790", 12th Fret: .850"
RR3	Pro Series	290-3000	SC 03, 30, TC 85, 86, 90, GC 26, 33	Alder w/FMV on TC	B-O M	Rosewood	1st Fret: .745", 12th Fret: .810"
RR5	Pro Series	290-3002	SC 03, TC 58, 86, 90, 94 GC 48	Alder w/FMV on TC	NTB RM	Rosewood	3rd Fret: .790", 12th Fret: .850"
RX10D	X Series	290-1400	SC 03, 27, 28, TC 01, 86, 90	Alder w/FMV on TC	B-0 M	Rosewood	1st Fret: .775", 12th Fret: .880"
SL1	USA Select Series	280-3070/ LH 280-3170	Group A, B, C, E (Less MAH)	Alder w/FMT on TC	NTB Q-S M	Ebony	3rd Fret: .790", 12th Fret: .850"
SL2H	USA Select Series	280-3071/LH 280-3171	Group A, B, C, E (Less MAH)	Alder w/FM on TC	NTB Q-S M	Ebony	3rd Fret: .790", 12th Fret: .850"
SL2H-MAH	USA Select Series	280-3072/ LH 280-3172	Group C (Less MAH)	MAH w/FMT on TC	NTB Q-S MAH	Ebony	3rd Fret: .790", 12th Fret: .850"
SL3	Pro Series	290-4000	SC 03, 68, TC 01, 58, 86, 90, 94	Alder w/FMV on TC	NTB RM	Rosewood	3rd Fret: .790", 12th Fret: .850"
SLATQH	USA Select Series	280-3073/ LH 280-3173	Group C (Less MAH)	MAH w/QMT	NTB Q-S MAH	Ebony	3rd Fret: .790", 12th Fret: .850"
SLS	USA Select Series	280-3074/ LH 280-3174	Group A, B, C, E (Less MAH)	MAH w/Carved FMT	NTB Q-S MAH	Ebony	3rd Fret: .790", 12th Fret: .850"
SLSMG	MG Series	290-0104	SC 68, TC 94	MAH with CT	NTB MAH	Ebony	3rd Fret: .735", 12th Fret: .810"
WR1	USA Select Series	280-3080/ LH 280-3180	Group A, B, C, D, E (Less MAH)	Alder w/FMT on TC	NTB Q-S M	Ebony	3rd Fret: .775", 12th Fret: .835"
WRMG	MG Series	290-0105	SC 03, 05, 22, TC 85, 86, 87	Alder w/FMV on TC	B-O RM	Rosewood	1st Fret: .775", 12th Fret: .835"
WRXT	X Series	290-1600	SC 03, 27, 28, TC 86, 90	Alder w/FMV on TC	B-O RM	Rosewood	3rd Fret: .775", 12th Fret: .835"

Jackson Technical Specifications Key

AETC - Active EMG TurboCharger

AS - Active Sustainiac™ Switch

B - Black

BM - Birdseye Maple

B-O - Bolt-On

CH - Chrome

CS - Contour Switch

CT - Carved Top

D - Dunlop

DD - Duncan Designed

DHC - Deluxe Hardshell Case

DLT - Double Locking Tremolo

DM - DiMarzio

DMC - Deluxe Molded Case

FBS - Firestorm Boost Switch

FHBS - Fundamental/Harmonic, Blend Switch

FMT - Flame Maple Top FMV - Flame Maple Veneer FR - Floyd Rose

GC - Graphics Colors

GR - Graphite Reinforcing Rods

HB - Humbucker

HT - Hardtail

IC - Intensity Control

	FRETS	TUNING MACHINES	BRIDGE PICKUP	MIDDLE PICKUP	NECK PICKUP	CONTROLS	SWITCHING	BRIDGE	HARDWARE	CASE	SCALE LENGTH	WIDTH AT NUT
	24 J	Hipshot Ultralite	Basslines STK J2B	N/A	Basslines STK J2N	MV, Blend, Bass, Mid., Treble, CS	Blend	Hipshot BBP4	Black	DHC	35"	1.60"
	24 J	Hipshot Ultralite	Basslines STK J2B	N/A	Basslines STK J2N	MV, Blend, Bass, Mid., Treble, CS	Blend	Hipshot BBP4	Black	DHC	35"	1.60"
	24 J	Hipshot Ultralite	Basslines SJ-5B	N/A	Basslines SJ-5N	MV, Blend, Bass, Mid., Treble, CS	Blend	Hipshot BBP5	Black	DHC	35"	1.93"
	24 J	Hipshot Ultralite	Basslines SJ-5B	N/A	Basslines SJ-5N	MV, Blend, Bass, Mid., Treble, CS	Blend	Hipshot BBP5	Black	DHC	35"	1.93"
	24 J	Die-Cast Mini	Jackson JB100J	Jackson JN100P	N/A	V, V, MT	None	RBB10	Chrome	Optional MC	34"	1-3/4"
	22 J	Die-Cast Mini	EMG HZ35B	N/A	EMG HZ35N	MV, Blend, Treble, Mid., Bass	Blend	JB340	Black	Optional MC	34"	1-5/8"
80	24 J	Die-Cast	EMG 81	N/A	EMG 85	MV, MT	3-Way	FR Original	B (CH on TC)	DMC	25.5"	1-11/16"
CALL AND	24 J	Die-Cast	DD HB-102B HB	DD SC-101 S-C	DD SC-101 S-C	MV, MT	5-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
-	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT, AETC	3-Way	JT390 Adjustable S-T-B	Black	Optional DMC	27"	1-11/16"
The Property lies	24 J	Die-Cast	DD HB-1028 HB	DD SC-101 S-C	DD SC-101 S-C	MV, MT	5-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
Contraction of	24 J	Die-Cast	DD HB-1028 HB	DD SC-101 S-C	DD SC-101 S-C	MV, MT, FBS, IC	5-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
	24 J	Die-Cast	DD HB-1028 HB	DD SC-101 S-C	Sustainiac Driver/Pickup	MV, MT, IC, AS, FHBS	5-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
T ALC THE	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT, AETC	3-Way	JT580 LP DLT	Black	Optional DMC	25.5"	1-11/16"
	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT, AETC	3-Way	JT580 LP DLT	Black	Optional DMC	25.5"	1-11/16"
and the last	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT, AETC	3-Way	JT390 Adjustable S-T-B	Black	Optional DMC	25.5"	1-11/16"
	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT, AETC	3-Way	JT390 Adjustable S-T-B	Black	Optional DMC	25.5"	1-11/16"
No. of Street, or other Designation of the least of the l	24 J	Die-Cast	DD HB-103B HB	N/A	DD HB-103N HB	MV, MT	3-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
1000000	24 J	Die-Cast	DD HB-103B HB	N/A	DD HB-103N HB	MV, MT, FBS, IC	3-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
ALCOHOLD B	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT	3-Way	JT580 LP DLT	Black	Optional DMC	25.5"	1-11/16"
of second	22 J	Die-Cast	SD Scott Ian Cust. HB	N/A	SD Scott Ian Cust. HB	MV, MT	3-Way	JT390 Adjustable S-T-B	Chrome	DMC	25.5"	1-5/8"
10000000	DOMOGRADIO TO	ALTONOMIC STATE OF THE PARTY OF	Jackson JE10 HB	N/A	Jackson JE10 HB	MV, MT	3-Way	2-Pt. Fulcrum	Chrome	Optional DMC	25.5"	1-11/16"
of the latest special	24 J	Die-Cast		Jackson JE14 S-C	Jackson JE14 S-C	MV, MT	5-Way	2-Pt. Fulcrum	Chrome	Optional DMC	25.5"	1-11/16"
All Sales	22 J	Die-Cast	Jackson JE10 HB			MV, MT	5-Way	JT500 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
100000	22 J	Die-Cast	Jackson CVR2 HB	N/A .	Jackson CVR2 HB		5-Way	2-Pt. Fulcrum	Chrome	Optional DMC	25.5"	1-11/16"
-	24 J	Die-Cast	DD SHR-101 S-C	DD SHR-101 S-C	DD SHR-101 S-C	MV, MT	Commence of the last of the la		B (CH on TC)	DMC	25.5"	1-11/16"
-70000	24 J	Die-Cast	SD JB TB4 HB	N/A	SD Jazz SH2N HB	MV, MT	3-Way	FR Original	Control Manager Street	Optional DMC	25.5"	1-11/16"
and the same	24 J	Die-Cast	DD Detonator HB	N/A	DD Detonator HB	MV, MT	3-Way	JT580 LP DLT	Chrome		Control State Stat	ALCOHOLD DO NOT THE
No. of Concession, Name of Street, or other Persons, Name of Street, or ot	24 J	Die-Cast	SD JB TB4 HB	N/A	SD JB TB4 HB	V, V, MT	3-Way	FR Original	B (CH on TC)	DMC	25.5"	1-11/16"
The second	24 J	Sperzel L-T with PB	SD JB TB4 Z HB	N/A	SD '59 SH1N Z HB	MV, MT	3-Way	JT390 Adjustable S-T-B	Chrome	DMC	25.5"	1-11/16"
	24 J	Die-Cast	DD HB-103B HB	N/A	DD HB-102N HB	MV, MT	3-Way	JT390 Adjustable S-T-B	Chrome	Optional DMC	25.5"	1-11/16"
CONTRACTOR OF STREET	24 J	Die-Cast	DM Super 3 HB	DM HS2	Jackson Sustainer/Driver	MV, MT, Intensity	5-Way	FR Original	Gold-Plated	DMC	25.5"	1-11/16"
200	22 J	Die-Cast	SD JB TB4 HB	N/A	SD Jazz SH2N HB	MV, T, T	3-Way	FR Original	B (CH on TC)	DMC	25.5"	1-11/16"
	22 J	Die-Cast	SD JB TB4 HB	N/A	SD Jazz SH2N HB	MV, T, T	3-Way	JT390 Adjustable S-T-B	B (CH on TC)	DMC	25.5"	1-11/16"
	22 J	Die-Cast	DD Detonator HB	N/A	DD Detonator HB	V, V, MT	3-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
	22 J	Die-Cast	SD JB TB4 HB	N/A	SD JB TB4 HB	V, V, MT	3-Way	JT390 Adjustable S-T-B	Gold-Plated	Optional DMC	25.5"	1-11/16"
	22 J	Die-Cast	DD HB-103B HB	N/A	DD HB-103N HB	MV	3-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
	24 J	Die-Cast	SD JB TB4 HB	SD Classic Stack HB	SD Classic Stack HB	MV, MT	5-Way	FR Original	B (CH on TC)	DMC	25.5"	1-11/16"
	24 J	Die-Cast	SD JB TB4 HB	N/A	SD '59 SH1N HB	MV, MT	3-Way	FR Original	B (CH on TC)	DMC	25.5"	1-11/16"
	24 J	Die-Cast	SD JB TB4 HB	N/A	SD '59 SH1N HB	MV, MT	3-Way	FR Original	Chrome	DMC	25.5"	1-11/16"
	24 J	Die-Cast	SD JB TB4 HB	SD SHR101 HB	SD SHR101 HB	MV, MT	3-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
	22 J	Die-Cast	SD JB TB14 HB	N/A	SD Jazz SH2N HB	MV, MT	3-Way	JT390 Adjustable S-T-B	Gold-Plated	DMC	25.5"	1-11/16"
	22 J	Sperzel L-T with PB	SD PG1B Z HB	N/A	SD '59 SH1N Z HB	MV, MT	3-Way	ABM HT S-T-B	Chrome	DMC	24.75"	1-11/16"
	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT	3-Way	JT390 Adjustable S-T-B	Black	Optional DMC	25.5"	1-11/16"
	24 J	Die-Cast	SD Invader SH8 HB	N/A	SD Full Shred SH10 HB	MV, MT	3-Way	FR Original	B (CH on TC)	DMC	25.5"	1-11/16"
	24 J	Die-Cast	EMG HZ	N/A	EMG HZ	MV, MT, AETC	3-Way	JT580 LP DLT	Black	Optional DMC	25.5"	1-11/16"
CONTRACTOR OF STREET	24 J	Die-Cast	DD Detonator HB	N/A	DD Detonator HB	MV, MT	3-Way	JT580 LP DLT	Chrome	Optional DMC	25.5"	1-11/16"
-	-		THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO	THE CANADA	ALCOHOLD BY AND ADDRESS OF THE PARTY OF THE		5 5 May 20		100000	E STEEL SE	10000	Charles Co.

J - Jumbo LH - Left Handed

LSD - Li'l Screamin' Demon

LP - Low Profile

L-T - Locking Tuners

M - Maple

MAH - Mahogany

MRW - Madagascar Rosewood

MT - Master Tone

MV - Master Volume

M-V - Maple Veneer

N/CH - Nickel/Chrome

NTB - Neck-Thru-Body

PB - Pearloid Buttons

PG - Pearly Gates

PGE - Pearly Gates Esquire

QMT - Quilt Maple Top

Q-S - Quarter-Sawn

RM - Rock Maple

RW - Rosewood

S - Spruce

SC - Solid Colors

S-C - Single-Coil

SD - Seymour Duncan

SS - Solid Spruce

S-T-B - Strings-Thru-Body

T - Tone

TC - Transparent Colors

V - Volume

Z - "Zebra" (Black/Creme Pickups)

By Derek Hess



