




Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K661 (CHILLER)	393 71kg	-6 ~ +12°C	Ext: W615xD650xH1950 Int: W515xD550xH1450	R134a	Cooling: 100V / 161/161W (50/60Hz) Defrosting: 100V / 306/306W (50/60Hz)	4 Shelves
SRF-K661 (FREEZER)	393 71kg	-15 ~ -25°C	Ext: W615xD650xH1950 Int: W515xD550xH1450	R404A	Cooling: 100V / 193/193W (50/60Hz) Defrosting: 100V / 325/325W (50/60Hz)	4 Shelves
SRR-K681 (CHILLER)	505 78kg	-6 ~ +12°C	Ext: W615xD800xH1950 Int: W515xD700xH1450	R134a	Cooling: 100V / 153/153W (50/60Hz) Defrosting: 100V / 245/245W (50/60Hz)	4 Shelves
SRF-K681 (FREEZER)	505 78kg	-15 ~ -25°C	Ext: W615xD800xH1950 Int: W515xD700xH1450	R404A	Cooling: 100V / 193/193W (50/60Hz) Defrosting: 100V / 325/325W (50/60Hz)	4 Shelves

ECONAVI



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer

STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K761 (CHILLER)	490 81kg	-6 ~ +12°C	Ext: W745xD650xH1950 Int: W645xD550xH1450	R134a	Cooling: 100V / 164/164W (50/60Hz) Defrosting: 100V / 309/309W (50/60Hz)	4 Shelves
SRF-K761 (FREEZER)	490 81kg	-15 ~ -25°C	Ext: W745xD650xH1950 Int: W645xD550xH1450	R404A	Cooling: 100V / 198/198W (50/60Hz) Defrosting: 100V / 329/329W (50/60Hz)	4 Shelves
SRR-K781 (CHILLER)	636 88kg	-6 ~ +12°C	Ext: W745xD800xH1950 Int: W645xD700xH1450	R134a	Cooling: 100V / 164/164W (50/60Hz) Defrosting: 100V / 309/309W (50/60Hz)	4 Shelves
SRF-K781 (FREEZER)	636 88kg	-15 ~ -25°C	Ext: W745xD800xH1950 Int: W645xD700xH1450	R404A	Cooling: 100V / 198/198W (50/60Hz) Defrosting: 100V / 329/329W (50/60Hz)	4 Shelves

ECONAVI



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer

STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K961S (CHILLER)	611 94kg	-6 ~ +12°C	Ext: W900xD650xH1950 Int: W800xD550xH1450	R134a	Cooling: 100V / 179/179W (50/60Hz) Defrosting: 100V / 324/324W (50/60Hz)	4 Shelves
SRF-K961SA (FREEZER)	605 100kg	-15 ~ -25°C	Ext: W900xD650xH1950 Int: W800xD550xH1450	R404A	Cooling: 100V / 380/380W (50/60Hz) Defrosting: 100V / 556/556W (50/60Hz)	4 Shelves
SRR-K981S (CHILLER)	803 102kg	-6 ~ +12°C	Ext: W900xD800xH1950 Int: W800xD700xH1450	R134a	Cooling: 100V / 179/179W (50/60Hz) Defrosting: 100V / 324/324W (50/60Hz)	4 Shelves
SRF-K981SA (FREEZER)	797 110kg	-15 ~ -25°C	Ext: W900xD800xH1950 Int: W800xD700xH1450	R404A	Cooling: 100V / 380/380W (50/60Hz) Defrosting: 100V / 556/556W (50/60Hz)	4 Shelves



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer

STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SRR-K1261S (CHILLER)	848 112kg	-6 ~ +12°C	Ext: W1200xD650xH1950 Int: W1100xD550xH1450	R134a	Cooling: 100V / 184/184W (50/60Hz) Defrosting: 100V / 329/329W (50/60Hz)	4 Shelves
SRF-K1261S (FREEZER)	842 120kg	-15 ~ -25°C	Ext: W1200xD650xH1950 Int: W1100xD550xH1450	R404A	Cooling: 100V / 388/388W (50/60Hz) Defrosting: 100V / 564/564W (50/60Hz)	4 Shelves
SRR-K1281S (CHILLER)	1087 123kg	-6 ~ +12°C	Ext: W1200xD800xH1950 Int: W1100xD700xH1450	R134a	Cooling: 100V / 184/184W (50/60Hz) Defrosting: 100V / 329/329W (50/60Hz)	4 Shelves
SRF-K1281S (FREEZER)	1081 131kg	-15 ~ -25°C	Ext: W1200xD800xH1950 Int: W1100xD700xH1450	R404A	Cooling: 100V / 388/388W (50/60Hz) Defrosting: 100V / 564/564W (50/60Hz)	4 Shelves



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control


Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SRR-K1561S (CHILLER)	1042 131kg	-6 ~ +12°C	Ext: W1460xD650xH1950 Int: W1360xD550xH1450	R134a	Cooling: 100V / 222/222W (50/60Hz) Defrosting: 100V / 446/446W (50/60Hz)	4 Shelves
SRF-K1563S (FREEZER)	1042 141kg	-15 ~ -25°C	Ext: W1460xD650xH1950 Int: W1360xD550xH1450	R404A	Cooling: 200V / 393/393W (50/60Hz) Defrosting: 200V / 567/567W (50/60Hz)	4 Shelves
SRR-K1581S (CHILLER)	1343 143kg	-6 ~ +12°C	Ext: W1460xD800xH1950 Int: W1360xD700xH1450	R134a	Cooling: 100V / 222/222W (50/60Hz) Defrosting: 100V / 446/446W (50/60Hz)	4 Shelves
SRF-K1583S (FREEZER)	1343 148kg	-15 ~ -25°C	Ext: W1460xD800xH1950 Int: W1360xD700xH1450	R404A	Cooling: 200V / 393/393W (50/60Hz) Defrosting: 200V / 567/567W (50/60Hz)	4 Shelves

ECONAVI



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control


Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K1861S (CHILLER)	1292 146kg	-6 ~ +12°C	Ext: W1785xD650xH1950 Int: W1685xD550xH1450	R134a	Cooling: 100V / 248/248W (50/60Hz) Defrosting: 100V / 472/472W (50/60Hz)	8 Shelves
SRF-K1863S (FREEZER)	1292 150kg	-15 ~ -25°C	Ext: W1785xD650xH1950 Int: W1685xD550xH1450	R404A	Cooling: 200V / 422/422W (50/60Hz) Defrosting: 200V / 590/590W (50/60Hz)	8 Shelves
SRR-K1881S (CHILLER)	1659 158kg	-6 ~ +12°C	Ext: W1785xD800xH1950 Int: W1685xD700xH1450	R134a	Cooling: 100V / 248/248W (50/60Hz) Defrosting: 100V / 472/472W (50/60Hz)	8 Shelves
SRF-K1883S (FREEZER)	1659 161kg	-15 ~ -25°C	Ext: W1785xD800xH1950 Int: W1685xD700xH1450	R404A	Cooling: 200V / 422/422W (50/60Hz) Defrosting: 200V / 590/590W (50/60Hz)	8 Shelves

ECONAVI



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control


Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K661C (COMBINATION)	190 (C) 190 (F) 74kg	-6 ~ +12°C -15 ~ -25°C	Ext: W615xD650xH1950 Int: W515xD550xH700 (C) Int: W515xD550xH700 (F)	R134a	Cooling: 100V / 208/208W (50/60Hz) Defrosting: 100V / 505/505W (50/60Hz)	4 Shelves
SRR-K681C (COMBINATION)	244 (C) 244 (F) 81kg	-6 ~ +12°C -15 ~ -25°C	Ext: W615xD800xH1950 Int: W515xD700xH700 (C) Int: W515xD700xH700 (F)	R134a	Cooling: 100V / 209/209W (50/60Hz) Defrosting: 100V / 506/506W (50/60Hz)	4 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

ECONAVI



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic

BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K761C (COMBINATION)	237 (C) 237 (F) 84kg	-6 ~ +12°C -15 ~ -25°C	Ext: W745xD650xH1950 Int: W645xD550xH700 (C) Int: W645xD550xH700 (F)	R134a	Cooling: 100V / 212/212W (50/60Hz) Defrosting: 100V / 509/509W (50/60Hz)	4 Shelves
SRR-K781C (COMBINATION)	306 (C) 306 (F) 91kg	-6 ~ +12°C -15 ~ -25°C	Ext: W745xD800xH1950 Int: W645xD700xH700 (C) Int: W645xD700xH700 (F)	R134a	Cooling: 100V / 213/213W (50/60Hz) Defrosting: 100V / 510/510W (50/60Hz)	4 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control




Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SRR-K1261C2 (COMBINATION)	403 (C) 403 (F) 117kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1200xD650xH1950 Int: W515xD550xH1450 (C) Int: W515xD550xH1450 (F)	R134a	Cooling: 100V / 339/339W (50/60Hz) Defrosting: 100V / 641/641W (50/60Hz)	4 Shelves
SRR-K1281C2 (COMBINATION)	513 (C) 513 (F) 132kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1200xD800xH1950 Int: W515xD700xH1450 (C) Int: W515xD700xH1450 (F)	R134a	Cooling: 100V / 339/339W (50/60Hz) Defrosting: 100V / 641/641W (50/60Hz)	4 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

ECONAVI



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K1561C2 (COMBINATION)	500 (C) 500 (F) 140kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1460xD650xH1950 Int: W645xD550xH1450 (C) Int: W645xD550xH1450 (F)	R134a	Cooling: 100V / 374/374W (50/60Hz) Defrosting: 100V / 649/649W (50/60Hz)	4 Shelves
SRR-K1581C2 (COMBINATION)	641 (C) 641 (F) 153kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1460xD800xH1950 Int: W645xD700xH1450 (C) Int: W645xD700xH1450 (F)	R134a	Cooling: 100V / 374/374W (50/60Hz) Defrosting: 100V / 649/649W (50/60Hz)	4 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

ECONAVI




Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K1861C2 (COMBINATION)	848 (C) 393 (F) 165kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1785xD650xH1950 Int: W1100xD550xH1450 (C) Int: W515xD550xH1450 (F)	R134a	Cooling: 100V / 397/397W (50/60Hz) Defrosting: 100V / 672/672W (50/60Hz)	8 Shelves
SRR-K1881C2 (COMBINATION)	1087 (C) 505 (F) 183kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1785xD800xH1950 Int: W1100xD700xH1450(C) Int: W515xD700xH1450 (F)	R134a	Cooling: 100V / 397/397W (50/60Hz) Defrosting: 100V / 672/672W (50/60Hz)	8 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer STAINLESS STEEL UPRIGHT



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SRR-K1861C4 (COMBINATION)	393 (C) 842 (F) 169kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1785xD650xH1950 Int: W1100xD550xH1450 (C) Int: W515xD550xH1450 (F)	R134a	Cooling: 100V / 501/501W (50/60Hz) Defrosting: 100V / 855/855W (50/60Hz)	8 Shelves
SRR-K1881C4 (COMBINATION)	505 (C) 1081 (F) 186kg	-6 ~ +12°C -15 ~ -25°C	Ext: W1785xD800xH1950 Int: W1100xD700xH1450 (C) Int: W515xD700xH1450 (F)	R134a	Cooling: 100V / 501/501W (50/60Hz) Defrosting: 100V / 855/855W (50/60Hz)	8 Shelves

High energy saving performance


- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control





Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-K1261S (CHILLER)	240 72kg	-6 ~ +12°C	Ext: W1200xD600xH800 Int: W830xD487xH609	R134a	Cooling: 100V / 153/153W (50/60Hz) Defrosting: 100V / 245/245W (50/60Hz)	2 Shelves
SUF-K1261S (FREEZER)	240 75kg	-15 ~ -25°C	Ext: W1200xD600xH800 Int: W830xD487xH609	R404A	Cooling: 100V / 178/178W (50/60Hz) Defrosting: 100V / 314/314W (50/60Hz)	2 Shelves
SUR-K1271S (CHILLER)	316 78kg	-6 ~ +12°C	Ext: W1200xD750xH800 Int: W830xD637xH609	R134a	Cooling: 100V / 153/153W (50/60Hz) Defrosting: 100V / 245/245W (50/60Hz)	2 Shelves
SUF-K1271S (FREEZER)	314 80kg	-15 ~ -25°C	Ext: W1200xD750xH800 Int: W830xD637xH609	R404A	Cooling: 100V / 180/180W (50/60Hz) Defrosting: 100V / 324/324W (50/60Hz)	2 Shelves

ECONAVI



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control


Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer STAINLESS STEEL UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-K1561S (CHILLER)	328 78kg	-6 ~ +12°C	Ext: W1500xD600xH800 Int: W1130xD487xH609	R134a	Cooling: 100V / 156/156W (50/60Hz) Defrosting: 100V / 247/247W (50/60Hz)	2 Shelves
SUF-K1561S (FREEZER)	328 81kg	-15 ~ -25°C	Ext: W1500xD600xH800 Int: W1130xD487xH609	R404A	Cooling: 100V / 181/181W (50/60Hz) Defrosting: 100V / 317/317W (50/60Hz)	2 Shelves
SUR-K1571S (CHILLER)	432 84kg	-6 ~ +12°C	Ext: W1500xD750xH800 Int: W1130xD637xH609	R134a	Cooling: 100V / 156/156W (50/60Hz) Defrosting: 100V / 247/247W (50/60Hz)	2 Shelves
SUF-K1571S (FREEZER)	430 87kg	-15 ~ -25°C	Ext: W1500xD750xH800 Int: W1130xD637xH609	R404A	Cooling: 100V / 183/183W (50/60Hz) Defrosting: 100V / 327/327W (50/60Hz)	2 Shelves



High energy saving performance


- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control





Panasonic
BUSINESS

Refrigerators and Freezer
STAINLESS STEEL UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-K1861S (CHILLER)	415 87kg	-6 ~ +12°C	Ext: W1800xD600xH800 Int: W1430xD487xH609	R134a	Cooling: 100V / 164/164W (50/60Hz) Defrosting: 100V / 255/255W (50/60Hz)	4 Shelves
SUF-K1861S (FREEZER)	415 90kg	-15 ~ -25°C	Ext: W1800xD600xH800 Int: W1430xD487xH609	R404A	Cooling: 100V / 192/192W (50/60Hz) Defrosting: 100V / 327/327W (50/60Hz)	4 Shelves
SUR-K1871S (CHILLER)	546 98kg	-6 ~ +12°C	Ext: W1800xD750xH800 Int: W1430xD637xH609	R134a	Cooling: 100V / 164/164W (50/60Hz) Defrosting: 100V / 255/255W (50/60Hz)	4 Shelves
SUF-K1871S (FREEZER)	544 101kg	-15 ~ -25°C	Ext: W1800xD750xH800 Int: W1430xD637xH609	R404A	Cooling: 100V / 193/193W (50/60Hz) Defrosting: 100V / 338/338W (50/60Hz)	4 Shelves

ECONAVI



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com





Panasonic

BUSINESS

Refrigerators and Freezer STAINLESS STEEL UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-K1261C (COMBINATION)	110 (C) 104 (F) 78kg	-6 ~ +8°C -15 ~ -25°C	Ext: W1200xD600xH800 Int: W380xD487xH609 (C) Int: W380xD487xH609 (F)	R134a	Cooling: 100V / 212/212W (50/60Hz) Defrosting: 100V / 334/334W (50/60Hz)	2 Shelves
SUR-K1271C (COMBINATION)	140 (C) 138 (F) 84kg	-6 ~ +8°C -15 ~ -25°C	Ext: W1200xD750xH800 Int: W380xD637xH609 (C) Int: W380xD637xH609 (F)	R134a	Cooling: 100V / 210/210W (50/60Hz) Defrosting: 100V / 345/345W (50/60Hz)	2 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control






Panasonic

BUSINESS

Refrigerators and Freezer STAINLESS STEEL UNDERCOUNTER




MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-K1561C (COMBINATION)	154 (C) 146 (F) 86kg	-6 ~ +8°C -15 ~ -25°C	Ext: W1500xD600xH800 Int: W530xD487xH609 (C) Int: W530xD487xH609 (F)	R134a	Cooling: 100V / 212/212W (50/60Hz) Defrosting: 100V / 334/334W (50/60Hz)	2 Shelves
SUR-K1571C (COMBINATION)	198 (C) 193 (F) 93kg	-6 ~ +8°C -15 ~ -25°C	Ext: W1500xD750xH800 Int: W530xD637xH609 (C) Int: W530xD637xH609 (F)	R134a	Cooling: 100V / 210/210W (50/60Hz) Defrosting: 100V / 345/345W (50/60Hz)	2 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control





MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-K1861CS (COMBINATION)	265 (C) 121 (F) 95kg	-6 ~ +8°C -15 ~ -25°C	Ext: W1800xD600xH800 Int: W930xD487xH609 (C) Int: W430xD487xH609 (F)	R134a	Cooling: 100V / 221/221W (50/60Hz) Defrosting: 100V / 338/338W (50/60Hz)	4 Shelves
SUR-K1871CS (COMBINATION)	350 (C) 157 (F) 107kg	-6 ~ +8°C -15 ~ -25°C	Ext: W1800xD750xH800 Int: W930xD637xH609 (C) Int: W430xD637xH609 (F)	R134a	Cooling: 100V / 213/213W (50/60Hz) Defrosting: 100V / 348/348W (50/60Hz)	4 Shelves

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

ECONAVI



Ty Innovations Pte Ltd
2017.09

Tel: +65 67794500


Email: sales@tyinnovations.com





Panasonic
BUSINESS

Refrigerators and Freezer
DRAWER UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SUR-DG1271-2A (CHILLER)	76 97kg	-6 ~ +12°C	Ext: W1200xD750xH550 Int: W836xD637xH328	R134a	Cooling: 100V / 170/177W (50/60Hz) Defrosting: 100V / 274/274W (50/60Hz)	



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer DRAWER UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power
SUR-DG1671-2A	114 101kg	-6 ~ +12°C	Ext: W1635xD750xH550 Int: W1271xD637xH328	R134a	Cooling: 100V / 291/291W (50/60Hz) Defrosting: 100V / 183/188W (50/60Hz)
SUF-DG1671-2A	114 101kg	-20°C	Ext: W1635xD750xH550 Int: W1271xD637xH328	R404a	Cooling: 100V / 369/369W (50/60Hz) Defrosting: 100V / 333/369W (50/60Hz)



High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control






Panasonic

BUSINESS

Refrigerators and Freezer DRAWER UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-DG1271-3A (CHILLER)	144 100kg	-6 ~ +12°C	Ext: W1200xD750xH800 Int: W830xD637xH609	R134a	Cooling: 100V / 207/217W (50/60Hz) Defrosting: 100V / 230/230W (50/60Hz)	

High energy saving performance


- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control





Panasonic
BUSINESS

Refrigerators and Freezer
DRAWER UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigerant	Power	Accessories
SUR-DG1271-3A (CHILLER)	144 100kg	-6 ~ +12°C	Ext: W1200xD750xH800 Int: W830xD637xH609	R134a	Cooling: 100V / 207/217W (50/60Hz) Defrosting: 100V / 230/230W (50/60Hz)	

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control

ECONAVI



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic
BUSINESS

Refrigerators and Freezer


SALAD UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SUR-GS1261SA (CHILLER)	247 71kg	-6 ~ +12°C	Ext: W1200xD600xH812 Int: W830xD487xH609	R134a	Cooling: 100V / 154/168W (50/60Hz) Defrosting: 100V / 244/244W (50/60Hz)	

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control



ECONAVI



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer


SALAD UNDERCOUNTER



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SUR-GS1561SA (CHILLER)	343 77kg	-6 ~ +12°C	Ext: W1500xD600xH812 Int: W1130xD487xH609	R134a	Cooling: 100V / 162/176W (50/60Hz) Defrosting: 100V / 246/246W (50/60Hz)	

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer UNDERCOUNTER WITH SUSHI SINK



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SUR-GL1261SA-S (CHILLER)	135 78kg	-6 ~ +12°C	Ext: W1200xD600xH800 Int: W720xD487xH389	R134a	Cooling: 100V / 157/159W (50/60Hz) Defrosting: 100V / 278/278W (50/60Hz)	
SUR-GL1561SA-S (CHILLER)	184 100kg	-6 ~ +12°C	Ext: W1500xD600xH800 Int: W1020xD487xH389	R134a	Cooling: 100V / 170/171W (50/60Hz) Defrosting: 100V / 278/278W (50/60Hz)	

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control



Ty Innovations Pte Ltd
2017.09
Tel: +65 67794500
Email: sales@tyinnovations.com






Panasonic

BUSINESS

Refrigerators and Freezer UNDERCOUNTER WITH SUSHI SINK



MODEL	Volume (L)	Temperature	Dimension	Refrigrant	Power	Accessories
SUR-GL1861SA-S (CHILLER)	239 107kg	-6 ~ +12°C	Ext: W1800xD600xH800 Int: W1320xD487xH389	R134a	Cooling: 100V / 183/183W (50/60Hz) Defrosting: 100V / 278/278W (50/60Hz)	

High energy saving performance

- Inverter compressor
- Automatic frame heater duty optimization
- Automatic condensing fan speed control





Panasonic


BUSINESS




氷の大きさ ◆28×28×30mm

Ice Maker Machine

TABLE TYPE



MODEL	Volume (L)	Bin Storage	Dimension	Weight	Power	Accessories
SIM-S6500A	73/76kg per day	25kg	W630xD500xH850	57kg	100V / 435/500W (50/60Hz)	



MODEL	Volume (L)	Bin Storage	Dimension	Weight	Power	Accessories
SIM-S241YN	230/245kg per day	110kg	W700xD749xH850	142kg	200V / 1170/1350W (50/60Hz)	

