


Sew & Explicit
patterns



TROUSER BLOCKS

STYLE 3002

MISSES SIZES 6-14

sewexplicitpatterns.com


Trouser Block is for developing sewing patterns. It include the back trouser and the front trouser blocks. Sizes from Hip 34 to 43. All blocks available in full scale and quarter scale.

Body Measurements Chart (inches)

	Size ⇒	6	8	10	12	14
1	Waist Circ.		28			
2	Hip Circ.		37			
3	Waist to Floor Length		40			

Body Measurements Chart (cm)

	Size ⇒	6	8	10	12	14
1	Waist Circ.		71.1			
2	Hip Circ.		94.0			
3	Waist to Floor length		101.6			




Incorporated wearing ease (inches)

Size	6 -14
Waist	nil
Hip ⇒	2"

Incorporated wearing ease (inches)

Size	6 -14
Waist	nil
Hip	5.1 cm

List of Pattern Pieces



A: Front Trouser Block


B: Back Trouser Block

The trouser block is a basic slacks which one can adapt to create diverse styles of trousers. It is designed for good fit and comfort especially around the crotch. The trouser block is designed to seat on the natural waistline.

It is advised to make a test fit of the block in muslin to adjust and perfect fit on individuals.

The pattern is not inclusive of sewing allowances.

The grain is parallel to the crease-lines.




Getting Started

Determine your Size

- ◆ Use the body measurement chart to determine your size.

Print & Assemble

- ◆ Print Instruction pages: 1-7
Print Pattern tiles: 8-27
Quarter Scale: 28
- ◆ Print out your pattern tiles at 100%, Actual size mode. Measure the 4" by 4" Test Square to ensure your pattern tiles have printed correctly.
- ◆ Trim off the defining rectangles on each page.
- ◆ Tape the tiles together by aligning each triangle on each page to the corresponding triangle on the adjacent page to form a diamond. Match up the tiles as shown in the diagram.
- ◆ Cut out or trace out your pattern pieces.
- ◆ Download the printing guide at <https://dl.orangedox.com/Rj4Yi3C8i1bhnW8gF2>



Trace Out and Cut out your Fabric

- ◆ Trace out your pattern pieces, using pen or tailor's chalk. Mark out the notches as well.
- ◆ Cut your fabric along the outline you have traced with sharp scissors making sure to cut away your pen or chalk lines. Make a 1/8" clip into the notch marks.

Sewing Allowances

The pattern is not inclusive of sewing allowances.

Get to know us more



Visit our website <http://sewexplicitpatterns.com> to view other styles of patterns and also to subscribe to our Newsletter so as to be the first to get updates on new pattern releases and discount offers.

Contact us:




Like and follow on Facebook.com/sewexplicit, Instagram.com/sewexplicit, Twitter.com/sewexplicit and Pintrest.com/sewexplicit.




@sewexplicit

1



3



MISSES' TROUSER BLOCK

Sewexplicit Patterns 3002

sewexplicitpatterns.com

5 B

Back

Sizes 6-14

No seam allowances

6

GRAINLINE

7

8

GRAINLINE

9

10

MISSES' TROUSER BLOCK

Sewexplicit Patterns 3002

sewexplicitpatterns.com

A

Front


Sizes 6-14

No seam allowances

12

13

14



15

16


17

Test Square

4"by 4"



18



Size 6
Size 8
Size 10
Size 12
Size 14



Tiling guide



SewExplicit
patterns

MISSES' TROUSER BLO

STYLE 3002

SIZES 6-14

Copyright 2017. All rights reserved. for personal use only.

No part of this document may be reproduced, transmitted or shared in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior consent of SewExplicit Patterns.


sewexplicitpatterns.com



20




OCK



Sew & Felicit
patterns
MISSES' TROUSER BLOCK
Quarter Scale

Front
A



Sew & Felicit
patterns
MISSES' TROUSER BLOCK
Quarter Scale

B
Back