

Every \_\_\_\_\_ is represented by an event-object.

Choices:

Information

☐

Entity

☐

Object

☐

Event

☒

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

"Situation" is an event occurrence that requires a (n) \_\_\_\_\_.

## Choices:

☒ Reaction

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

☐ Class☐ Object☐ Action

In C#, comments are written using \_\_\_\_\_.

Choices:

☐ # and /\* \*/

☒ // and /\* \*/

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

☐ # and /\*

☐ // and /\* \*/

Which statement is True about "else" clause?

Choices:

☐ An else clause always applies to the one after next preceding if statement in the statement block.

☐ An else clause always applies to the immediately preceding if statement in the statement block.

☐ An else clause can or cannot applies to the immediately preceding if statement in the statement block.

☐ An else clause never applies to the immediately preceding if statement in the statement block.

Not implementing some methods of the interface in the class is \_\_\_\_\_.

Choices:

☒ An error

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

☐ Acceptable

☐ A warning

☐ An exception

You can handle multiple exception types with multiple \_\_\_\_\_ clauses.

Choices:

Throw

☐

Finally

☐

Catch

☐

Try

☐

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

Question: 7 (Marks: 1)

Attempted Questions: 0 Total Questions: 26

Due to \_\_\_\_\_, "Assembly" Files are self-describing.


Choices:

Classes

Variables

Functions

Meta data



Visual Programming (CS411)

Question: **8** (Marks: 1)

Attempted Questions: **0**

Total Questions: **26**

To communicate with unmanaged COM, \_\_\_\_\_ attribute is used.

Choices:

☐ [Obsolete]

☐ [Assembly]

☐ [STAThread]

☐ [ObsoleteAttribute]

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com



\_\_\_\_\_ Method is used to move the file from one directory to another.

## Choices:

Move

☐

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

Export

☐

Import

☐

None of given options

☐

To develop games \_\_\_\_\_ is the best tool.

**Choices:**

☐ Avalon

☐ XNA

☐ GDI

☐ WPF

The keyword "CDATA" tells the XAML that the code written in this section

\_\_\_\_\_.

**Choices:**

☐ Is comment

☐ Does not follow the normal XAML Rules

☐ Is structured code

☐ Has global scope

\_\_\_\_\_ are special dependency properties that can be attached to arbitrary objects.

## Choices:

☐ Attached properties

☐ Global properties

☐ Static properties

☐ Procedural properties

Default padding of label in WPF is equal to \_\_\_\_\_.

Choices:

Three

☐

Ten

☐

Five

☐

Eight

☐

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

What is the default value of "RowSpan" property of "Dockpanel"?

Choices:

1

☐

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

0

☐

3

☐

2

☐

We are checking that whether an element is eligible for focus or not, which property will help us in this testing?

Choices:

Focus

☐

IsFocus

☐

IsFocusable

☐

Focusable

☐

past paper

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com

Which of the following operations are completed before the next operation can be started?

## Choices:

☐ Anonymous

☐ Virtual

☐ Synchronous

☐ Asynchronous

Correct answer solved by hadi  
Cell No:03228043306  
Email: usmanraj20@gmail.com



What is the biggest feature of a dependency property?

Answer:



As we know that there is no Fill value for "DockPanel" then how the remaining space is filled in the "DockPanel"?

Answer:



Why one should care about "Logical Tree"? Explain with one example.

Answer:



Name the three (3) routing strategies that can be chosen by each routed event when it is registered.

Answer:

