

CS411 Visual Programming Solved MCOS

For Midterm Exam

June 05,2014

MC100401285

Moaaz.pk@gmail.com

Mc100401285@gmail.com

PSMD01

https://web.facebook.com/groups/vu1234/

Question No: 1 (Marks: 1) - Please choose one

Event-based programming is also known as:

Service-oriented architecture (SOA)

Event-driven Architecture (EDA) (Page 11)

Service-driven Architecture (SDA)

Event-based Architecture (EBA)

Question No: 2 (Marks: 1) - Please choose one

Polymorphism works on the basis that child class should have_____feature/s of its parent class.

- 1. Only one
- 2. No
- 3. Few
- **4.** All

Question No: 3 (Marks: 1) - Please choose one

The base class will have the _____ functionality of all derived classes

- 1. Common
- 2. Specialized
- 3. Unique
- 4. Different

Question No: 4 (Marks: 1) - Please choose one

Clean room design is also called

- 1. Clear Room Design
- 2. Wall Technique Design (Page 13)
- 3. Chinese Wall Technique
- 4. French Wall Technique

https://www.facebook.com/groups/VUsolvedPapers/

Question No: 5 (Marks: 1) - Please choose one Indexers are similar to properties, but are accessed via a/anrather than a property name.
 Index Argument Click here 4 detail Reference Pointer Integer Argument
Question No: 6 (Marks: 1) - Please choose one Types not defined in any namespace are said reside in thenamespace.
1. Local 2. Static 3. Virtual 4. Global Click here 4 detail
Question No: 7 (Marks: 1) - Please choose one A compiled C# file is called
1. Complied File 2. Source File 3. Assembly File (Page 41) 4. EXE File
Question No: 8 (Marks: 1) - Please choose one Cool stands for
 Class Oriented Object Language Consumer Oriented Object Language C-like Object Oriented Language C++-like Object Oriented Language (Page 13)
Question No: 9 (Marks: 1) - Please choose one The initial name for C# was
1. COAL 2. COOP 3. COAP 4. COOL (Page 13)

Question No: 10 (Marks: 1) - Please choose one
The Main method returns a non-zero value which indicates the
1. Source of Program
2. Error in Program Click here 4 more detail
3. Termination of Program
4. Exception in Program
Question No: 11 (Marks: 1) - Please choose one
Attributes addto year program.
1. Clearance
2 Errore

- 2. Errors
- 3. Meta Data (Page 40)
- 4. Ambiguity

Question No: 12 (Marks: 1) - Please choose one

Wait for a single event is _____operation.

- 1. Waiting
- 2. Waste
- 3. Idle
- 4. Blocking (Page 8)

Question No: 13 (Marks: 1) - Please choose one

To use kbhit() command, you need to include which header file in your program?

- 1. fstream.h
- 2. stdio.h
- 3. iostream.h
- **4. conio.h** Click here 4 more detail

Question No: 14 (Marks: 1) - Please choose one

Which of the following is built from request-response?

- 1. Event-processing Architecture (EDA)
- 2. Service-driven Architecture (SDA)
- 3. Service-oriented Architecture (SOA) (Page 11)
- 4. Event-bas Architecture (EBA)

https://www.facebook.com/groups/VUsolvedPapers/

3

Question No: 15 (Marks: 1) - Please choose one

____let any classes behave like an array.

- 1. Properties
- 2. Fields
- 3. Indexers (Page 29)
- 4. Finalizers

Question No: 16 (Marks: 1) - Please choose one

All the members of interfaces are implicitly_____.

- 1. Private
- 2. Static
- **3. Public (Page 34)**
- 4. Abstract

Ouestion No: 17 (Marks: 1) - Please choose one

methods do not have names.

- 1. Attribute
- 2. Anonymous (Page 46)
- 3. None of given
- 4. Non-Anonymous

Question No: 18 (Marks: 1) - Please choose one

Derived Event is:

Introduced into an event processing system by an event consumer.

Generated as a result of event that takes place inside an event processing system. (Page 11)

Introduced into an event processing system by an event producer.

A set of associated events.

Question No: 19 (Marks: 1) - Please choose one

Which of the following is an occurrence within a particular system or domain?

Object

Event (Page 7)

Result

Message

https://www.facebook.com/groups/VUsolvedPapers/

4

Question No: 20 (Marks: 1) - Please choose one is an entity that receives events from the system.
Event Producer Event Consumer (Page 11) Event Channel Event Generator
Question No: 21 (Marks: 1) - Please choose one Writing higher-level functions that call upon lower-level functions a program.
Decode Harder Refactor Simplify
Question No: 22 (Marks: 1) - Please choose one Which statement is True?
A "catch" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion. A "finally" block executes only, when an exception is thrown and when the "try" block runs to completion. A "finally" block may or may not executes whether or not an exception is thrown and whether or not the "try" block runs to completion. A "finally" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion. Click here 4 detail
Question No: 23 (Marks: 1) - Please choose one Attributes of a program can be queried at run time through
Reflection (Page 41, for more detail) Value Reference Extension
Question No: 24 (Marks: 1) - Please choose one During the program execution, program can be stopped with the help of
Attributes Compiler Exception Handling Breakpoints (Page 47)

Question No: 25 (Marks: 1) - Please choose one The, and of applications that use events, either directly or indirectly is called
event-based programming.
Model, Code, Operation Analyze, Design, Operation
Code, Operation, Maintain Design, Coding, Operation (Page 8)
Design, Country, Operation (1 age 6)
Question No: 26 (Marks: 1) - Please choose one Clean room design is useful as a defense against
Copyright Trade secret infringement
Copyright and trade secret infringement (Page 13) None of the given options
Question No: 27 (Marks: 1) - Please choose one The result of Exception can bring in the program.
Reliability Stability Inconsistency (Page 40)
Inconsistency (Page 40) Consistency
Question No: 28 (Marks: 1) - Please choose one method reads the whole document in memory.
XmlDocument (Page 48) XmlLine
XPath XmlReader
Question No: 29 (Marks: 1) - Please choose one The in the namespace indicate a hierarchy of nested namespaces.
Arrows
Dots Semicolon
Brackets (Page 22)

Question No: 30 (Marks: 1) - Please choose one If we run the program from within Visual Studio, the console window disappears quickly so we can use to keep screen from going away.
Console.ReadLine() (Page 15) Console.WriteLine() Console.Title Console.Clear
Question No: 31 (Marks: 1) - Please choose one Which of the following is an entity that introduces event into the system?
Event Channel Event Stream Event Consumer Event Producer (Page 11)
Question No: 32 (Marks: 1) - Please choose one At the time an event is fired, the methods will be invoked.
Registered Click here 4 detail Public Static Unregistered
Question No: 33 (Marks: 1) - Please choose one The easiest way to declare an event is to put the event keyword in front of a member.
Interface Delegate Click here 4 detail Class Struct
Question No: 34 (Marks: 1) - Please choose one Which of the following does NOT include in event processing operations?
Deleting Events Reading Events Terminating Events (Page 8)

Muhammad Moaaz Siddiq – MCS(4th)

Moaaz.pk@gmail.com

Campus: - Institute of E-Learning & Moderen Studies

(IEMS) Samundari

Transforming Events

Question No: 35 (Marks: 1) - Please choose one An event is a list of
constants
variable
pointers
delgates
Question No: 36 (Marks: 1) - Please choose one C# is a and .NET is a
Platform, Language
Package, Language
Language, Package
Language platform (Page 13)
O - C - N - 27 (M - L - 1) Discos is seen
Question No: 37 (Marks: 1) - Please choose one Anonymous methods the code size.
Double
Expand
Reduce (Page 46)
Extend
Question No: 38 (Marks: 1) - Please choose one g++ is a command of
Dev C++ Unix based system
Windows based system
None of the given options
Question No: 39 (Marks: 1) - Please choose one A class can inherit fromclass/classes.
Two
Single Click here 4 detail
Three
Multiple

Question No: 40 (Marks: 1) - Please choose one Which of the following events may or may not relate to an actual occurrence? **Probabilistic Events (Page 7) Actual Events** Real Events **Expected Events Question No: 41 (Marks: 1) - Please choose one** Which of the following statements is TRUE about raw event? It is introduced into an event processing system by an event producer. (Page 11) It is generated as a result of event processing. It is introduced into an event processing system by an event consumer. It is a subscription mechanism for events. Question No: 42 (Marks: 1) - Please choose one A method performs an action in a series of statements, called a ______. Code Block Method Block Routine Block **Statement Block Click here for detail** Question No: 43 (Marks: 1) - Please choose one Graphical user interfaces and the event-driven model are not applied on which of the following? Web Applications **Console Applications** Mobile applications **Desktop Applications**

Question No: 44 (Marks: 1) - Please choose one

The System.Console is a ______ which enables us to do Console Input and Output.

Structure

Class (Page 14)

Namespace

Library

https://www.facebook.com/groups/VUsolvedPapers/

Question No: 50 (Marks: 1) - Please choose one In context of XAML child element rules, if the child is plain text and a type converter exists to transform the child into the parent type (and no properties are set on the parent element), treat the child as the input to the type converter and use the output as the
Parent object instance (Page 68) Interface object instance none Child object instance
Question No: 51 (Marks: 1) - Please choose one IsNumeric(string s) is a function of class.
Math class Program class String class MyUtills class (Page 53)
Question No: 52 (Marks: 1) - Please choose one XAML specification defines rules that map ".NET" namespaces, types, properties, and events into I) XML namespaces II) XML elements III) XML Attributes
(I) Only (II) Only (I), (II) and (III) only (Page 63) (III) Only
Question No: 53 (Marks: 1) - Please choose one Visual Studio has a snippet called that automatically expands into a definition of a dependency property, which makes defining one much faster than doing all the typing yourself!
Propdp (Page 77) Property extension Dpprop Dependency property
Question No: 54 (Marks: 1) - Please choose one Suppose we want to restrict the user to don't decrease the height of a WPF element from a specific amount then which property will be used?
MinHeight (Page 83) none HeightMinimum MinimumHeight

Question No: 55 (Marks: 1) - Please choose one WPF element in "DockPanel" has property "dock". There is/are possible value(s) of "dock" property.
two three four (Page 93) one
Question No: 56 (Marks: 1) - Please choose one WPF4 was released in
2012 2010 Click here for detail 2005 2003
Question No: 57 (Marks: 1) - Please choose one allows to keep the user interface description and implementation separate.
GDI WPF (Page 61) Avalon Altia
Question No: 58 (Marks: 1) - Please choose one When the data is passed from one place to another in chunks, this data is called
Bits Line Byte Stream
Question No: 59 (Marks: 1) - Please choose one We want the width of button should cover the whole width of StackPanel in WPF then what should be value of HorizontalAlignment property of button?
Parent Whole Fill Stretch (Page 97)

Question No: 60 (Marks: 1) - Please choose one

Which of the following is/are not derived from "Control" class?

ListBox

StatusBar

None of the given (Page 73)

Question No: 61 (Marks: 1) - Please choose one

If we want to move an object in the 2-D x-y coordinate system then which transform class will be used?

Translate Transform (Page 89)

Skew Transform

Skew Transform

Rotate Transform

Question No: 62 (Marks: 1) - Please choose one

Dependency properties are represented by _____

System.Windows.DependencyProperty (Page 77)

System.Windows.Dependency.Property

System. Windows. Dependency

System.Windows.Property.Dependency

Question No: 63 (Marks: 1) - Please choose one

System.Windows.Controls.Button b = new System.Windows.Controls.Button(); b.Content = "OK"; For the above code (written in C#) the corresponding XAML code will be:

<Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Content="OK"/> (Page 63)

- <Button xmlns= "OK" Content="http://schemas.microsoft.com/winfx/2006/xaml/presentation "/>
- <Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Event="OK"/>
- <Button xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation" Call="OK"/>

Question No: 64 (Marks: 1) - Please choose one

_____ is a base class similar to UIElement but for document-related pieces of content that don't have rendering behavior on their own.

ContentElement (Page 73)

VisualElement

SystemElement

XAMLElement

https://www.facebook.com/groups/VUsolvedPapers/

13

Question No: 65 (Marks: 1) - Please choose one In context of XAML child element rules, if the parent supports a content property and the type of the child is compatible with that property, treat the child as its
Super class Sub class Value (Page 68) Interface
Question No: 66 (Marks: 1) - Please choose one Mapping to the WPF namespaces is in-side the WPF assemblies.
Specified at compile time Hard-coded (Page 63) None of the given Dynamically specified
Question No: 67 (Marks: 1) - Please choose one The user interfaces, enabled by WPF, is getting a lot of attention.
Loutish Polished (Page 61) Coarse Distracted
Question No: 68 (Marks: 1) - Please choose one The method is used to read the whole file at once.
ReadAllText("test.txt"); Click here for detail ReadAll(); Read("test.txt"); ReadLine();
Question No: 69 (Marks: 1) - Please choose one With the help of WPF, an ugly looking application can be by the designers.
Rearranged Re-created Re-themed(Page 61) Rejected

Question No: 70 (Marks: 1) - Please choose one Additional XML namespaces (on the root or on children) must be to be used on any identifiers from that namespace.
Given a common prefix Qualified with "Pre" keyword Given a distinct prefix (Page 63) Qualified with "Ext" keyword
Question No: 71 (Marks: 1) - Please choose one Extension methods can only be defined in class.
Dynamic class Normal class String class Static class Click here for detail
Question No: 72 (Marks: 1) - Please choose one If we want to rotate an object clockwise about a specified point in a 2-D x-y coordinate system then which transform class will be used?
None of given (Page 87) Translate Transform Skew Transform Scale Transform
Question No: 73 (Marks: 1) - Please choose one The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush>
<pre><whitebrush>MyWhiteBrush <!-- WhiteBrush--> None of the given options <solidcolorbrush color="White"></solidcolorbrush> (Page 65) <brush style="SolidWhite"></brush></whitebrush></pre>
Question No: 74 (Marks: 1) - Please choose one "FrameworkElement" is the base class that adds support for
Some common mechanisms for Windows-based controls Data binding Styles
All of the given options (Page 73)

15

Campus:- Institute of E-Learning & Moderen Studies (IEMS) Samundari

Question No: 75 (Marks: 1) - Please choose one

All elements of WPF have following property/properties.

Width

None of given options

Height and Width

Height

Question No: 76 (Marks: 1) - Please choose one

If we exclude the mechanism of calling the objects through name then:

Code will not compile

Code will be difficult to debug

Code will have errors

Code will become design dependent

Question No: 77 (Marks: 1) - Please choose one

If we want to place a component at top in "dockpanel" then which one is correct syntax?

PanelDock="Top"

Dock="Top"

DockPanel.Dock="Top" (Page 93)

DockPanel="Top"

https://www.facebook.com/groups/VUsolvedPapers/