







Copyright 2002. All rights reserved. No production of this catalog is allowed without permission of the Jackson Guitar Company. Layout and design by Kevin Easton. Printed in the USA. Jackson Guitar Company, PO Box 961077, Fort Worth, TX 76161-0077


























## Emmilianting Ve

MODEL	BODY		SCALE/	NECK DIMENSIONS		NUT	
			FRETS	1st fret	12th fret	WIOTH	BRIDGE
020	Ader	Rock Marie Boll-On/Rosewood	3024	.810	918	134"	R9010
CISA	Alder (Mahagany or Ash)	Rock Maple Boll-On/Rosewood	30'24	810	.918	134"	JB350 Convertible
CSMJ	Alder (Ash)	Rock Maple Bull-On/Rosewood	34124	.810	918	134"	JE050 Convertible
CMG	Alder (w/Flame Maple Vaneor)	Rock Maple But On/Sound Rosewood	34122	800	890	158"	JB340 Convertible
DK1	Actor (wiFlame Maple Veneor)	Quatersoun Maple Bolt-On/Bound Ebory	25.5724	750 '34	810	11116"	Original Floyd Rosers
DICE	Alder (w.Flame Maple Veneor)	Rock Maple Bot-On/Bound Rosewood	25.5724	J35	810	1 11/10"	JT580 LP
DIC2FS	Ash (w/Flame Maple Veneer)	Rock Maple Bot-On/Bound Rosewood	25.5724	735	* 810	1.11/16"	JT580 LP
DIC25	Adder (wiFlame Maple Veneer)	Rock Maple Bot-On/Bound Rosewood	25.5724	735	810	1 1990	JT580 LP
DICMG	Basswood (wFlame Maple Veneer)	Rock Maple Bot-On/Bound Rosewood	25.5"04	735	.810	1.11/16"	JTS80 LP
DICMGT	Bassacco (w.Flame Maple Voneer)	Rock Maple Bot-On/Sound Rosewood	25.5'04	735	810	1 1916	JT390 Tunamatic String Thru Body
	Basswood	Rock Magie Bot-On/Bound Rosewood	27/24	735	.810	1.11/16"	J1390 Tunematic String Thru Body
DIC27	Poplar (wFlame Maple Veneer)	Rock Maple But-On-Rosewood	25.5"22	745	820	111/16	JT390 Tunamatic String-Thru Body
DIK6	Alder (wiFigme Maple Veneer)	Magie Bot-OnFlorewood	25.5724	775	880	1 11/16"	JT580LP
DX10D	Alter (will lame Maple Veneer)	Magie Bott-On/Rosewood	25.5724	775	880	1 11/16"	JTS80LP
DK10DFS	Police	Magie Bot-On-Bound Rosewood	25.5724	775	880	111/16"	J1580_P
DIXMG	Alder for Mahogany)	Ol Firish Maple or (Mahagany) Next-Thrui Ebony	25.5722	860 '3rd	.950	158"	JT300 Tunamatic String-Thru Body
J./2		Maple Bot-On/Rosewood	25.5722	775	510	1.11/16"	Virtage-Style Fulcrum
J120	Popiar (w/Florre Maple Veneer) Popiar (w/Florre Maple Veneer)	Magle Bot-On Planwood	25.5722	775	910	1.11/16"	JT500 Double Looking
J1530		Macke Bolt-On/Rosewood	25.5724	775	910	1 11/16"	Virtage-Style Fulctum
JX10	Poplar (w/Flame Maple Veneer)	Rock Maple Both On Floranced	34722	770	841	158"	JEO40 Convertible
KIX	Alder (wFlorre Maple Venoer)	Quartersam Naple Neck-ThruSound Etxny	25.5'24	775 °3rd	806	1.11/16"	Original Floyd Rose
Ki2	Alder (wFlame Maple Veneer)	Rock Made Both On Placewood	25.5724	720	806	1 11/16"	JTS80LP
KES	Alder (wFlame Miple Vimeer)	Quartersown Migdle Neds-ThruSound Ebony	25.5°24	775 "3rd	835	1.11/16"	Original Floyd Rose
KY2	Alder (wFlame Maple Veneer)	Rock Made Both-On-Rosewood	25.5724	775	810	1 11/16"	JT390 Tunamatic String-Thru Body
KVX10	Poplar (wFlame Maple Veneer)	QuartersawnMaple Both On Figured Maple	25.5"24	825 "3rd	890	1.11/16"	Original Floyd Rose
PG1	Mahogany ( wQuited Maple Top)	Marie Sch On Posewood	25.5°02	775	880	1 11/16"	JTSKUP
FCX100	Poplar (wFizme Maple Veneer)	Quatersave Mack Nack-ThruSound Etony	25.5722	790 'Ord	.850	1.1976	Original Floyd Rose
RR1	Ader (wFame Maple Vaneor)	Quatersam Maple Nack-Thru-Bound Ebory	25.5722	790 '3rd	850	1 11/16"	JT390 Tunamatic String-Thru Body
RRST	Ader	Rock Maple Bull-On/Rosewood	25.5722	745	810	1.11/16"	JISKOP
RIII	Alder (w/Flame Misple Veneer)	Rock Maple Neck-ThruRosewood	25.5722	790 °3rd	.850	1.11/16"	JT300 Tunamatic String Thru Body
RUIS	Alder (wFlame Maple Veneer)	Rock Maple Both On Rosewood	25.5°22	775	.890	1 11/16"	JT390 Turamatic String-Thru Body
504	Alder (seFlame Maple Veneer)	Quatersian Made Neck-ThruSound Ebory	25.5724	790*34	350	1.1936"	Original Floyd Rose
SI, 1	Alder (wFlame Maple Vencor)	Quartersam Migle Neck-ThruSound Etiony	25.5724	790 "3rd	850	1 11/16"	Original Floyd Rose
SL2H	Aider (wFlame Maple Veneer)	Quatersain Metogary Neck-Thruffound Ebory	25.5"04	790 '34	850	1 11/16"	Original Floyd Rose
SL2H-MAH	Muhogany (wFlame Maple Top)	Rock Maple Neck-Thru/Rosewood	25.5724	790 "3rd	850	1.1516"	JTSKUP
SU3	Alder (w/Flame Maple Veneer)	Ot Fireth Quartersawn Mahogany N - TiBound Ebony	25.5722	790 °3rd	850	1.15/16"	JT390 Tunamatic String-Thru Body
SLATOH	Mohogany (w/ SH* Quit Maple Top)		25.5704	790 °3rd	850	1.15/16"	JT390 Tunamatic String-Thru Book
SUSMG	Motogany Architip	Sate Mahopany Nack-ThruSound Rosewood Mahopany Nack-ThruSound Ebony	25.5704	775 '34	835	11076	JT390 Turametic String Thru Bod
YEKY	Mahagany		25.5704	375 °3rd	A35	1.11/16"	J7580LP
WICCT	Popiar (w/Flame Maple Veneer)	Rock Maple Bot On Rosewood		,775°3rd	835	11176	Original Floyd Rose
Will1	Ador (wFlame Maple Veneer)	Oil Finish Quartersown Maple Next-Thruffound Ebony	25.5724	775 '3rd	835	1 11/16"	JTS00LP
WIIMG	Basswood (w/Flome Maple Vencor)	Rock Maple Bot-On-Bound Rosewood	50/2/104	312.00	1000		
And the second s							





## - Kommittinentingen


MODEL (cont'd)	CONTROL FUNCTIONS	BRIDGE PICKUP	MIDDLE PICKUP	NECK PICKUP	
C20	Volume, Volume, Tone	Jackson JB100J	Jackson JN100P	NA	
C5A	Vol. Bland, Bass, Mid. Troble, Slap, Duncan Design & BEQ3	Duncan Design SB101	N/A	Duncan Design S8101	
C5MJ	Vol, Blend, Bass, Mid. Treble, Slap, Duncan Design BEQ3	Duncan Design MM103	Duncan Design JB102N	NA	
CMG	Volume, Blend, Treble, Mid, Bass Active EMG n B30EQ	EMG HZ35	EMGHZ35	NA	
DK1	Volume, Tone, 3Way Toggle	EWG 81	N/A	EMG 85	
DK2	Volume, Tone, 5Way Slotted	Duncan Design HB-102B	Duncan Design SC101	Duncan Design SC101	
DK2FS	Volume, Tone, FireStorm (R), On/Off, 5/Way Slotted	Duncan Design HB-102B	Duncan Design SC101	Duncan Design SC101	
DK2S	Volume, Tone Intensity, On/Off, Fund/Blend/Har, 5/Alay Slotted	Duncan Design HB-102B	Duncan Design SC101	Sustainiac es DrivenPickus	
DKMG	Volume, Tone, TurboChragenyi, 3Way Toggle	EMGHZ	NA	EMGHZ	
DKMGT	Volume, Tone, TurboChrager, 3Way Toggle	EMGHZ	NA	EMGHZ	
DK27	Volume, Tone, TurboChrager, 3Way Toggle	EMGHZ	NA	EMGHZ	
DX6	Volume, Tona, 3Way Toggle	Duncan Design HB-103B	N/A	Duncan Design HB-103N	
DX10D	Volume, Tone, 3Way Slotted	Duncan Design HB-103B	N/A	Duncan Design HB-103N	
ODFS	Volume, Tone, FireStorm , On/Off, 3/Vay Slotted	Duncan Design HB-102B	N/A	Duncan Design HB-102N	
0	Volume, Tone, 3Way Toggle	EMG-HZ	N/A	EMG+/Z	
JJ2	Volume, Tone, 3Way Toggle	Seymour Duncan in Scott lan Custom	N/A -	Seymour Duncan Scot lan Cus	stor
J\$20	Volume, Tone, 3Way Slottes	Jackson JE10	Jackson JE14	Jackson JE14	
JS30	Volume, Tone, 3Way Slotted	Jackson CVR2	N/A	Jackson CVR2	
JX10	Volume, Tone, 5Way Slotted	Duncan Design SHR101	Duncan Design SHR101	Duncan Design SHR101	
KBX	Vol. Blend, Bass, Mid, Treble, Slap, Duncan Design BEQ3	Duncan Design SB102B	Duncan Design SB102	N/A	
KE2	Volume, Tone, 3Way Toggle	Seymour Duncan JB	N/A	Seymour Duncan Jazz	
KE3	Volume, Tone, 3Way Toggle	Duncan Design Detonator	NA	Duncan Design Detonator	
KV2	Volume, Volume, Tone, 3Way Slotted	Seymour Duncan JB	NA	Seymour Duncan Jazz	
KVX10	Volume, Tone, 3Way Toggle	Duncan Design HB-103B	NA	Duncan Design HB-102N	
PC1	Volume, 5Way Slotted with Jackson Sustain System	DiMarzio in Super 3	DiMarzio HS2	Jackson Sustainer/Driver	
RX10D	Volume, Tone, 3Way Toggle	Duncan Design HB-103B	N/A	Duncan Design HB-103N	
RR1	Volume, Tone, Tone, 3Way Toggle	Seymour Duncan JB	NA	Seymour Duncan Jazz	
RR1T	Volume, Tone, Tone, 3Way Toggle	Seymour Duncan JB	N/A	Seymour Duncan Jazz	
RR3	Volume, Volume, Tone, 3Way Toggle	Duncan Design Detonator	NA	Duncan Design Detonator	
RRS AL	Volume, Volume, Tone, 3Way Toggle	Seymour Duncan JB	N/A	Seymour Duncan JB	
SC4	Volume, Tone, 5/Vay Slotted	Duncan Design LS101	LS101RW/RP	LS101	
SL1	Volume, Tone, 51/lay Slotted	Seymour Duncan JB	Seymour Dungan Classic Stack	Seymour Duncan Classic Stack	
SL2H	Volume, Tone, 3/Yay Toggle	Seymour Dungan JB	N/A	Seymour Duncan 59	
SL2H-MAH	Volume, Tone, 3Way Toggle	Seymour Duncan JB	N/A	Seymour Duncan 59	
SL3	Volume, Tone, 3Way Switch	Seymour Duncan Duncan Distortion	Seymour Duncan Hot Rail	Seymour Duncan Cool Rail	
SLATOH	Volume, Tone, 3Way Toggle	Seymour Duncan JB	N/A	Seymour Duncan 59	
SLSMG	Volume, Tone, 3Way Toggle	EMGHZ	NA	EMGHZ	
Y2KV	Volume, Volume, Tone, 3Way Toggle	Seymour Duncan JB	N/A	Seymour Duncan JB	
WRXT	Volume, Tone, 3Way Toggle	Duncan Design Detonator	NIA	Duncan Design Detonator *	
WR1	Volume, Tone, 3/Way Toggle	Seymour Duncan Invader	NA	Seymour Duncan Full Shreet	
WRMG	Volume, Tonic, TurboChrager, 3Way Toggle	EMGHZ	NA	EMGHZ	


















The new Swee-Tone model guitars from the Jackson/Charvel USA Custom Shop were designed first as a valuable tool for the adroit guitar player and secondly as one of the most comfortable guitars any player will ever throw over their shoulder.

Quartersawn Honduran Mahogany was chosen for the 25" scale neck that is utilized for our neck-thru body construction. Installed in each mahogany neck is our Jackson truss rod along with two custom specified pultruded graphite rods. The rods are installed in precise locations so as to raise the resonance peak to the desired level. As with Jackson Guitars made here in the USA for over 20 years, we use beefy 1/4" thick Ebony fretboards, a standard feature on all Jackson USA Guitars built in our USA Custom Shop. If you ask any professional player about a USA Jackson guitar, the first thing they speak of is the superb fretwork that is performed by the builders at Jackson Guitars to produce wonderfully easy to play guitars.

While we at Jackson/Charvel have been utilizing a compound radius fretboard for over 20 years, all Swee-Tone models use a 10-12 degree compound radius fingerboard which is not quite as flat as the other USA Jackson Guitars. We found this radius to be more compatible for this model of Jackson guitars well as for the professional player who finds the more rounded fingerboard to their liking. Depending upon the model of Swee-Tone, we use either a smaller, more vintage size wire or a jumbo size fretwire.

The necks on each Swee-Tone guitar feature a bookmatched ebony headcap laminate, bone nuts, pearl fretboard inlay, pearl side dots, pearloid buttoned Sperzel tuning gears, 22 frets and a newly designed "vintage vibe" 3x3 headstock with a 15 degree pitch.

Last, but far from least are the neck shapes on the Swee-Tone models. In shaping the necks for the Swee-Tone guitars we focused on keeping the "well played feel" for which Jackson/Charvel has a long standing reputation, yet give the player two different shapes from which to choose. For the standard neck shape we gave these models a more vintage, slightly "V" shape. The other neck shape, our vintage round, is not as thick in overall neck thickness as the Swee-Tone standard neck and has a rounded back shape. With our oiled necks, rolled over fretboard edges, a Swee-Tone will be like your favorite old shirt, the first one you pull from the drawer...because it's broken in just right.

Quartersawn Sitka or Engleman Spruce wings are glued to the Quartersawn Honduran Mahogany neck to make up the bodies of all Jackson Swee-Tone instruments. To complete the Swee-Tone bodies we use either Eastern hard rock maple or Big Leaf maple for the tops, depending on the model. All Swee-Tone models feature strings-thru-body bridges, fully electro-dag shielded control cavities, anodized rear control plates and metal jacks. To compliment the comfortable body shapes we use analine dyes and nitro-cellulose laquer. The analine dye is applied by hand and allows each piece of selected wood to be shown in its glory once the clear nitro-cellulose laquer is applied onto the instrument.









Since every piece of wood has its own character, each finish will be ever so slightly different in its final color. Another feature is the natural body binding which Jackson has offered as a custom option since 1985.

Once the neck and body was complete it was time to select the pickups that would be the voice of the guitar. In other words, find the pickup that was "transparent" allowing the combinations of the different tone woods to perform to their chosen tone, while bringing an equal quality timbre and sustain throughout the tonal spectrum. We chose Seymour Duncan, the world leader in instrument pickups, to work with us in selecting and voicing the pickups to the cooresponding model of guitar. The final result of our research and development gave us some of Seymour Duncan's most well known pickups along with several Seymour Duncan Custom Shop pickups. The pickup combinations are listed below in the co-osponding body styles. Every Swee-Tone model features a master volume and two master tone controls.

TWO HUMBUCKERS: Seymour Duncan JAZZ Seymour Duncan '59

**NECK POSITION BRIDGE POSITION** 

P90 STYLE SINGLE COILS our Duncan SP-90-3 CUSTOM tour Duncan SP-90-1 VINTAGE

NECK POSITION BRIDGE POSITION

P90 STYLE STACKED HUMBUCKERS: (excludes Jazz'R) All guitars ordered with the stacked P90 style pickup configuration will be equipped with the Jackson Super 5 Way switch for

maximum tonal variety. Seymour Duncan STK-P1N CUSTOM Seymour Duncan STK-P1B CUSTOM

**NECK POSITION BRIDGE POSITION** 

TRIPLE DECKER: (excludes Jazz'R)

All guitars ordered with the Triple Decker pickup configuration will be equipped with the Jackson Super 5 Way switch for maximum tonal variety.

Seymour Duncan STK-P1N CUSTOM

NECK PC

Seymour Duncan Little '59

NECK POSITION MIDDLE POSITION


Seymour Duncan Custom Pearly Gates Esquire BRIDGE POSITION



Every Swee-Tone guitar comes with a wooden, hard shell case at no additional charge.

Keeping with the guidelines we have used for over 20 years. The Jackson team has created a guitar made for a lifetime, plays with ease and is constructed with the best materials available. Being a creative musician who knows very fine guitars, you owe it to yourself to play any one of the Swee-Tone guitars to see what the fine builders at Jackson Guitars have brought to you, the discrimiating musician and artist.

Swee - Jone Built with pride in the USA



## Jacksonguitar.ru

SPECS:	JAZZ'R	BENT TOP/CARVED TOP
NECK MATERIAL:	QUARTERSAWN HONDURAN MAHOGANY	QUARTERSAWN HONDURAN MAHOGANY
FRETBOARD MATERIAL/RADIUS:	EBONY / 10-12 DEGREE	EBONY / 10-12 DEGREE
SCALE LENGTH:	25"	25"
TOP MATERIAL:	BIGLEAF QUILT MAPLE (TOP & BACK)	EASTERN HARD ROCK QUILT MAPLE
BODY MATERIAL:	QUARTERSAWN SPRUCE	QUARTERSAWN SPRUCE
BRIDGE TYPE:	TUNAMATIC	FLAT HARDTAIL
ELECTRONICS SHIELDING:	ELECTRO-DAG®	ELECTRO-DAG
KNOBS:	Q PARTS®	Q PARTS
FRETWIRE:	DUNLOP 6230	JACKSON JUMBO
TUNING GEARS:	LOCKING SPERZEL	LOCKING SPERZEL
NUT MATERIAL/WIDTH:	BONE / 1 11/16"	BONE / 1 11/16"
CLEAR COAT/COLOR:	NITRO / ANALINE DYE	NITRO / ANALINE DYE
POTS/SWITCHES:	CTS SWITCHCRAFT	CTS / SWITCHCRAFT
INLAY:	PEARL	PEARL
PICKUPS:	PLEASE SEE DETAILED P/U SECTION INSIDE	PLEASE SEE DETAILED P/U SECTION INSIDE
CASE:	JACKSON HARDSHELL CASE	JACKSON HARDSHELL CASE
NECK SPECS-STANDARD:	.910 @ 3RD / .950 @ 12TH	.910 @ 3RD / .950 @ 12TH
NECK SPECS-SLIM:	.790 @ 3RD / .830 @ 12TH	.790 @ 3RD / .830 @ 12TH
HARWARE COLOR:	NICKLE CHROME	NICKLE CHROME

## **COLOR SAMPLES:**

