



**SALONI**  
CERAMIC

**THE POWER OF**  
**S T R E N G T H**

**600X600MM**

**DOUBLE CHARGED** VITRIFIED TILES

[www.salonienterprise.com](http://www.salonienterprise.com)

# Pearl

series



**600X600MM**

**DOUBLE CHARGED VITRIFIED TILES**

# Pearl

series



**DOUBLE CHARGED  
VITRIFIED TILES**



**600X  
600MM**

Features :



ECO  
FRIENDLY



ANTI SKID




ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**SUNPARK WHITE**





# Pearl

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI  
SKID



ANTI  
FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



PEARL ITALIAN



# Pearl

series

**DOUBLE CHARGED  
VITRIFIED TILES**



**600X  
600MM**

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**PEARL BISCUIT**





# Pearl

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



PEARL CORAL



# Pearl

series

**DOUBLE CHARGED  
VITRIFIED TILES**



**600X  
600MM**

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**PEARL CREMA**





# Pearl

series



**DOUBLE CHARGED**  
VITRIFIED TILES



**600X**  
**600MM**

Features :



ECO FRIENDLY



ANTI SKID




ANTI FREEZE



CHEMICAL RESISTANCE



DIAMOND POLISHED SURFACE



**PEARL FOREST**



# Pearl

series

## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



PEARL DOVE





# Pearl

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



PEARL SPARROW



# Pearl

series

**DOUBLE CHARGED**  
VITRIFIED TILES



**600X**  
**600MM**

Features :



ECO  
FRIENDLY



ANTI SKID




ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**PEARL NEON**



# Pearl

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI  
SKID



ANTI  
FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



PEARL LILY



# Pearl

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



PEARL LEMON



# Pearl

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI  
SKID



ANTI  
FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



PEARL COPPER



# Roca

series



**600X600MM**

**DOUBLE CHARGED VITRIFIED TILES**

# Roca

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**ROCA CLAY**



# Roca

series

## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



## ROCA SANDY





# Roca

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



ROCA WINE



# Roca

series

## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



### ROCA DENIM





# Roca

series



## DOUBLE CHARGED VITRIFIED TILES



**600X  
600MM**

Features :



ECO  
FRIENDLY



ANTI SKID




ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**ROCA PISTA**




# Roca

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



### ROCA GRAPHITE



# Imperial

series



**600X600MM**

**DOUBLE CHARGED VITRIFIED TILES**



# Imperial

series

**DOUBLE CHARGED  
VITRIFIED TILES**



**600X  
600MM**

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**IMPERIAL ALMOND**





# Imperial

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



IMPERIAL BLACK



# Imperial

series

**DOUBLE CHARGED**  
VITRIFIED TILES



**600X**  
**600MM**

Features :



ECO  
FRIENDLY



ANTI SKID



ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**AMAZON CHOCO**





# Imperial

series



## DOUBLE CHARGED VITRIFIED TILES



600X  
600MM

Features :



ECO  
FRIENDLY



ANTI  
SKID



ANTI  
FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



IMPERIAL GRIS



# Imperial

series

**DOUBLE CHARGED  
VITRIFIED TILES**



**600X  
600MM**

Features :



ECO  
FRIENDLY



ANTI SKID




ANTI FREEZE



CHEMICAL  
RESISTANCE



DIAMOND  
POLISHED SURFACE



**IMPERIAL GALAXY**





## TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER IS 15622:2006 GROUP BIA	VALUE OF SUNPARK	TEST METHOD
<b>REGULATORY PROPERTIES</b>				
01	Deviation in length & width	± 0.50%	± 0.10%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 2.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.10%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.10%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-14
07	Glossiness	As per manufacturer	Min 70%	Glossometer
<b>STRUCTURAL PROPERTIES</b>				
01	Water Absorption	< 0.50%	< 0.05 %	ISO-10545-3
02	Apparent density	> 2.00 gm/cc	> 2.28 gm/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
01	Flexural modulus or rupture	Min 35 N/mm <sup>2</sup>	Min 40 N/mm <sup>2</sup>	ISO-10545-4
02	Flexural breaking strength	Min 1300 N	Min.2000 N	ISO-10545-4
03	Impact resistance	As per manufacturer	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
01	Deep abrasion resistance	Max 175mm <sup>3</sup>	Max 132mm <sup>3</sup>	ISO-10545-6
02	Moh's hardness	Min 6	8 <sup>+</sup>	EN 101
<b>THERMOHYDROMETRIC PROPERTIES</b>				
01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion	Max 9.00x10 <sup>-6</sup>	Max 6.50x10 <sup>-6</sup>	ISO-10545-8
<b>CHEMICAL PROPERTIES</b>				
01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14
<b>SAFETY PROPERTIES</b>				
01	Slip resistance (friction co efficient)	> 0.40	> 0.40	ISO-10545-17

## PACKING DETAILS

Sr. No.	NOMINAL SIZE BOX	NO. OF TILES PER BOX.	COVERAGE AREA PER BOX	WEIGHT PER BOX
01	600x600MM	4 Pcs.	1.44 Sq.Mtr. / 15.5 Sq.Ft.	27 Kgs (Approx.)





Brand of : Saloni Enterprise

[www.salonienterprise.com](http://www.salonienterprise.com)