

OEPJ AD 2.1 AERODROME LOCATION INDICATOR AND NAME**OEPJ - PUMP STATION 10/ Pump Station 10****OEPJ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	240624N 0410212E 254°/ 496NM FM KFA VORTAC
2	Direction and distance from (city)	NIL
3	Elevation/Reference temperature	2841 FT/ NIL
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	3° E (2015) 0.07°Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	SAUDI ARAMCO P.O.Box 80 Dhahran - 31311 TEL: +966 13 8774991 FAX: +966 13 8774996
7	Types of traffic permitted (IFR/VFR)	IFR and VFR
8	Remarks	TIBA: 122.800 MHZ Pump station 10 Dispatch 135.950 MHZ .

OEPJ AD 2.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	NIL
3	Health and sanitation	On request
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	On request
8	Fuelling	By prior coordination
9	Handling	On request
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

OEPJ AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	Jet A1
3	Fuelling facilities/capacity	Two tanks / 20.000 USG
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

OEPJ AD 2.5 PASSENGER FACILITIES

1	Hotels	NIL
2	Restaurants	ARAMCO dining facility
3	Transportation	SAUDI ARAMCO
4	Medical facilities	SAUDI ARAMCO clinic
5	Bank and Post Office	NIL
6	Tourist Office	NIL
7	Remarks	NIL

OEPJ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 6
2	Rescue equipment	Oshkosh Striker 3000
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

OEPJ AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

OEPJ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Asphalt
2	Taxiway width, surface and strength	Surface: Asphalt
3	Altimeter checkpoint location and elevation	Location: NIL Elevation: 2841 FT
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

OEPJ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Parking position markings available
2	RWY and TWY markings and LGT	RWY marking: Edge, CL, Stripe and threshold RWY lighting: Threshold, Edge and Runway end TWY marking: Edge, CL TWY lighting: Edge
3	Stop bars	NIL
4	Remarks	NIL

OEPJ AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
18/36	Tower	-	3056 FT SE 3609 FT West 3330 FT SW	-	NIL

OEPJ AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Terminal dispatch office
2	Hours of service MET Office outside hours	On request
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

OEPJ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
18	NIL	2440 x 30	Asphalt	NIL	2832 FT
36	-	2440 x 30	Asphalt	NIL	2841 FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
-1%	30M	NIL	NIL	NIL	NIL
1%	30M	NIL	NIL	NIL	NIL

OEPJ AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
18	2440	2440	2440	2440	NIL
36	2440	2440	2440	2440	NIL

OEPJ AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
18	ODALS	HIRL	PAPI	NIL	NIL	HIRL	REIL	NIL	NIL
36	ODALS	HIRL	PAPI	NIL	NIL	HIRL	REIL	NIL	NIL

OEPJ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

OEPJ AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	NIL

OEPJ AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT
6	Remarks	TIBA: 122.800 MHZ

OEPJ AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
A/G	Pump Station 10 Dispatch	135.950 MHZ	Daylight	
TIBA		122.800 MHZ	H24	

OEPJ AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7

OEPJ AD 2.20 LOCAL TRAFFIC REGULATIONS

OEPJ AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OEPJ AD 2.22 FLIGHT PROCEDURES

NIL

OEPJ AD 2.23 ADDITIONAL INFORMATION

NIL

OEPJ AD 2.24 CHARTS RELATED TO AN AERODROME

Chart name

Page

INTENTIONALLY BLANK