

OETN AD 2.1 AERODROME LOCATION INDICATOR AND NAME**OETN - RAS TANAJIB/ Ras Tanajib****OETN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	275206N 0484606E / 326° / 107 NM FM KFA VORTAC
2	Direction and distance from (city)	NIL
3	Elevation/Reference temperature	30 FT/ NIL
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	3°E (2015)0.05°Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	SAUDI ARAMCO P.O.Box 80 Dhahran - 31311 TEL: +966 13 8774991 FAX: +966 13 8774996
7	Types of traffic permitted (IFR/VFR)	IFR and VFR
8	Remarks	NIL

OETN AD 2.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	NIL
3	Health and sanitation	On request
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	On request
8	Fuelling	By prior coordination
9	Handling	On request
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

OETN AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	JET A1
3	Fuelling facilities/capacity	Three tanks/45.000 USG
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

OETN AD 2.5 PASSENGER FACILITIES

1	Hotels	NIL
2	Restaurants	ARAMCO dining facility
3	Transportation	Saudi ARAMCO
4	Medical facilities	ARAMCO clinic
5	Bank and Post Office	NIL
6	Tourist Office	NIL
7	Remarks	NIL

OETN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 6
2	Rescue equipment	Oshkosh Striker 3000
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

OETN AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

OETN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Asphalt
2	Taxiway width, surface and strength	Surface: Asphalt
3	Altimeter checkpoint location and elevation	Location: NIL Elevation: 30 FT
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

OETN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Parking position markings available
2	RWY and TWY markings and LGT	RWY marking: Centerline, Edge line, Midfield stripe, THR RWY lighting: Threshold, Edge and Runway end TWY marking: Centerline, Edge
3	Stop bars	NIL
4	Remarks	NIL

OETN AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
15	Tower	NIL	North 477 FT	NIL	NIL

OETN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Terminal dispatch office
2	Hours of service MET Office outside hours	On request
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	NIL

OETN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
15	152° Mag	2440 x 30	Asphalt	NIL	21 FT
33	332° Mag	2440 x 30	Asphalt	NIL	26 FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
	NIL	NIL	2440 x 30	NIL	NIL
	NIL	NIL	2440 x 30	NIL	NIL

OETN AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
15	2440	2440	2440	2440	NIL
33	2440	2440	2440	2440	NIL

OETN AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
15	ODALS	HIRL	PAPI 3°	NIL	NIL	HIRL	REIL	NIL	NIL
33	HIALS	HIRL	PAPI 3°	NIL	NIL	HIRL	REIL	NIL	NIL

OETN AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

OETN AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	TLOF: 275222.80N 0484606.96E
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	FATO: 18 x 18 M Surface: Concrete Marking: Triangle & H marking
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	Heavy Helicopter Traffic East of Airstrip..

OETN AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT
6	Remarks	NIL

OETN AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
A/G	Ras Tanajib Dispatch	135.950 MHZ	H24	Heavy Helicopter Traffic East of Air-strip.
TIBA		122.800 MHZ	H24	Saudi Aramco

OETN AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
LOC RWY 33 ILS CAT I	ITJB	108.500 MHZ	H24	275246.7N 0484546.4E	NIL	
GP				275137.0N 0484629.2E	NIL	
DME	ITJB		H24	275137.0N 0484629.2E		

OETN AD 2.20 LOCAL TRAFFIC REGULATIONS**OETN AD 2.21 NOISE ABATEMENT PROCEDURES**

NIL

OETN AD 2.22 FLIGHT PROCEDURES

NIL

OETN AD 2.23 ADDITIONAL INFORMATION

NIL

OETN AD 2.24 CHARTS RELATED TO AN AERODROME

Chart name

Page