

OEUD AD 2.1 AERODROME LOCATION INDICATOR AND NAME**OEUD - UDHAILIYAH / Udhailiyah****OEUD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	250842N 0491942E 198° / 078 NM FM KFA VORTAC
2	Direction and distance from (city)	6 NM SW HASA
3	Elevation/Reference temperature	772 FT/ NIL
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	3°E (2015) 0.05°Increasing
6	AD Administration, address, telephone, telefax, telex, AFS	SAUDI ARAMCO P.O.Box 80 Dhahran - 31311 TEL: +966 13 8774991 FAX: +966 13 8774996
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	TIBA : 122.800 MHZ

OEUD AD 2.3 OPERATIONAL HOURS

1	AD Administration	On request
2	Customs and immigration	NIL
3	Health and sanitation	On request
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	NIL
7	ATS	On request
8	Fuelling	NIL
9	Handling	On request
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

OEUD AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	Jet A1
3	Fuelling facilities/capacity	Skids/ 4000 USG
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	Prior permission necessary for operations.

OEUD AD 2.5 PASSENGER FACILITIES

1	Hotels	In al hasa city
2	Restaurants	In udhailiyah
3	Transportation	Saudi ARAMCO
4	Medical facilities	Clinic in community
5	Bank and Post Office	Banks in al hasa city, post office available
6	Tourist Office	NIL
7	Remarks	NIL

OEUD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 6
2	Rescue equipment	Oshkosh Striker 3000
3	Capability for removal of disabled aircraft	NIL
4	Remarks	NIL

OEUD AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

OEUD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Asphalt
2	Taxiway width, surface and strength	Surface: Asphalt
3	Altimeter checkpoint location and elevation	NIL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

OEUD AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Parking position markings available
2	RWY and TWY markings and LGT	RWY marking: Centerline, Midifield stripe, Edge line, THR RWY lighting: Edge TWY marking: Centerline, Edge TWY lighting: Edge
3	Stop bars	NIL
4	Remarks	NIL

OEUD AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY NR/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
18/36	Tower	NIL	North 1032 FT West 1159 FT South 939 FT	NIL	NIL

OEUD AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Terminal dispatch office
2	Hours of service MET Office outside hours	On request
3	Office responsible for TAF preparation Periods of validity	NIL
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	Currently WX arrival only

OEUD AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
18	178° GEO 175° MAG	2189 x 30	Asphalt	NIL	759 FT
36	358° GEO 355° MAG	2189 x 30	Asphalt	NIL	759 FT

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remark
7	8	9	10	11	12
NIL	NIL	NIL	2189 x 30	NIL	NIL
NIL	NIL	NIL	2189 x 30	NIL	NIL

OEUD AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
18	2189	2189	2189	2189	NIL
36	2189	2189	2189	2189	NIL

OEUD AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
18	NIL	NIL	NIL	NIL	NIL	LIH	NIL	NIL	NIL
36	ODALS	NIL	PAPI	NIL	NIL	LIH	NIL	NIL	NIL

OEUD AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and operational hours	NIL
2	LDI location and LGT Anemometer location and LGT	NIL
3	TWY edge and centre line lighting	NIL
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

OEUD AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	TLOF: 250859.64N 0491941.16E
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	TLOF: Concrete FATO surface: Asphalt FATO dimension: 18 x 18 Marking: Triangle & H
4	True BRG of FATO	NIL
5	Declared distance available	NIL
6	APP and FATO lighting	NIL
7	Remarks	Two helipads. One lighted

OEUD AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	NIL
2	Vertical limits	NIL
3	Airspace classification	G
4	ATS unit call sign Language(s)	NIL
5	Transition altitude	13000 FT

6	Remarks	NIL
---	---------	-----

OEUD AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
A/G	Uhdailiyah Dispatch	135.920 MHZ	Sunrise to Sunset	ARAMCO
TIBA	Udhailiyah	122.800 MHZ	H24	

OEUD AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7

OEUD AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OEUD AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OEUD AD 2.22 FLIGHT PROCEDURES

NIL

OEUD AD 2.23 ADDITIONAL INFORMATION

NIL

OEUD AD 2.24 CHARTS RELATED TO AN AERODROME

Chart name

Page

INTENTIONALLY BLANK