

Contents

For the grown-ups	3
About me	
About me	4
	5
My family/Whanau	6
Building blocks to have a strong family	7
1. Dealing with feelings	8
Word search	9
Your happy place	10
Circle the faces that show how you are feeling	11
What happens when people are unhappy or sad?	12
Things that I can do to make me happier	13
Feeling angry	14
Where in your body do you usually feel anger?	15
Anger rules	16
Colouring-in time	16
Things you can do when you are angry	17
Feeling worried	18
Feeling Scared	19
What makes me feel better when I am scared?	20
Puzzle	21
Spot the differences	28
2. Dealing with illness	29
Plan for when the person who looks after me is ill	32
Can you find	33
Spot the dog	34
3. Dealing with stressful times	35
What to do about stressful times	38
4. Having fun together	39
My wishes for	40
Certificate of Achievement	41
Who can help me and my family	43
How to make the best use of the activity booklet	46





For the grown-ups

This activity book was developed for children whose parents are physically or mentally ill.

Examples of physical illness may include:

- Diabetes
- Heart problems
- Recovery from surgery
- Brain tumor
- Longterm health problems, e.g. thyroid disease
- Auto immune disease

Examples of mental illness may include:


- Depression, including postnatal depression
- Anxiety
- Bipolar disorder
- Post-traumatic stress disorder


It can be very hard for children when a parent is ill. Most children don't understand much about illness. Children who don't understand illness can feel anxious, scared, stressed or angry. This activity book is meant to be shared by a parent (or other caregiver) and their child.


It aims to help parents and their children to:

- Talk about being ill
- Talk about feelings
- Find ways to reduce the intensity of uncomfortable feelings
- Build strong relationships
- Problem solve together
- Have a stronger sense of hope

The activity book includes information, interactive questions, fun activities and tools to deal with the impact of parent/ caregiver's illness on their children. Please see pages 46 and 47 on how to make the best use of this activity booklet.









Building blocks to have a strong family

This activity book includes 4 building blocks to build a strong family:



1. Dealing with feelings

Colour the cars that describe some of the feelings you had during the last week.




Word search

Find and circle the following 'feeling' words (the letters must be in touching boxes):


afraid loved unhappy angry mad worried happy excited scared sad

۵	S	W	r	f	S	h	۵
f	r	0	0	S	С	h	n
r	9	r	i	m	۵	d	g
a	u	r	۵	W	r	e	r
i	n	i	С	i	e	+	У
d	h	e		V	d	i	р
S	۵	d	0	X		С	р
k	р	0	V	u	S	X	۵
۵	р	۵	e	h		e	h
b	У	S	d	V	۵	e	d

9



Circle the faces that show how you are feeling



What happens when people are unhappy or sad?



Validate the child's responses and feelings, e.g. by saying:

"That would make me cross too".



They cry

They don't smile

They feel horrible inside



Things that make me unhappy or sad

1			
2			
3			
4			
	C	12)	

Things that I can do to make me happier


- 1. Play with a friend
- 2. Do a puzzle
- 3. Colouring
- 4. Water plants
- 5. Sing
- 6. Read
- 7. _____



Feeling angry

Everybody gets angry sometimes. Anger can feel like a volcano inside you.


Sometimes kids get so angry that they do things that are not OK. Yes, some kids scream, slam doors, break or throw things and hit the wall or someone else. We can use our brain to think of helpful things to do with all that anger energy instead.



Things that make me angry

Where in your body do you usually feel anger?

Show the area and write down what you feel



- 3. _____
- 4. _____

Anger rules

What to do: Calm yourself down in a safe way,

because _____

Talk about it and try to sort out the problem.

What not to do: Don't break or throw things,

because _____

Do not hurt others, animals or yourself.

Colouring-in time



Things you can do when you are angry

Underline the things that you could do when you are angry. What else could you do?

Do physical activities:

- Play outside
- Play with a ball
- Do sport
- Dance
- Jump up and down


Talk to someone:



- Tell someone what is making you angry.
- Put your feelings into words. For example, say: "I feel angry when I need to stop watching TV and go to bed."

Other things I could do:

1.	
2.	
3.	
4.	
	(17)



Feeling worried 0 Kids sometimes get worried about things. Tip for parents/ caregivers Identify and name Things that I worry about: the child's feelings, e.g. say: "You look worried that your 1. _____ toy is missing." 2.____ 3. _____ When I worry, I... 1. _____ 2. _____ 3. _____ Things I can do when I am worried: 1. _____ 2.____ 3. _____ 4 _____


Feeling Scared

Everyone feels scared sometimes.

When kids feel scared:


- Their heart beats loud and fast
- Their body trembles and shakes
- They feel like hiding in a safe place
- They want to run away

What are you afraid of?



What makes me feel better when I am scared?

- Telling someone I am scared
- A hug
- Ask/ yell out for help



Puzzle

Complete the crossword puzzle.


Across:

- 1. It helps to talk about my f_____ when I am sad.
- 2. It helps to t___ to someone when I am scared.
- 3. I w___y when the wind blows very strong.

Down:


- 4. I s___ when I feel tired.
- 5. I feel sad when someone in my family is s_{-} .

6. I smile when I am $h _ _y$.













glue stick here










Spot the differences


Circle 7 differences





2. Dealing with illness

Not everyone feels or acts the same when they are sick. Some people get angry; some are quiet and others just want to be left alone.



Complete the following sentences:

When I am ill, I feel _____

When the person who looks after me is ill they feel

When the person who looks after me is ill, I feel


The person who looks after me has an illness called

What I know about their illness:

What I want to know about their illness:

The treatment they get for their illness:

Other help they get for the illness:



Plan for when the person who looks after me is ill


Who will take care of me?
Who could I talk to?
Who will prepare food?
Who will take me to kindy, school or daycare?
Who will take me to the doctor when I am sick?
Who will help me with my homework?
Who will read books for me at night? Other plans:
(32)

Can you spot...

- •A man juggling
- •A person on a bicycle
- •A skateboarder
- •A man playing a violin
- •A mum pushing a pram
- •A man walking his dog
- •A lady with an umbrella
- •A person taking a photo



Spot the dog...



3. Dealing with stressful times

What is stress?


People can feel very uncomfortable, worried and sad when things are not going well in their lives. This is called stress.

I get stressed when:

My body can feel stress in lots of different ways. Some are listed below. What else can you think of?

dizzy	struggling to sleep
headache	weak muscles
feeling cold	eat a lot or not much
tense muscles	racing heart
feeling warm	stomach pain
sweaty	tired
	shaking
	36

Below is a list of feelings that you get when you are stressed. What else do you feel? Write them in the boxes.



When I am stressed my thinking changes.

Underline the ways you sometimes feel:

I feel stupid

It's hard to concentrate

It's hard to listen

I don't want to talk

- I can't think clearly
- I forget things



What to do about stressful times

Here are things that you could do during stressful times. What else could you do?

- 1. Blow bubbles
- 2. Sing or dance
- 3. Play with a ball
- 4. Play with your toy
- 5. Play with a pet
- 6. Never give up
- 7. Run or jump
- 8. Talk to someone
- 9. Make a drawing or paint
- 10. Ask for help

4. Having fun together

Things I could do to have more fun:

By myself:

With my family:

With friends:



My wishes for...

Draw or write what you wish for yourself and your family/ caregivers.

My wishes for myself:

My wishes for my parent (s) or caregiver(s)



My wishes for my brother(s)/sister(s):



Who can help me and my family

Support

Asian Community Service Trust (ACST) www.cnsst.org.nz 570-9099

Asian Family Services (PGF) www.asianfamilyservices.nz 0800 862 342

Asian Network Inc. (TANI) www.asiannetwork.org.nz 815-2338

Auckland Single Parent's Trust www.meetup.com/Auckland-Single-Parents-Trust

Brainwave Trust <u>www.brainwave.org.nz</u> 528-3981 021 266 2264

Cherish Trust pnd.org@xtra.co.nz www.postnataldistress.org.nz 836-6967

Chinese Lifeline 0800 888 880

Chinese New Settlers Service Trust (CNSST) www.cnsst.org.nz 570-1188

Family Action www.familyaction.org.nz 836-1987

Family Services www.familyservices.govt.nz/directory

Family Works www.fwn.org.nz 448-2633 Fresh Perspective www.freshperspective.org.nz 0800 555 300

Home Interaction Program for Parents and Youngsters (HIPPY) www.greatpotentials.org.nz

Kidsline www.kidsline.org.nz 0800 543 754

Lifeline www.lifeline.org.nz 0800 543 345 522-2999

Mainly Music www.mainlymusic.org.nz

Parent Aid (Waitakere) http://www.parentaidnorthwest.org.nz 0800 222 402 420-7002

Parent Support North Shore: (09) 486 4666 021 240 8414

Problem Gambling Foundation (PGF) www.pgf.nz 0800 664 262

Strategies with kids – information for parents (SKIP) www.skip.org.nz

Te Puna Hauora Health & Social Services www.tepuna.org.nz 489-3049

Thrive teen parent support www.thrive.org.nz 551-4367

Toolbox Parenting Groups

www.theparentingplace.com 524-1386

Youthline www.youthline.co.nz 0800 376 633 Free text: 234

Counselling/therapy

Family Court Counseling & Mediation Services www.justice.govt.nz/family (North Shore: 916-5894) family@justice.govt.nz

Grief Centre www.griefcentre.org.nz 418-1457

Health and Wellbeing Centre Auckland University of Technology 921-9998

Home and Family counselling www.homeandfamily.org.nz 419-9853

Psychology clinic (Massey University) Centre for psychology@massey.ac.nz 441-0800 ext 43095

Raeburn House www.raeburnhouse.org.nz 441-8989

Strengthening Families www.familyservices.govt.nz 441-8989 ext 702 027 498 7074

Mental Health

After hours Mental Health Service North Shore: 486-8900 West Auckland: 839-0000

Anxiety NZ Trust www.anxiety.org.nz 846-9776

Asian Mental Health Service (WDHB) 487-1321 486-8920 Ext.7321 www.amhcs.org.nz

CADS Auckland Community Alcohol and Drug Services www.cads.org.nz

CARE Waitakere Trust www.carewaitakere.org.nz

Child and Youth Mental Health (Marinoto) North Shore: 486- 8983 West Auckland: 837-6624

Mental Health Foundation www.mentalhealth.org.nz 623-4810

Maori Counselling Service (Takapuna) 822-8557

Mothers Matter www.mothersmatter.co.nz

Vision West Counselling www.visionwest.org.nz 818-0760

Skylight Trust www.skylight.org.nz/children info@skylihgt.org.nz (04) 939 4759



Violence

Family Violence www.areyouok.org.nz family@justice.govt.nz

Living Without Violence www.livingwithoutviolence.org.nz 489-3770

Minstry for Vulnerable Children Oranga Tamariki www.mvcot.govt.nz

0508 326 459

Fathers

Father and Child Trust auckland@fatherandchild.org.nz 525-1690 021 163 9223

Websites

www.mothersmatter.co.nz www.getselfhelp.co.uk www.copmi.net.au www.blackdoginstitute.org.au www.panda.org.au www.yourlocaldoctor.co.nz

Waitemata District Health Board

Asian Mental Health Service & Maternal Mental Health Service Private Bag 93-503 Takapuna Auckland 0740 New Zealand

> www.waitematadhb.govt.nz www.amhcs.org.nz

You are free to share the material in any medium or format and/ or adapt the material. You must however, give appropriate credit and indicate if changes are made. The material may not be used for commercial purposes.



How to make the best use of the activity booklet

Encouragement for parents and caregivers

- Parenting is sometimes challenging especially when you are unwell. Be kind to yourself. Try to create opportunities to relax or do something that you enjoy.
- Feeling guilty about not always being there for your child may mean that you really want the best for him or her.
- Acknowledge disappointments, but invest your energy and time in making the best of the moment.
- Talk to someone, e.g. your health professional, or get extra help when your feelings are too overwhelming. It is easier to support your child when you feel in control of your emotions. Also see the resource list in the back of the activity booklet.
- Ask someone else to go through the activity booklet with your child if you are unable to do so.
- People cannot always change their situation, but they can change how they think about the situation, for example, it is more empowering to think: "Illness may cause loss and grief, but it can also build strength" than to think: "The illness took over my life and is destroying everything". Also see www.getselfhelp.co.uk for ideas on how to focus on more helpful thoughts.

Support the child

- Encourage your child to do the activities in the booklet. When your child gets tired. Take a break or continue on another day when your child gets tired.
- Get down to your child's height if you can. Sitting next to your child could show you care.
- Give the child your full attention. Putting your mobile phone or tablet away communicates that you value your child.
- Decide beforehand how you will explain the illness to the child.
- Thinking about how you like to be treated when you are upset or worried will help you to understand your child's needs better.

Prompt the child

- Invite discussion about the child's perception of the illness. Then offer age-appropriate explanations.
- Acknowledge the child's feelings, for example: "You are very upset that ..."
- Encourage your child to ask questions, for example, say: "What else were you wondering about?"
- Try digging a little deeper, for example, ask: "What do you think?" or say: "That's interesting." "Tell me a bit more about it."

Give the child space

- Let your child decide which colours he or she wants to use when colouring a picture.
- Allow your child to try first before you offer help. Learning to problem solve will build the child's confidence.
- Listen to what your child is saying before you offer information or solutions.
- Put yourself in your child's shoes and think about the situation from their point of view.
- Choose a place or create a space where your child will feel free to talk.

Validate the child's responses and feelings

- Accept your child's feelings. Focus on helping your child to manage his or her feelings.
- Acknowledge the fact that everyone sometimes feels lonely, scared, sad or angry.
- Resist the temptation to make things better by minimising feelings, e.g. do not say: "There is no reason to cry." Rather help your child to label feelings by saying: "You are very sad that ..."
 "I can see that really hurt your feelings." "That would make me cross too".
- Praise and encourage the child's ideas and creativity. Do not expect perfection!

What to do when you are concerned about the response of the child

- Ask more questions to get a better understanding of what the child means.
- Talk with a spouse, family member or friend about your concerns.
- Build a partnership with the child's daycare provider or school teachers and strive to maintain regular and effective communication.
- Get professional help if you continue to be concerned, e.g. see your GP or talk to a nurse or other health or mental health professional.
- Have a look at some self-help websites in the list of support organizations and websites at the back of the activity booklet.





