



+91 8010 930 930 | in@euronics.co.in | www.euronics.co.in

EURONICS INDUSTRIES PRIVATE LIMITED

CORPORATE OFFICE

564-567, Udyog Vihar, Phase V, Sector 19,
Gurugram-122016

MUMBAI

809-810, Crescent Business Park, Samitha
Complex, Sakinaka, Mumbai - 400072

HYDERABAD

1006/A, 10th Floor, T19 Towers, Karbala Maidan,
Rani Gunj, Hyderabad - 500003

SURAT

Velocity Business Hub, 12th Floor ,LP Savani Rd,
Adajan, Surat, Gujarat 395009

KOLKATA

Office No. 419B, PS QUBE, Street Number 11,
Newtown, Kolkata, West Bengal - 700156

INDORE

Office No. 204, 2nd Floor, Apollo Premier,
Vijay Nagar, Indore - 452010, Madhya Pradesh

VISAKHAPATANAM

Kailashtowers, MVP Colony, Sector 1,
Near Amma Hospital, Visakhapatnam-530017

NAGPUR

MBW, Maxx Pride, Manish Nagar, Beltarodi Road,
Nagpur - 441108

HUBLI

Prashanth Colony, Shirur Park, Vidya Nagar, Hubli,
Karnataka - 580031

TRIVANDRUM

Dotspace Business Center, TC 24/3088
2nd Floor, Kowdiar Trivandrum - 695003

JAIPUR

9/132, Hari Marg, Chitrakoot Scheme,
Vaishali Nagar, Jaipur-302021

RAJKOT

WorkEasy Coworking Space, 2nd Floor 'Cross
Roads, Kalawad Rd, Rajkot, Gujarat 360001

BANGALORE

401, H.M. Geneva House 14, Cunningham Road,
Bangalore - 560052

GLOBAL PRESENCE

US | SPAIN | SINGAPORE | MALAYSIA

PUNE

7060, 7th Floor Marvel Feugo, Magarpatta
Road, Hadapsar, Pune, Maharashtra - 411028

AHMEDABAD

B/715-716, Sun Westbank, Ashram Road,
Navrangpura, Ahmedabad-380009

CHENNAI

9/5, Subham Building, First Floor, College Road,
Nungambakkam, Chennai - 600034

KERALA

33/1995 B1, First Floor, Kandhi Building,
Vennala Road Kochi - 682028

CHANDIGARH

Space Jam, SCO 50-51, 3rd Floor,
Sector-34 A, Chandigarh - 160034

LUCKNOW

NeoHub, 212, 2nd Floor, Levana Cyber Heights,
Vibhuti Khand, Lucknow - 226010

GOA

J N Chambers, Dr. P. Shirgaonkar Road, Panjim,
Goa - 403001

COIMBATORE

No. 11/4, Pooja Garden, Civil Aerodrome Post,
Kalapatti, Coimbatore - 641014

GUWAHATI

183, Shreeji Tower, 3rd Floor, Christian Basti,
Guwahati-781005

KOCHI

Hilite Platino Room 204, Shankar Nagar,
Kannadikkadu, Maradu, Kochi-68230

BHOPAL

Plot No 74, Opp. Dominos, Zone-II, Maharana
Pratap Nagar, Bhopal, Madhya Pradesh 462011

PATNA

The Hub, 2nd floor, near Regent cinema,
Gandhi Maidan Rd, Patna, Bihar - 800004

KANPUR

9/46A TSP Tower, Benajhabar Road,
Harsh Nagar, Kanpur - 208012

VADODARA

Neptune Edge, Neptune Campus,B/H Tricolor
Hospitals, Vadiwadi Alkapuri, Vadodara 390007



2023 | Edition



EURONICS
SUSTAINABLE WASHROOM AUTOMATION

* EURONICS is a registered trademark



OUR INNOVATION

Subtle Style, Solid Statement

WITH NERO, WE ASPIRE TO REFORM AND BRING MORE FINESSE TO YOUR WASHROOM EXPERIENCE. WE AIM FOR YOU TO MAKE A PROMINENT STYLE STATEMENT WITH OUR PREMIUM BLACK MATTE SERIES.



ICONS

SUGGESTIVE SITE APPLICATIONS

- CORPORATE
- RETAIL
- HOTEL
- RESTAURANT
- INSTITUTION
- INDUSTRY
- HEALTHCARE
- WELLNESS
- AIRPORT
- METRO

INDICATIVE FEATURES

- HOT & COLD
- AIR FLOW
- NO PAPER/TOISSUE
- PAPER/ TOISSUE
- TIME
- TOUCH START
- TOUCH FREE
- GERM FREE
- DISABLED ACCESS
- INFRA RED SENSOR
- TEMPERATURE CONTROL
- VANDAL PROOF
- WASTE RECEPTACLE
- SENSOR TAP
- WATER SAVER
- BATTERY OPERATED
- LIQUID DISPENSER
- GREEN ENERGY
- CHILD CARE
- CHILD CARE STATION

INDEX

WHO WE ARE



05

WHAT WE DO



06

WHAT WE OFFER



07

OUR CLIENTS



09

HAND DRYERS



11

WASHROOM PANELS



31

SENSOR URINALS



45

SENSOR TAPS




51

CONCEALED CISTERNS



59

PAPER DISPENSERS



65

SOAP DISPENSERS



73

PERFUME DISPENSERS



79

ADD ON ACCESSORIES



87

DISABLED - ACCESS GRAB BARS



89

BABY DIAPER CHANGING STATIONS



93



26+

Pan India Offices

4+

International Offices

415+

Team Members

5,00,000+

Satisfied Customers

CATERING TO THE BEST GLOBAL CORPORATIONS,
AIRPORTS, INSTITUTIONS, INDUSTRIES, HOSPITALITY,
RETAIL & COMMERCIAL ESTABLISHMENTS, EURONICS
TODAY, HAS CARVED ITSELF A NICHE IN THE INDUSTRY.

WHO WE ARE

Large or small, corporate or private, EURONICS inspire has solutions for all your WASHROOM AUTOMATION PRODUCTS & ACCESSORY needs, with great style and taste.

Euronics has a pioneering legacy in offering nation wide, state-of-the-art installation equipments, product solutions and accessories that are necessary to support your washroom facilities & entrance access areas to be hygienic, neat & clean at the most cost-efficient prices.

Dedicated to offer products and solutions that empowers people in organizations to use their multi-user and production utility facilities & spaces in a world class manner both in terms of styling, integrity and global environmental initiatives.

Our product range spans from Washroom Automation to Entrance Management Solutions, committed to attain, maintain and enhance the overall workability in terms of Hygiene, Convenience and Integrity - coordinated to the space, people and the organization.

WE HAVE DELIVERED MORE THAN ONE MILLION FITTING UNITS

WE ARE PROUD,
WE ARE STILL CONTINUING...



WHAT WE DO

Euronics line of utility products and solutions, boast of it's advanced technology that are designed to deliver cost effectiveness, durability, styling and compliance options across varied price-points.

- # USE MATERIALS THAT ARE PRO GREEN
- # CUT DOWN ON RUNNING EXPENSES
- # HELP REDUCE CARBON FOOT PRINT
- # PROVIDE ADVANCED TECHNOLOGY SOLUTIONS
- # INTERNATIONAL HI-DESIGN QUOTIENT PRODUCTS
- # PROVIDE LONG-TERM VALUE PRODUCTS
- # DURABLE LASTING FUNCTIONALITY PRODUCTS
- # REDUCE RECURRING MAINTENANCE

EURONICS OVER A PERIOD OF TIME, HAS DISTINCTIVE COLLABORATIONS WITH INTERNATIONAL TECHNOLOGY AND MANUFACTURING GIANTS. CONSTANT R&D TO EVOLVE, DEVELOP & ROLLOUT UNIQUE SET OF PRODUCTS THAT BRING FORTH THE BEST IN CLASS OFFERINGS TO IT'S CUSTOMERS.

Right from the initial products to the new entries: there are 150+ products, put together across our catalogues which are divided into 3 verticals for convenience of selection & requirements.

WHAT WE OFFER

BATH & SANITARYWARE



FAUCETS
SANITARYWARE
CISTERNS
ACCESSORIES
GRATINGS

EURONICS INSPIRE



HAND DRYERS
WASHROOM PANELS
URINAL SENSORS
SENSOR TAPS
CONCEALED CISTERN (WC)
PAPER & SOAP DISPENSERS
GRAB BAR & ACCESSORIES
BABY DIAPER CHANGING STATIONS
HEALTH FAUCET
CP FITTINGS

EURONICS ENTREE



AIR CURTAINS
PVC STRIP CURTAINS
ENTRANCE MATTING SOLUTIONS
Q MANAGERS
SHOE COVER DISPENSERS
SOLE CLEANING MACHINE
SHOE SHINING MACHINES

WE MAKE IT EASY TO SPECIFY THESE PRODUCTS THROUGH A SEASONED CUSTOMER SERVICE STAFF AND THE BEST INFORMATIONAL TOOLS IN THE INDUSTRY.



RESIDENTIAL



CINEMAS



HOTELS




HEALT
OFFICES



HEALTH &
WELLNESS CENTRES



HOSPITALS




AIRPORTS



RETAILS



SCHOOL &
COLLEGES



OUR
CLIENTS
OUR
PRIDE

OUR PRIVILEGED CLIENTS



Having crossed 11,000+ projects Euronics has already forayed into the washroom automation products & solutions industry. Today it has become a reputed name amongst architects and consultants; for its advanced technology, functional durability, timely delivery and prompt after sales service to it's customers.



**95% COST SAVINGS
OVER PAPER TOWELS**

**VIRTUALLY
MAINTENANCE FREE**

**REDUCE CARBON
FOOTPRINT**

**TECHNOLOGY THAT BRINGS,
NOTHING LESS THAN COMFORT**

HIGH SPEED HAND DRYERS

Innovative technology from EURONICS inspire, makes hand drying fast and easy.

Designed with a high-velocity air stream that completely eliminates water droplets and vapor, it dries hands in seconds.

Energy Efficient technology makes it the preferred choice.



Saves electricity
80% energy saving
vs conventional Hand Dryers



Hygienic environment
Keeps your hands
and washroom germ free




Reduces carbon footprint
70% lesser carbon footprint
as compared to paper dispensers



Saves money
Saves upto Rs. 40,000 per washroom
per year vs Paper Dispensers

JET HAND DRYER
WITH HEPA FILTER
Stainless Steel - High Traffic




KEY FEATURES

Model No.	XJD3B	SJD2S
Construction	Stainless Steel # 304 Grade	Stainless Steel # 304 Grade
Motor	Brushless DC type	Brush AC type
Suitable Traffic	High	Medium
Mounting	Wall Mounted	Wall Mounted
Operation	Touch-Free Infra-Red	Touch-Free Infra-Red
Hand Dry Time	7-10 secs	12-15 secs
Auto Cutoff	30 seconds	30 seconds
Noise Level	70 db(A)	80 db(A)
Speed	24,000 RPM	25,000 RPM
Voltage	220V / 50 Hz	220V / 50 Hz
Rated Power	750W/1650W	750W/1650W
Heater Element	Yes	Yes
Current	7.5 A	7.5 A
Protection Class	IPX4	IPX4
Blowing Volume	170 m3/h	150 m3/h
Air Speed	92 m/s	86 m/s
HEPA Filter	Yes	Yes
Colour	Stainless steel Matt finish	Stainless steel Matt finish
Warranty on Motor	5 Years	2 Years
Warranty on Machine	2 Years	2 Years



KINOX KJD1
JET HAND DRYER
High Traffic




KEY FEATURES

Construction	Polycarbonate ABS casing
Motor	Brushless DC type
Suitable Traffic	High
Mounting	Wall Mounted
Operation	Touch-Free Infra-Red activation
Hand Dry Time	7-10 secs
Auto Cutoff	18 seconds
Noise Level	80 db(A)
Speed	18,000 RPM
Voltage	220V / 50 Hz
Rated Power	850W
Current	6.5 A
Protection Class	IPX1
Blowing Volume	150 m3/h
Air Speed	95 m/s
Colour	White
Warranty on Motor	5 Years
Warranty on Machine	2 Years



JET HAND DRYER
WITH HEPA FILTER
High Traffic



KEY FEATURES

Model No.	YZD3N	CJD2TN
Construction	Polycarbonate ABS casing	Polycarbonate ABS casing
Motor	Brushless DC type	Brush DC type
Suitable Traffic	High	Medium
Mounting	Wall Mounted	Wall Mounted
Operation	Touch-Free Infra-Red activation	Touch-Free Infra-Red
Hand Dry Time	12-15 secs	12-15 secs
Auto Cutoff	30 Sec	30 seconds
Noise Level	80 db(A)	70 db(A)
Speed	18,000 RPM	24,000 RPM
Voltage	220V / 50 Hz	220V / 50 Hz
Rated Power	800W	750W / 1650W
Current	6.05 AM	7.5 A
Protection Class	IPX4	IPX4
Blowing Volume	150 m3/h	180 m3/h
Air Speed	95 m/s	92 m/s
Weight	11 Kgs	9 Kgs
Colour	White	White
Electrical Isolation	Class I	Class I
Heating Element	Yes	Yes
HEPA Filter	Yes	Yes
Warranty on Motor	3 Years	18 Months
Warranty on Machine	2 Years	18 Months




MJD3

HI-SPEED HAND DRYER

Medium Traffic



BRUSH
MOTOR



KEY FEATURES


Construction	Anti-bacterial ABS Plastic
Mounting	Wall Mounted on pressed galvanized steel back plate
Operation	Touch-Free Infra-Red activation
Hand Dry Time	Less than 20 secs
Auto Cutoff	30 seconds
Noise Level	72 db(A)
Motor	Brush AC type
Speed	24,000 RPM
Rated Power	1400 W (Hot & Cold Switch)
Current	6.3 A
Protection Class	IPX1
Blowing Volume	172 m3/h
Air Speed	95 m/s



RHD2
HAND DRYER
RECESSED



BRUSH
MOTOR



KEY FEATURES

Casing	Stainless Steel # 304 Grade
Mounting	Recessed
Operation	Touch-Free Infra-Red activation
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 20 secs
Auto Cutoff	60 seconds
Motor	Brush AC Type
Speed	25,000 RPM
Rated Power	1350 W (Motor 550 W + 800 W Element)
Protection Class	IPX1
Current	15 A
Blowing Volume	> 270 m3/H
Air Speed	95 m/s
Wall Opening required	320mm (W) x 444mm (H) x 102mm (D)




PHD06S

HI-SPEED

HAND DRYER

High Traffic - Stainless Steel



KEY FEATURES


Construction	Stainless Steel # 304 Non Magnetic, Matt Finish
Mounting	Wall Mounted
Operation	Automatic
Hand Dry Time	9S
Auto Cutoff	60 seconds
Noise Level	60-70db
Motor	Brush AC Type
Speed	30000 RPM
Voltage	220-240V / 50 Hz
Rated Power	1000W
Current	6A
Protection Class	IPx4
Blowing Volume	280m³/h
Air Speed	90m/s
Weight	4.46kg

PHD501-PLUTO

HI-SPEED

HAND DRYER

Medium Traffic



KEY FEATURES

Construction	Polycarbonate ABS casing
Mounting	Wall Mounted
Operation	Touch-Free Infra-Red activation
Hand Dry Time	Less than 15 secs
Auto Cutoff	50 seconds
Noise Level	60-80 db(A)
Motor	Brush AC type
Speed	25,000 RPM
Voltage	220 V / 50 Hz
Rated Power	1000W
Current	5-9 A
Protection Class	IPX1
Blowing Volume	150 m3/h
Air Speed	90 m/s
Colour	Grey, Black, White




EH24S

ULTRATHIN STEEL

HIGH SPEED HAND DRYER



BRUSH
MOTOR



KEY FEATURES

Casing	Stainless Steel #304 Grade
Mounting	Wall Mounted
Operation	Infrared automatic
Hand Dry Time	7-12 secs
Auto Cutoff	60 seconds
Motor	Brush AC Type
Speed	22,000 RPM
Rated Power	400W-950W
Switch	Hot & Cold Option
Protection Class	IPX1
Air Speed	85m/s


EH210N

STAINLESS STEEL

HAND DRYER



BRUSH
MOTOR



KEY FEATURES

Casing	Stainless Steel #304 Grade
Mounting	Wall Mounted
Operation	Automatic
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 20 secs
Auto Cutoff	30 seconds
Motor	Brush Type, Dual Ball Bearings
Speed	23,000 RPM
Rated Power	1800 W
Protection Class	IPX1
Blowing Volume	> 270 m3/H
Air Speed	90 m/s




EH26NW

STAINLESS STEEL HAND DRYER

High Traffic



BRUSH
MOTOR



KEY FEATURES

Casing	Stainless Steel #304 Grade
Mounting	Wall Mounted
Operation	Touch-Free Infra-Red activation
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 20 secs
Auto Cutoff	30 seconds
Motor	Brush Type, Dual Ball Bearings
Speed	25,000 RPM
Rated Power	550 W (No Heating Element)
Protection Class	IPX1
Blowing Volume	> 270 m3/H
Air Speed	95 m/s


EH270N

STAINLESS STEEL HAND DRYER

Moderate Traffic



BRUSH
MOTOR



KEY FEATURES


Casing	Stainless Steel # 304 Grade
Mounting	Wall Mounted
Operation	Automatic
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 30 secs
Auto Cutoff	60 seconds
Motor	Brush AC Type
Speed	25,000 RPM
Rated Power	1000 W (Motor 500 W + 500 W Element)
Protection Class	IPX3
Blowing Volume	> 270 m3/H
Air Speed	100 m/s



EH250NW
METAL HAND DRYER



BRUSH
MOTOR




KEY FEATURES

Casing	Stainless Steel # 304 Grade
Mounting	Wall Mounted
Operation	Automatic
Sensor Range	12 cm - 15 cm
Hand Dry Time	Less than 30 secs
Auto Cutoff	60 seconds
Motor	Brush AC Type
Speed	25,000 RPM
Rated Power	1000 W (Motor 500 W + 500 W Element)
Protection Class	IPX3
Blowing Volume	> 270 m3/H
Air Speed	100 m/s

EH22NW
ABS HAND DRYER



BRUSH
MOTOR



KEY FEATURES

Construction	ABS Plastic
Mounting	Wall Mounted
Operation	Automatic
Hand Dry Time	10-15 seconds
Auto Cutoff	60 seconds
Motor	Brush Motor
Speed	25,000 RPM
Rated Power	1150-1350 W
Protection Class	IP13
Blowing Volume	97.2 m3/H
Air Speed	60 m/s
Colour	White





PROFESSIONAL TECHNOLOGY, THAT
BRINGS, PERFORMANCE & UTILITY.

WASHROOM PANELS

Smart technologies from EURONICS inspire, presents wash room panel systems, that gives a fast and easy, professional look with a dash of utility & performance.

Full-height panels that offer right from energy efficient built-in hand-dryers, paper dispensers to waste receptacles.

Built sturdy, designed to maintain hygiene, makes it the preferred choice.




Long Lasting Life

Full assurance of best quality
304 grade stainless steel



Vandal Proof Body

Perfect selection of material &
design to protect from vandalism




Hygienic Environment

Keeps your hands
and washroom germ free



Must for Green buildings


lesser carbon footprint as
compared to regular products




HI SPEED
HAND DRYER

KEY FEATURES

- Mounting : Recessed
- Construction : 304 Grade Stainless Steel
- Finish : Steel, Satin Finish
- Paper Dispenser : Electrical or Battery Operated (4 x D Size Alkaline Batteries)
- Waste Receptacle Capacity : 23 Litres
- Hand Dryer Power : 1350W
- Sensor Range : 12 cm – 15 cm
- Protection Class : IPX1
- Wall Opening Required : 335mm (W) x 1615mm (H) x 165mm (D)
- Warranty : 1 Year





HI SPEED
HAND DRYER

KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel

Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600 C-Fold
or 800 Multi Fold Paper Towel

Waste Receptacle Capacity : 21 Litres


Hand Dryer Power : 1350W

Sensor Range : 12 cm – 15 cm

Protection Class : IPX1

Wall Opening Required : 315mm (W) x 1665mm (H) x 126mm (D)

Warranty : 1 Year





KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel


Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel

Waste Receptacle Capacity : 45.5 Liters


Wall Opening Required : 397mm (W) x 1384mm (H) x 105mm (D)

Warranty : 1 Year



KEY FEATURES

- Mounting : Recessed
- Construction : 304 Grade Stainless Steel
- Finish : Steel, Satin Finish
- Paper Dispenser Capacity : 600 C-Fold or 800 Multi Fold Paper Towel
- Waste Receptacle Capacity : 24 Litres
- Wall Opening Required : 292 mm (W) x 1362 mm (H) x 132 mm (D)
- Warranty : 1 Year



Paper Dispenser


Waste Receptacle





KEY FEATURES

- Mounting** : Surface Mount
- Construction** : 304 Grade Stainless Steel
- Finish** : Steel, Satin Finish
- Paper Dispenser Capacity** : 600 C-Fold or 800 Multi Fold Paper Towel
- Waste Receptacle Capacity** : 45.5 Litres
- Wall Opening Required** : 438mm (W) x 1420mm (H) x 110mm (D)
- Warranty** : 1 Year



Paper Dispenser

Waste Receptacle



KPD3S

(Tissue Dispenser + Waste Receptacle) - Mini



KEY FEATURES

Mounting : Recessed

Construction : 304 Grade Stainless Steel


Finish : Steel, Satin Finish

Paper Dispenser Capacity : 600
C-Fold or 800 Multi Fold Paper Towel

Waste Receptacle Capacity : 12 Litres

Wall Opening Required : 310mm (W)
x 669mm (H) x 100mm (D)

Warranty : 1 Year



Paper Dispenser

Waste Receptacle





SMART TECHNOLOGY THAT BRINGS,
ENERGY EFFICIENCY & HYGIENE


visit www.euronics.co.in

SENSOR URINALS WCS TAPS

Smart technologies from Euronics inspire, presents wash room sensor - urinals, WCs and faucets with not only smart looks but high on utility & performance.

Full-range of designed products to offer performance & maintain hygienic environment.

Perfect products for Green Building projects.



Saves water & environment
Keeps your hands and washroom germ free




Must for Green buildings
lesser carbon footprint as compared to regular products



Solar Power
Usage of alternate power not only to save money but environment


KINOX KUF
AUTOMATIC URINAL
Concealed Sensor

Operation : Automatic Self Flush, Infra-Red Sensor
Water Output : 0.5 L ~ 1 L / flush, Intelligent Technology
Sensing Range : 40-70cm
Mount : Wall
Power : Electrical (AC 220V, 50Hz) or Battery (4 x AA Duracell)



EU07BE
SENSOR URINAL FLUSHER
Recessed


Operation : Self Flush Infra-Red Sensor + Manual
Working Water Pressure : 0.1 MPa - 0.7 MPa
Sensing Range : 65 cm ± 5 cm
Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)
Dia of Inlet/ Outlet Pipe : Dn 15 (G1/2")



Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L

EU06E
SENSOR URINAL FLUSHER
Recessed


Operation : Self Flush Infra-Red Sensor + Manual
Working Water Pressure : 0.1 MPa - 0.7 MPa
Sensing Range : 65 cm ± 5 cm
Power : Electrical (AC 220V, 50Hz) or Battery (4 x AA Duracell)
Dia of Inlet/ Outlet Pipe : Dn 15 (G1/2")



Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L

EU05E
SENSOR URINAL FLUSHER
Recessed


Operation : Self Flush Infra-Red Sensor
Working Water Pressure : 0.1 MPa - 0.7 MPa
Sensing Range : 65 cm ± 5 cm
Power : Electrical (AC 220V, 50Hz) or Battery (4 x AA Duracell)
Dia of Inlet/ Outlet Pipe : Dn 15 (G1/2")



Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L

EU44E
SENSOR URINAL FLUSHER
Recessed

Operation : Self Flush Infra-Red Sensor
Working Water Pressure : 0.1 MPa - 0.7 MPa
Sensing Range : 65 cm ± 5 cm
Power : Electrical (AC 220V, 50Hz) or Battery (4 x AA Duracell)
Dia of Inlet/ Outlet Pipe : Dn 15 (G1/2")



Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L

EU02P
SENSOR URINAL FLUSHER
Exposed


Operation : Self Flush Infra-Red Sensor

Working Water Pressure :
0.1 MPa - 0.7 MPa

Sensing Range : 10 – 20 cm

Power : Battery (4 x AA Duracell)

Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	0.22 L	0.33 L	0.40 L




EW01
SENSOR TOILET FLUSHER
WC Area Recessed

Operation : Self Flush Infra-Red Sensor
+ Manual

Water Pressure : 0.1-0.7 Mpa

Sensing Range : 10 – 20 cm

Power : Electrical (AC 220V, 50Hz) +
Battery (4 x AA Duracell)



Pressure	1 Bar	2 Bar	3 Bar
Water Discharge (per use in litres)	4.62 L	6.42 L	7.2 L

EWAD3
TOUCHLESS WC FLUSHER CONVERTER
Wall Mount


Material : Stainless Steel

Power : Rechargeable Li-ion Battery

Induction Time : 0.25s

Induction Distance : 0-15cm

Batthey Lifecycle : 5000 Shots



KSDT7W
AUTO TAP CUM AUTO SOAP DISPENSER (2 IN 1)
Wall Mount

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)

Liquid Volume (Soap Dispenser) : 1500ML


Supply Volume Per Drop (Soap Dispenser) : 2ml

Detecting Distance (Soap Dispenser) : 10-20 cm adjustable

Detecting Distance (Faucet) : 8-20 cm adjustable

Applicable Water Pressure (Faucet) : 0.5 - 0.7 Mpa

Mechanism & Soap Refill : Under the counter



KSDT6
AUTO TAP CUM
Auto Soap Dispenser (2 In 1)
Basin Mount

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)

Liquid Volume (Soap Dispenser) : 1500ML

Supply Volume Per Drop (Soap Dispenser) : 2ml

Detecting Distance (Soap Dispenser) : 10-20 cm adjustable

Detecting Distance (Faucet) : 8-20 cm adjustable

Applicable Water Pressure (Faucet) : 0.5 - 0.7 Mpa

Mechanism & Soap Refill : Under the counter



KSD12L
AUTO TAP CUM
Soap Dispenser (2 In 1) Long
Counter Mount

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V/50Hz)

Water Pressure : 1 to 1.5 Bar
(Min 1 bar Working pressure required)

Material : Brass

Finish : Chrome-plated


**Supply Volume Per Drop
(Soap Dispenser) :** 2ML

Liquid Volume (Soap Dispenser) : 1500 ML

Detecting Distance (Soap Dispenser) : 09-20 cm

Soap Refill : Under the Counter

Detecting Distance (Faucet) : 09-20 cm





ET08VS

SENSOR TAP
Basin Mount




WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red
Sensor

Water Pressure : 1 - 1.5 Bar

Sensing Range : 10 - 20 cm

Power : Electrical (AC 220V, 50Hz) +
Battery (4 x AA Duracell)



ET09VL

SENSOR TAP LONG BODY
Counter Mount




WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red
Sensor

Water Pressure : 1 - 1.5 Bar

Sensing Range : 10 - 20 cm

Power : Electrical (AC 220V, 50Hz) +
Battery (4 x AA Duracell)




ET04

SENSOR TAP
Basin Mount

Operation : Automatic Infra-Red Sensor
Sensing Range : 09-20cm
Power : Electrical (AC 220V, 50Hz + Battery (4 x AA Duracell))
Battery Consumption : 30,000 Shots (4 X AA Duracell Batteries)
Finish : Chrome - Plated
Warranty : 1 Year

Made In India




ET05NW

SENSOR TAP
Basin Mount

Operation : Automatic Infra-Red Sensor
Water Pressure: 1 - 1.5 Bar
Sensing Range: 10 - 20 cm
Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Made In India




ET06L

SENSOR TAP (LONG BODY)
Counter Mount

Operation : Automatic Infra-Red Sensor
Water Pressure: 1 - 1.5 Bar
Sensing Range: 10 - 20 cm
Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)

Made In India




KHDT13

AUTOMATIC HAND DRYER
+ AUTOMATIC TAP (2 IN 1)
Counter Mount

Heating Power : 650W
Rated Power : 1350W
Sensing Distance : 8-12cm
Air Speed : 90m/s
Waterproof : IP24
Sensing type : Touch-free Infrared
Drying time : 10-15 Sec.
Air temperature : 25-40°C

Made In India



ET02HC

SENSOR TAP (HOT & COLD MIXTURE)
Basin Mount

Operation : Automatic Infra-Red Sensor
Power : Electrical (AC 220V, 50Hz) + Battery (4 x AA Duracell)
Detecting Distance : 09 - 20cm (Faucet)
Flow rate : 1.5LPM at 3 bar pressure
Finish : Chrome Plated
Warranty : 12 Months



ET11


SENSOR TAP

Basin Mount



WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor
Water Output : 1.0L ~ 1.5L/min
Sensing Range : 10- 20 cm
Power : Electrical (AC 220V, 50Hz)
 + Battery (4 x AA Duracell)



ET13


SENSOR TAP

Basin Mount



WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor
Water Output : 1.0L ~ 1.5L/min
Sensing Range : 10- 20 cm
Power : Electrical (AC 220V, 50Hz)
 + Battery (4 x AA Duracell)



ET12L


SENSOR TAP LONG BODY

Counter Mount



WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor
Water Output : 1.0L ~ 1.5L/min
Sensing Range : 10- 20 cm
Power : Electrical (AC 220V, 50Hz)
 + Battery (4 x AA Duracell)



ETAD02


AUTOMATIC TAP ADAPTER

Tap Mount



WATER SAVING
TECHNOLOGY

Battery Capacity: 3.7V Lithium Battery (400mAh)
Charging Specifications: Micro USB Charging (5V/500-1000mA)
Standby Power Consumption: ≤0.2mW
Sensing Range: Side: 1-6cm; Bottom:1-10cm
Applicable Water Pressure: 0.05-0.8MPa
Fitting Faucet Nozzle: Male M24*1/ Female M22*1
Environmental Temperature: 1-40°C
Environmental Humidity of Using: ≤95% RH
Waterproof Level: IP65
Product Size: 47x47x79 mm
Battery Lifecycle: 100000 Shots



KSDT3

AUTO TAP CUM

Auto Soap Dispenser (2 In 1)
Basin Mount



WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)

Liquid Volume (Soap Dispenser) : 1500ML


Supply Volume Per Drop (Soap Dispenser) : 2ml

Detecting Distance (Soap Dispenser) : 10-20 cm adjustable

Detecting Distance (Faucet) : 8-20 cm adjustable

Applicable Water Pressure (Faucet) : 0.5 - 0.7 Mpa

Mechanism & Soap Refill : Under the counter



ET03NW

SENSOR TAP

Wall Mount




WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor

Water Pressure : 1 - 1.5 Bar

Sensing Range : 10 - 20 cm

Power : Electrical (AC 220V, 50Hz) + Battery
(4 x AA Duracell)



ET10HC

SENSOR TAP (HOT & COLD OPTION)

Wall Mount




WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor

Water Pressure : 0.05-0.6mpa

Sensing Range : 08 - 12 cm

Power : DC6V 4 x AAA Alkaline Batteries



ET07E

SENSOR TAP

Wall Mount-Electrical




WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor

Water Pressure: 1 - 1.5 Bar

Sensing Range: 08 - 12 cm

Power : Electrical (AC 220V, 50Hz)



ET07B

SENSOR TAP

Wall Mount-Battery



WATER SAVING
TECHNOLOGY

Operation : Automatic Infra-Red Sensor

Water Pressure: 1 - 1.5 Bar

Sensing Range: 08 - 12 cm

Power : DC6V 4 x AAA Alkaline Batteries





CONCEALED CISTERNS SENSOR OPERATED BIDET HEALTH FAUCET

Smart technologies from EURONICS inspire, presents wash room sensor - WCs and faucets with not only smart looks but high on utility & performance.

Full-range of designed products to offer performance & maintain hygienic environment.

Perfect products for Green Building projects.




Long Lasting
Life

Full assurance of best quality
304 grade stainless steel



Vandal
Proof Body

Perfect selection of material &
design to protect from vandalism



Hygienic
Environment

Keeps your hands
and washroom germ free



Must for
Green buildings

less carbon footprint as
compared to regular products

EACC09A


AUTOMATIC CONCEALED CISTERN WITH FULL FRAME

Fully Automatic

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC01FA

MANUAL CONCEALED CISTERN WITH FULL FRAME

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC03HA

MANUAL CONCEALED CISTERN WITH HALF FRAME

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC05NA

MANUAL CONCEALED CISTERN FRAMELESS

Leak Proof design

Full Flush - 6L (Can be controlled to 4L)

Half Flush - 3 L (Can be controlled to 2 L)




ECC07 P01

FLUSH PLATE CHROME

Material: Chrome

Application: Concealed Cistern






ECB01 SENSOR OPERATED BIDET CONCEALED

Operation: Self Flush Infra-Red Sensor

Working Water Pressure:
0.05 MPa - 0.7 MPa

Power: AC 220V, 50Hz



EXB02 SENSOR OPERATED BIDET EXPOSED/RETROFIT

Power & voltage: DC6V


Battery: 4 x 'AA' size cells

Power consumption in static: $\leq 0.5\text{mW(DC)}$

Operational water pressure range: 0.05 - 0.7mPa

Diameter of inlet /outlet pipe: DN15

Sensing distance: Factory set 15cm




EHF01 HEALTH FAUCET

Flow-rate:
3.8 LPM at 20 psi/0.07 Bar pressure

Operational Pressure:
20-125 psi/1.3 Bar-8.6 Bar

Recommended Pressure:
45 psi/3 Bar





SMART TECHNOLOGY THAT BRINGS,
ENERGY EFFICIENCY & HYGIENE

visit www.euronics.co.in

STEEL DISPENSERS PAPER SOAP RECEPTACLE

Smart technologies from Euronics inspire, presents paper, soap, toilet seat cover dispenser & waste receptacle, that gives a quick & easy, professional look with a dash of utility & performance.

Sturdy built and designed to maintain hygiene, makes it the preferred choice.



Long Lasting Life

Full assurance of best quality
304 grade stainless steel



Vandal Proof Body

Perfect selection of material & design to protect from vandalism



Hygienic Environment

Keeps your hands and washroom germ free



Must for Green buildings

lesser carbon footprint as compared to regular products

EP08SAC

AUTOMATIC PAPER ROLL DISPENSER

Wall Mount - High Traffic

Cabinet : 304 Grade Stainless Steel

Operations : Infrared Sensor, Automatic

Power : Electricity + Battery


Application : Washbasin Area

Paper Roll Size :

Width: 195 mm - 200mm

Dia: <= 200mm/42gsm

Length: 225 Meters



EP01

PAPER TOWEL DISPENSER


Wall Mount - High Traffic

Cabinet : 304 Grade Stainless Steel

Finish : Stainless Steel Satin

Application : Washbasin Area

Capacity : 300 C-Fold, 350 Multifold



KINOX EP18

AUTOMATIC PAPER ROLL DISPENSER RECESSED

Cabinet : 304, Stainless Steel


Operations : Automatic

Dispense Length

Power : Electricity + Battery

Application : Washbasin Area

Paper Roll Size : Width 200mm



RPD2

PAPER DISPENSER


Mounting : Recessed

Cabinet : 304 Grade Stainless Steel

Finish : Stainless Steel Satin

Application : Washbasin Area

Capacity : 300 C-Fold, 350 Multifold



KINOX BPD

BEHIND MIRROR PAPER DISPENSER

Mounting : Behind Mirror


Material : 304 Grade Stainless Steel

Finish : Stainless Steel Satin

Application : Washbasin Area

Capacity : 600 C-fold or 800 multifold paper towels.

Filling : Loading from bottom



KWR4R

WASTE RECEPTACLE


Mounting : Recessed

Construction : 304 Grade Stainless Steel

Finish : Steel, Satin Finish

Waste Receptacle Capacity : 16 Litres

Warranty : 1 Year




KINOX KWR

WASTE RECEPTACLE
Wall Mount

Material : 304 Grade Stainless

Capacity : 16 Litres, Equipped with inside Steel Liner to remove the disposable



450 - 500




KINOX KTSC1

TOILET SEAT COVER DISPENSER
Wall Mount

Cabinet : 304 Grade Stainless Steel

Capacity : 250 seat covers

Application : To keep toilet seat clean & hygiene. Suitable for WC Area



750 - 1200
recommended mounting
height floor level




KTSC2R

TOILET SEAT COVER DISPENSER
Recessed

Cabinet : 304 Grade Stainless Steel

Capacity : 250 seat covers

Application : To keep toilet seat clean & hygiene.



750 - 1200
recommended mounting
height floor level



EJ01


JUMBO ROLL TISSUE DISPENSER
Wall Mount - High Traffic

Cabinet : 304 Grade Stainless Steel

Finish : Stainless Steel Satin

Application : WC Area

Length of Roll : 250 - 300 Meter



450 - 500
recommended mounting
height floor level



CWC2


COUNTER TOP WASTE CHUTE

Material : Stainless Steel # 304, Satin Finish

Diameter : Outside 160mm, Inside 140mm

Chute Depth: 133mm

Application : Washbasin Area



CWC3


SWING WASTE CHUTE

Material : Stainless Steel # 304, Satin Finish

Diameter : Outside 240mm, Inside 200mm

Chute Depth : 100mm

Application : Washbasin Area



CWC4


COUNTER TOP WASTE CHUTE

Material : Stainless Steel # 304, Satin Finish

Diameter : Outside 170mm, Inside 150mm

Chute Depth : 75mm

Application : Washbasin Area



ESN03S

SANITARY NAPKIN HYGIENE PANEL (3 IN 1)


Wall Mount

Combination : Toilet Paper Holder / Disposable Bag Dispenser / Waste Receptacle

Material : 304 Grade Stainless Steel

Waste Receptacle Capacity : 4.6 Litre

Disposable Bags Capacity : 50 bags



ESN04B

SANITARY NAPKIN HYGIENE PANEL (4 IN 1)

Wall Mount


Combination : Sanitary Napkin Dispenser / Toilet Paper Holder / Disposable Bag Dispenser / Waste Receptacle

Material : 304 Grade Stainless Steel

Sanitary Napkin Capacity : 20-25 Pcs

Waste Receptacle Capacity : 4.6 Litre

Disposable Bags Capacity : 50 bags



ESN05

Sanitary Napkin & Disposable Bag Dispenser


Wall Mount

Combination : Sanitary Napkin Dispenser, Disposable Bag Dispenser

Material : 304 Grade Stainless Steel

Sanitary Napkin Capacity: 20-25Pcs

Disposable Bags Capacity : 50 bags




SWR03

SANITARY NAPKIN DISPOSAL

Wall Mount

Cabinet : 304 Grade Stainless Steel

Capacity : 4.6 Litres, Equipped with inside Steel Liner to remove the disposable




SWR5R

SANITARY NAPKIN DISPOSAL

Recessed

Cabinet : 304 Grade Stainless Steel

Capacity : 4.6 Litres, Equipped with inside Steel Liner to remove the disposable





BSD **BEHIND MIRROR** **SOAP DISPENSER**

Operation : Electrical (AC 220V, 50Hz)


Capacity : 1000 ML

Material : Brass with Chrome Plating

Finish : Mirror

Sensing Range : 5 ~ 150 mm

*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



KINOX KSD2A **AUTOMATIC** SOAP DISPENSER Under Counter - High Traffic

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)

Capacity : 1000 ML


Material : Brass with Chrome Matting

Finish : Mirror

Soap Rifill : From the Top

Mechanism : Under the counter

*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



KINOX KSD8L **AUTOMATIC** SOAP DISPENSER Counter Mount - High Traffic

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)

Capacity : 1000 ML


Material : Brass with Chrome Matting

Finish : Mirror

Soap Rifill : From the Top

Mechanism : Counter Mount

*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



KSD5T

AUTOMATIC SOAP DISPENSER

Under Counter

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)


Material : Brass

Finish : Chrome Plating

Capacity : 1000 ml

Soap Refill & Mechanism : Under the counter

*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



ES802F

AUTOMATIC FOAM DISPENSER

Wall Mount

Operation : Automatic Infra-Red Sensor


Power : Battery (4 x AA Alkaline Duracell)

Material : 304 Stainless Steel

Dispense : Foam Soap

Sensing Range : 5-9 cm

Dispense Volume : 1-2ml



KSD9L

AUTOMATIC SOAP DISPENSER

Operation : Automatic Infra-Red Sensor

Power : Electrical (AC 220V, 50Hz)


Material : Brass

Finish : Chrome Plating

Capacity : 1000 ml

Soap Refill & Mechanism : Under the counter

*Can be supplied in Battery Operation on special request. (Battery Required - 4xD Size)



KSD4W

AUTOMATIC SOAP DISPENSER

Wall Mount

Operation : Automatic Infra-Red Sensor


Power : Electrical (AC 220V, 50Hz)

Material : Brass

Finish : Chrome Plating

Capacity : 1000 ml

Soap Refill & Mechanism : Under the counter



ES80A

AUTOMATIC SOAP DISPENSER

Wall Mount - High Traffic

Operation : Automatic Infra-Red Sensor


Power : Battery (6 x AA Alkaline Duracell)

Material : 304 Stainless Steel

Capacity : 700 ml

Sensing Range : 5-15 cm

Dispense Volume : 1-2ml



ES07L

MANUAL SOAP DISPENSER


Under Counter - Light Duty

Operation : Manual, Under Counter

Material : Brass - Pump

Finish : Brass - Pump (Piston, Spout and Top Cover)

Capacity: 1000 ML



ES27H


MANUAL SOAP DISPENSER
Under Counter

Operation : Manual, Under Counter

Material : Brass - Pump

Finish : Brass - Pump (Piston, Spout and Top Cover)

Capacity: 1000 ML



KSD1


MANUAL SOAP DISPENSER
Wall Mount - High Traffic

Operation : Manual

Container : 304 Grade, Stainless Steel

Material : Non Corrosive Steel

Capacity : 400 ML



ES18


MANUAL SOAP DISPENSER
Wall Mount - High Traffic

Operation : Manual

Container : 304 Grade Stainless Steel

Capacity : 400 ML

Dispense Volume : One Drop 2ML




ES09

MANUAL SOAP DISPENSER
Wall Mount - High Traffic

Operation : Manual

Material : 304 Grade Stainless Steel

Capacity : 450 ML



ES04

MANUAL SOAP DISPENSER
Wall Mount - Low Traffic


Operation : Manual

Container : 304 Grade, Stainless Steel

Material : Non Corrosive Steel

Capacity : 1000 ML

Valve : Brass Cylinder, Stainless Steel Spring



ES24R

MANUAL SOAP DISPENSER
Recessed


Operation : Manual

Mounting : Recessed

Container : 304 Grade, Stainless Steel

Capacity : 1000 ML

Valve : Brass Cylinder, Stainless Steel Spring



ES14H

HORIZONTAL SOAP DISPENSER
Wall Mount - Medium Traffic


Operation : Manual

Mounting : Wall Mount

Container : 304 Grade, Stainless Steel

Capacity : 1250 ML

Valve : Brass Cylinder, Stainless Steel Spring





TECHNOLOGY THAT BRINGS,
ENERGY EFFICIENCY & HYGIENE

ABS CASING DISPENSERS PAPER SOAP SANITIZER FRAGRANCE

Smart technologies from Euronics inspire, presents the ABS casing version of paper, soap, sanitizer & fragrance dispenser products.

Supports to keep a germ free environment alongwith dashing looks, full utility & performance.



High Density
Polycarbonate plastic
Rigid & durable polycarbonate
for strength & enhanced life.




Hygienic
Environment
Keeps your hands
and washroom germ free



Must for
Green buildings
lesser carbon footprint as
compared to regular products


EST03
AUTOMATIC HAND SANITIZER
Wall Mount - High Traffic

Material: Stainless Steel #304
Liquid: Isoprophyle Alcohol (IPA)
Capacity: 2000 ML
Power: < 20 Watt
Spray Amount: 2 ml
Sensing Range: 8 cm
Operation: Electrical



EST02N
AUTOMATIC HAND SANITIZER
WallMount - Low Traffic

Construction : ABS Casing
Capacity: 1100 ML
Spray Amount: 2 ml
Sensing Range: 8 cm
Liquid: IPA Alcohol Liquid
Operation: 4 x AA Alkaline Battery




Made In India




EP09PA
AUTOMATIC
PAPER ROLL DISPENSER
WallMount - High Traffic

Mounting: Exposed
Cabinet: ABS Plastic
Operations: Infrared Sensor, Adjustable Dispense Length
Power: Electricity + Battery
Application: Washbasin Area Adjustable dispense length
Paper Roll Size : Width 200mm/37gsm




EP07AC
AUTO CUT PAPER ROLL DISPENSER
WallMount - High Traffic

Mounting : Exposed
Construction : ABS Plastic
Application: Washbasin Area
Paper Roll Size :
Width 195 mm - 200 mm,
Dia <= 200 mm



EP23
MANUAL TISSUE PAPER DISPENSER
Wall Mount - Medium Traffic

Mounting : Exposed
Construction : ABS Plastic
Application : Washbasin Area
Paper Type : Fold / M Fold
Capacity : 300 - 450 Tissues





EST81

AUTOMATIC HAND SANITIZER DISPENSER

WallMount - Low Traffic

Made In India



Construction : Stainless Steel #316
Grade

Capacity: 1100 ML


Spray Amount: 2 ml

Sensor Range: 8 cm

Liquid: Isopropyl Alcohol(IPA)

Operation: 4 x AA Alkaline Battery

Ideal: IPA Alcohol Liquid



ES81A

AUTOMATIC SOAP DISPENSER

WallMount - Low Traffic

Made In India



Construction : Stainless Steel #316
Grade

Capacity: 1100 ML


Spray Amount: 2 ml

Sensor Range: 8 cm

Liquid: Isopropyl Alcohol(IPA)

Operation: 4 x AA Alkaline Battery

Ideal: IPA Alcohol Liquid



EJ23

JUMBO ROLL TISSUE DISPENSER


WallMount - High Traffic

Mounting : Exposed

Construction : ABS Plastic

Application : WC Area

Length of Roll : 250 – 300 Mtrs



ES10D

TWIN DISPENSER


Wall Mount - Medium Traffic

Construction :

Polycarbonate ABS Casing

Capacity : 400ml x 2

Dispense Volume : 2ml




ES30D

TWIN DISPENSER

Wall Mount

Construction : Polycarbonate ABS Casing

Capacity : 400ml x 2



ES06N

AUTOMATIC SOAP DISPENSER

Wall Mount - Medium Traffic

Construction : ABS Casing


Capacity: 1100 ML

Spray Amount: 2 ml

Sensing Range: 8 cm

Liquid: Liquid Soap

Operation: 4 x AA Alkaline Battery



Made In India



ES23

MANUAL SOAP DISPENSER


Wall Mount - Low Traffic

Construction: Polycarbonate

ABS Casing

Capacity - 800 ML

Dispense Volume - 2ML



EA24

LED DAY / NIGHT

FRAGRANCE DISPENSER


Construction : Polycarbonate ABS Casing

Battery : 2 x D Size Alkaline

Spray Interval : 5, 10, 15, 30 mins

Option : Day / Night / 24Hrs

Refill Can : 300ml, 3000 Sprays



EA33

LCD

DIGITAL PERFUME DISPENSER


Construction : Polycarbonate ABS Casing

Battery : 2 pcs "D"

Spray Interval : 5, 10, 15, 30 mins

Option : Day / Night / 24Hrs

Refill Can : 300ml, 3000 Sprays





NEED & SUPPORT ACCESSORIES

EURONICS inspire, offers a wide range of washroom accessories, fixtures & fittings for both normal & disabled-access usage.

All designed and made in #304 stainless steel grade, to provide durable & secure usage at demanding public amenities, facilitating easy operations and maintenance offering long lasting performance.

These are stylish, enhance the ambiance of the application area and suitable for all high traffic areas.

ACCESSORIES DESIGNED TO
EXTEND SUPPORT & COMFORT
EVEN TO THE CHALLENGED




**Lasts
Long Life**

Full assurance of best quality
304 grade stainless steel



**Vandal
Proof Body**

Perfect selection of material &
design to protect from vandalism



**Hygienic
Environment**

Keeps your hands
and washroom germ free



**Must for
Green buildings**


lesser carbon footprint as
compared to regular products

EPH07

TOILET PAPER HOLDER
With Mobile Stand
Wall Mount

Material : 304 Grade Stainless Steel

Application : WC Cubicle Area




EPH06P

TWIN TOILET PAPER HOLDER
With Mobile Stand
Wall Mount

Material : 304 Grade Stainless Steel

Application : WC Cubicle Area




EPH09A

TWIN TOILET PAPER HOLDER
With Mobile Stand

Material : ABS

Application : WC Cubicle Area

Roll : Two




RPH05T

TWIN TOILET PAPER HOLDER
Recessed

Material : 304 Grade Stainless Steel

Recessed Required :
W-265mm x H-125mm x D-60mm

Application : WC Cubicle Area




RPH08S

SINGLE TOILET PAPER HOLDER
Recessed

Material : 304 Grade Stainless Steel

Recessed Required :
265mm x H-125mm x D-60mm

Application : WC Cubicle Area




EPH04F

TOILET PAPER HOLDER
Wall Mount

Material : 304 Grade Stainless Steel

Application : WC Cubicle Area




EC02

TWIN COAT HOOK
Wall Mount

Material : 304 Grade Stainless Steel

Application : WC Cubicle Area



EGRS02


DISABLED GRAB BAR
Swing - Wall Mount

Material : 304 Grade Stainless Steel

Operation : Movable (Horizontally & Vertically)

Dia : 32 mm

Application : WC Area



EGR03


DISABLED GRAB BAR
U-Shaped Handrail (Set of 2)

Material : 304 Grade Stainless Steel

Application : Washbasin or Urinal Area

Dia : 32mm

Application : WC Area




EGR04

DISABLED GRAB BAR
L Shaped Handrail

Material : 304 Grade Stainless Steel

Application: WC Area

Dia : 32mm



EGR01

DISABLED GRAB BAR
Straight Handrail

Material : 304 Grade Stainless Steel

Application: WC Area

Dia : 32mm

Sizes : 450mm, 600mm, 750mm





EGR5U

URINAL SAFETY STEEL
GRAB BAR

Material : Steel Mat Finish #304

Application: Urinal Area

Dia : 32mm





EDC3S

STAINLESS STEEL

BABY CHANGING STATION

*Equipped with Safety Belt to secure baby when changing diapers


Material : Stainless Steel #304, Satin Finish

Unit Dimensions : W-905 mm x H-520 mm

Depth (closed) : 104 mm

Extension (open) : 495 mm

Maximum Load : 25 Kgs



EDC01

ABS PLASTIC

BABY CHANGING STATION


*Equipped with Safety Belt to secure baby when changing diapers

Material : High Quality HDPE

Unit Dimensions : W-855 mm x H-395 mm

Depth (Opened) : 575 mm

Maximum Load : 25 Kgs



EDC02

BABY PROTECTION

SEAT

*Equipped with Safety Belt to secure baby when changing diapers

Material : High Quality HDPE

Unit Dimensions : W-340 mm x H-510 mm

Depth (open) : 328 mm

Maximum Load : 25 Kgs

Color : Grey

