Introduction to medical virology "Viral structure and Classification"

Dr. Abdulkarim Alhetheel
Assistant Professor in Microbiology Unit
College of Medicine & KKUH

OBJECTIVES

- > General characteristics of viruses.
- > Structure & symmetry of viruses.
- > Classification of viruses.
- > Steps of virus replication.
- > Laboratory diagnosis of viral infections.


Properties of Microorganisms

characteristic	Parasite	Fungi	Bacteria	Virus
Cell	Yes	Yes	Yes	No
Type of nucleus	Eukaryotic	Eukaryotic	Prokaryotic	
Nucleic acid	Both DNA & RNA	Both DNA & RNA	Both DNA & RNA	DNA or RNA
Ribosomes	Present	Present	Present	Absent
Mitochondria	Present	Present	Absent	Absent
Replication	Mitosis	Budding or mitosis	Binary fission	Special


Characteristics of viruses

- Acellular organisms
- > Tiny particles
 - Internal core
 - Protein coat
 - Some Vs have lipoprotein mb (envelope)
- Obligate intracellular organisms
- Replicate in a manner diff from cells

(1V — many Vs)



Size; 20-300 nm



STAPHYLOCOCCUS







CHLAMYDIA ELEMENTARY BODY



POX VIRUS






POLIO VIRUS

Viral Structure

1- Viral genome

2- Capsid

3- Envelope



Viral Structure 1-Viral genome

DNA

(Deoxyribonucleic acid)

- All DNA Vs have ds except Parvoviruses
- Single molecule

or

RNA

(Ribonucleic acid)


- All RNA Vs have ss except Reoviruses
- Single / double
- > (+) polarity
- (-) polarity

All Vs are haploid, except retroviruses are diploid

Viral structure

2-Capsid

- a protein coat
- Subunits (capsomeres)
- Genome (NA) + capsidnucleocapsid
- > Function;
 - Protects NA
 - Facilitates its entry into cell




Symmetrybased on arrangement of capsomeres


- Cubic symmetry (Icosahederal)
- Helical symmetry
- Complex symmetry


Symmetry

based on arrangement of capsomeres


I-Cubic symmetry (Icosahedral)












Herpes virus

Symmetrybased on arrangement of capsomeres

> 2- Helical symmetry







Elongated (filoviruses)

Pleomorphic (influenza v.)

> 3- Complex symmetry poxviruses




Viral structure

3-Envelope

Lipoprotein mb (host lipid, virus specific protein)


- > During viral budding
- Envelope is derived from cell mb except herpesviruses from nuclear mb
- Enveloped Vs are more sensitive to heat, dry & other factors than nonenveloped Vs
- Glycoprotein attaches to host cell receptor



Viral proteins


The outer viral ps

- Mediate attachment to specific Rs
- Induce neutralizing Abs
- Target of Abs
- The internal viral ps
- Structural ps (capsid ps of enveloped Vs)
- Nonstructural ps (enzymes)
 - All ssRNA Vs (-) polarity have transcriptase (RNA dependent RNA polymerase) inside virions
 - RetroVs & HBV contain reverse transcriptase




Classification of viruses

- > Type of NA
- > The no. of strand
- The polarity of viral genome
- The presence or absence of envelope
- Type of symmetry



Medically Important Viruses



<u>lcosahedral</u> **Parvoviridae**

Complex

Poxviridae

lcosahedral Herpesviridae Hepadnaviridae Icosahedral Adenoviridae

Papovaviridae

Medically Important Viruses

DNA

Single-stranded)

Neg-strand

Enveloped

Helical

Orthomyxoviridae

Paramyxoviridae

Rhabdoviridae

Filoviridae

Bunyaviridae

Arenaviridae

Pos-strand

RNA

Enveloped

Helical

Coronaviridae

Icosahedral

Togaviridae

Flaviviridae

Retroviridae

double-stranded

Nonenveloped)

Icosahedral

Reoviridae

Icosahedral

Nonenveloped)

Picornaviridae


Hepeviridae

Caliciviridae

Astroviridae

Replication


- Adsorption (Attachment)
- > Penetration
- Uncoating
- Synthesis of viral components
 - mRNA
 - Viral proteins
 - NA
- Assembly
- > Release




Viral growth cycle

Adsorption

- > Attachment site;
 - glycoprotein




- folding in the capsid proteins.




Penetration

1-Fusion



(enveloped virus)

2-Endocytosis



- Enveloped viruses fuse with endosome mb.
- Nonenveloped viruseslyse, or pore em.

Replication

- Adsorption (Attachment)
- > Penetration
- > Uncoating
 - Release of viral genome cytoplasm
 - nucleus

Synthesis of viral components

> mRNA

```
Viral genome transcription mRNA +ssRNA acts directly
```

Viral proteins

mRNA

translation viral proteins

cell ribosome

- enzymes
- structural ps
- replication of viral genome

Replication


- Adsorption (attachment)
- > Penetration
- Uncoating
- Synthesis of viral components
 - mRNA
 - Viral proteins
 - NA
- > Assembly

NA + V. proteins = Virions

Release

Release

1-Budding
 (enveloped Vs)
 -cell mb*
 -nuclear mb
 (herpesVs)



2- Cell lysisor rupture of the cm(nonenveloped Vs)


<u>laboratory diagnosis of viral</u> <u>infections</u>

- > Microscopic examination.
- > Cell culture.
- > Serological tests .
- > Detection of viral Ag.
- > Molecular method .

Microscopic examination

> Light microscopy,

Histological appearance Ex. Inclusion bodies




Owl's eye (CMV)

- > Electron microscopy;
 - Morphology& size of virions
 - Ex. Diagnosis of viral GE such as rota, adenoviruses.
 Diagnosis of skin lesion caused by herpes, or poxviruses.
 - It is replaced by Ag detection & molecular tests

> Electron micrographs


Rotavirus



Herpesvirus



Adenovirus




Poxvirus



Virus cultivation

- > Laboratory animals
- > Embryonated eggs
- > Cell culture

Cell culturere






Cell culture

No of sub passages

Primary C/C

1 or 2





Diploid C/C [semi continuous]

20 to 50

Continuous cell line

Indefinite






Variation in Sensitivity of cell cultures to infection by viruses commonly isolated in clinical virology laboratories


Virus	Cell culture ^a			
	PMK	HDF	HEp-2	
RNA virus				
Enterovirus	+++	++	+/-	
Rhinovirus	+	+++	+	
Influenza virus	+++	+	5.0	
RSV	++	+	+++	
DNA virus				
Adenovirus	+	++	+++	
HSV	+	++	++	
VZV	+	+++	-	
CMV	_	+++	-///	

PMK, primary MK. Degree of sensitivity: +++, highly sensitive;++, moderately sensitive; +, low sensitivity; +/-, variable; -, not sensitive

Detection of viral growth

Cytopathic effects






- > IF
- > Other


Problems with cell culture

- Long incubation (up to 5 days)
- Sensitivity is variable
- Susceptible to bacterial contamination
- Some viruses do not grow in cell culture e.g. HCV

Rapid culture technique

- Shell Vial Assay
- Detect viral antigens
- > 1-3 days





inoculation showing viral proteins in nuclei of infected human

fibroblast cells

Serological test; Antigen detection;

<u>sample</u>

> Nasopharyngeal aspirate

> Skin scrapings

> Faeces

> Blood

virus

Influenza V. IF


HSV IF

Rotavirus ELISA

test


HBV(HBsAg) ELISA


Serological test; Antibody detection;



- > e.g. of techniques
- Complement fixation test (CFT)
- Immunofluorescence (IF)
- Enzyme- linked immunosorbent assay (ELISA)


Immunofluorescence; IF






- A- DirectAg detection;
 - Sample (Ag)

- B- IndirectAb detection;
 - Sample (Ab)










ELISA


Ab detection





Indirect ELISA for Ab detection; coloured wells indicate reactivity

Ag detection




Molecular test;

- Polymerase chain reaction (PCR)
 - NA amplification technique.
 - Viral genome
- Uses;
 - Diagnosis
 - Monitoring response to treatment

Reference book and the relevant page numbers

Medical Microbiology and Immunology
 By: Warren Levinson .
 10th Edition, 2008.

Pages;192-195,199-207, 216-220,233-235.



Lippincott's Illustrated Reviews: Microbiology


By: Richard A.Harvey,

Pamela C Champe &

Bruce D. Fisher

2nd Edition, 2007.

Pages;233-242



Thank you