

# Reference List

1000 Genomes Project Consortium, Abecasis, G. R., Auton, A., Brooks, L. D., DePristo, M. A., Durbin, R. M., et al. (2012). An integrated map of genetic variation from 1,092 human genomes. *Nature*, *491*(7422), 56–65. doi:10.1038/nature11632

Ahmad, F. K., Deris, S., & Othman, N. H. (2012). The inference of breast cancer metastasis through gene regulatory networks. *JOURNAL OF BIOMEDICAL INFORMATICS*, *45*(2), 350–362. doi:10.1016/j.jbi.2011.11.015

Andreassen, O. A., Djurovic, S., Thompson, W. K., Schork, A. J., Kendler, K. S., O'Donovan, M. C., et al. (2013). Improved detection of common variants associated with schizophrenia by leveraging pleiotropy with cardiovascular-disease risk factors. *American journal of human genetics*, *92*(2), 197–209. doi:10.1016/j.ajhg.2013.01.001

Arefin, A. S., Mathieson, L., Johnstone, D., Berretta, R., & Moscato, P. (2012). Unveiling clusters of RNA transcript pairs associated with markers of Alzheimer's disease progression. *PLoS ONE*, *7*(9), e45535. doi:10.1371/journal.pone.0045535

Arrowsmith, C. H., Bountra, C., Fish, P. V., Lee, K., & Schapira, M. (2012). Epigenetic protein families: a new frontier for drug discovery. *Nature Reviews Drug Discovery*, *11*(5), 384–400. doi:10.1038/nrd3674

Asmann, Y. W., Middha, S., Hossain, A., Baheti, S., Li, Y., Chai, H. S., et al. (2012). TREAT: a bioinformatics tool for variant annotations and visualizations in targeted and exome sequencing data. *Bioinformatics*, *28*(2), 277–278. doi:10.1093/bioinformatics/btr612

Bai, J. P. F., & Abernethy, D. R. (2013). Systems Pharmacology to Predict Drug Toxicity: Integration Across Levels of Biological Organization\*. *Annual Review of Pharmacology and Toxicology*, *53*(1), 451–473. doi:10.1146/annurev-pharmtox-011112-140248

Balaji, S., McClendon, C., Chowdhary, R., Liu, J. S., & Zhang, J. (2012). IMID: integrated molecular interaction database. *Bioinformatics*, *28*(5), 747–749. doi:10.1093/bioinformatics/bts010

Banerji, S., Cibulskis, K., Rangel-Escareno, C., Brown, K. K., Carter, S. L., Frederick, A. M., et al. (2012). Sequence analysis of mutations and translocations across breast cancer subtypes. *Nature*, *486*(7403), 405–409. doi:10.1038/nature11154

Barrenäs, F., Chavali, S., Alves, A. C., Coin, L., Jarvelin, M.-R., Jörnsten, R., et al. (2012). Highly interconnected genes in disease-specific networks are enriched for disease-associated polymorphisms. *Genome Biology*, *13*(6), R46. doi:10.1186/gb-2012-13-6-r46

Barretina, J., Caponigro, G., Stransky, N., Venkatesan, K., Margolin, A. A., Kim, S., et al. (2012). The Cancer Cell Line Encyclopedia enables predictive modelling of anticancer drug sensitivity. *Nature*, *483*(7391), 603–607. doi:10.1038/nature11003

Bauer, S., Köhler, S., Schulz, M. H., & Robinson, P. N. (2012). Bayesian ontology querying for

accurate and noise-tolerant semantic searches. *Bioinformatics*, 28(19), 2502–2508. doi:10.1093/bioinformatics/bts471

Bauer-Mehren, A., van Mullingen, E. M., Avillach, P., Carrascosa, M. D. C., Garcia-Serna, R., Piñero, J., et al. (2012). Automatic filtering and substantiation of drug safety signals. *PLoS Computational Biology*, 8(4), e1002457. doi:10.1371/journal.pcbi.1002457

Bertrand, J., & Balding, D. J. (2013). Multiple single nucleotide polymorphism analysis using penalized regression in nonlinear mixed-effect pharmacokinetic models. *Pharmacogenetics and Genomics*, 23(3), 167–174. doi:10.1097/FPC.0b013e32835dd22c

Bien, S. J., Park, C. H., Shim, H. J., Yang, W., Kim, J., & Kim, J. H. (2012). Bi-directional semantic similarity for gene ontology to optimize biological and clinical analyses. *Journal of the American Medical Informatics Association*, 19(5), 765–774. doi:10.1136/amiajnl-2011-000659

Biesecker, L. G., Burke, W., Kohane, I., Plon, S. E., & Zimmern, R. (2012). Next-generation sequencing in the clinic: are we ready? *Nature Publishing Group*, 13(11), 818–824. doi:10.1038/nrg3357

Brunham, L. R., & Hayden, M. R. (2012). Whole-Genome Sequencing: The New Standard of Care? *Science*, 336(6085), 1112–1113. doi:10.1126/science.1220967

Buchanan, C. C., Torstenson, E. S., Bush, W. S., & Ritchie, M. D. (2012). A comparison of cataloged variation between International HapMap Consortium and 1000 Genomes Project data. *Journal of the American Medical Informatics Association*, 19(2), 289–294. doi:10.1136/amiajnl-2011-000652

Bui, Q.-C., & Sloot, P. M. A. (2012). A robust approach to extract biomedical events from literature. *Bioinformatics*, 28(20), 2654–2661. doi:10.1093/bioinformatics/bts487

Califano, A., Butte, A. J., Friend, S., Ideker, T., & Schadt, E. (2012). Leveraging models of cell regulation and GWAS data in integrative network-based association studies. *Nature Genetics*, 44(8), 841–847. doi:10.1038/ng.2355

Cancer Genome Atlas Network. (2012). Comprehensive molecular portraits of human breast tumours. *Nature*, 490(7418), 61–70. doi:10.1038/nature11412

Caravagna, G., Barbuti, R., & d'Onofrio, A. (2012). Fine-tuning anti-tumor immunotherapies via stochastic simulations. *BMC Bioinformatics*, 13 Suppl 4, S8. doi:10.1186/1471-2105-13-S4-S8

Cassa, C. A., Miller, R. A., & Mandl, K. D. (2013). A novel, privacy-preserving cryptographic approach for sharing sequencing data. *Journal of the American Medical Informatics Association*, 20(1), 69–76. doi:10.1136/amiajnl-2012-001366

Cassa, C. A., Savage, S. K., Taylor, P. L., Green, R. C., McGuire, A. L., & Mandl, K. D. (2012). Disclosing pathogenic genetic variants to research participants: quantifying an emerging ethical responsibility. *Genome Research*, 22(3), 421–428. doi:10.1101/gr.127845.111

Champion, M. D., Gray, V., Eberhard, C., & Kumar, S. (2013). The Evolutionary History of Amino Acid Variations Mediating Increased Resistance of *S. aureus* Identifies Reversion Mutations in Metabolic Regulators. *PLoS ONE*, 8(2), e56466. doi:10.1371/journal.pone.0056466

Chang, H.-H., Soderberg, K., Skinner, J. A., Banchereau, J., Chaussabel, D., Haynes, B. F., et al. (2012). Transcriptional network predicts viral set point during acute HIV-1 infection. *Journal of the American Medical Informatics Association*, 19(6), 1103–1109. doi:10.1136/amiajnl-2012-000867

Chen, Bin, Ding, Y., & Wild, D. J. (2012a). Assessing drug target association using semantic linked data. *PLoS Computational Biology*, 8(7), e1002574. doi:10.1371/journal.pcbi.1002574

Chen, Rui, Mias, G. I., Li-Pook-Than, J., Jiang, L., Lam, H. Y. K., Chen, R., et al. (2012b). Personal omics profiling reveals dynamic molecular and medical phenotypes. *Cell*, 148(6), 1293–1307. doi:10.1016/j.cell.2012.02.009

Choi, Y., Sims, G. E., Murphy, S., Miller, J. R., & Chan, A. P. (2012). Predicting the functional effect of amino acid substitutions and indels. *PLoS ONE*, 7(10), e46688. doi:10.1371/journal.pone.0046688

Cohen, T., Widdows, D., Schvaneveldt, R. W., Davies, P., & Rindflesch, T. C. (2012). Discovering discovery patterns with predication-based Semantic Indexing. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(6), 1049–1065. doi:10.1016/j.jbi.2012.07.003

Coletta, A., Molter, C., Duqué, R., Steenhoff, D., Taminau, J., de Schaetzen, V., et al. (2012). InSilico DB genomic datasets hub: an efficient starting point for analyzing genome-wide studies in GenePattern, Integrative Genomics Viewer, and R/Bioconductor. *Genome Biology*, 13(11), R104. doi:10.1186/gb-2012-13-11-r104

Cooper, L. A. D., Kong, J., Gutman, D. A., Wang, F., Gao, J., Appin, C., et al. (2012). Integrated morphologic analysis for the identification and characterization of disease subtypes. *Journal of the American Medical Informatics Association*, 19(2), 317–323. doi:10.1136/amiajnl-2011-000700

Cressman, A. M., & Piquette-Miller, M. (2012). Epigenetics: a new link toward understanding human disease and drug response. *Clinical Pharmacology & Therapeutics*, 92(6), 669–673. doi:10.1038/clpt.2012.179

Crews, K. R., Gaedigk, A., Dunnenberger, H. M., Klein, T. E., Shen, D. D., Callaghan, J. T., et al. (2012, February). Clinical Pharmacogenetics Implementation Consortium (CPIC) guidelines for codeine therapy in the context of cytochrome P450 2D6 (CYP2D6) genotype. *Clinical Pharmacology & Therapeutics*. doi:10.1038/clpt.2011.287

Crockett, D. K., Lyon, E., Williams, M. S., Narus, S. P., Facelli, J. C., & Mitchell, J. A. (2012). Utility of gene-specific algorithms for predicting pathogenicity of uncertain gene variants. *Journal of the American Medical Informatics Association*, 19(2), 207–211. doi:10.1136/amiajnl-2011-000309

Cross-Disorder Group of the Psychiatric Genomics Consortium. (2013). Identification of risk loci with shared effects on five major psychiatric disorders: a genome-wide analysis. *Lancet*. doi:10.1016/S0140-6736(12)62129-1

Cun, Y., & Fröhlich, H. F. (2012). Prognostic gene signatures for patient stratification in breast cancer: accuracy, stability and interpretability of gene selection approaches using prior knowledge on protein-protein interactions. *BMC Bioinformatics*, 13, 69. doi:10.1186/1471-2105-13-69

- Curtis, C., Shah, S. P., Chin, S.-F., Turashvili, G., Rueda, O. M., Dunning, M. J., et al. (2012). The genomic and transcriptomic architecture of 2,000 breast tumours reveals novel subgroups. *Nature*, 486(7403), 346–352. doi:10.1038/nature10983
- Dees, N. D., Zhang, Q., Kandoth, C., Wendl, M. C., Schierding, W., Koboldt, D. C., et al. (2012). MuSiC: identifying mutational significance in cancer genomes. *Genome Research*, 22(8), 1589–1598. doi:10.1101/gr.134635.111
- Delaney, J. T., Ramirez, A. H., Bowton, E., Pulley, J. M., Basford, M. A., Schildcrout, J. S., et al. (2012). Predicting clopidogrel response using DNA samples linked to an electronic health record. *Clinical Pharmacology & Therapeutics*, 91(2), 257–263. doi:10.1038/clpt.2011.221
- Derrien, T., Johnson, R., Bussotti, G., Tanzer, A., Djebali, S., Tilgner, H., et al. (2012). The GENCODE v7 catalog of human long noncoding RNAs: analysis of their gene structure, evolution, and expression. *Genome Research*, 22(9), 1775–1789. doi:10.1101/gr.132159.111
- Deus, H. F., Prud'hommeaux, E., Miller, M., Zhao, J., Malone, J., Adamusiak, T., et al. (2012). Translating standards into practice - one Semantic Web API for Gene Expression. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(4), 782–794. doi:10.1016/j.jbi.2012.03.002
- Diogo, D., Kurreeman, F., Stahl, E. A., Liao, K. P., Gupta, N., Greenberg, J. D., et al. (2013). Rare, Low-Frequency, and Common Variants in the Protein-Coding Sequence of Biological Candidate Genes from GWASs Contribute to Risk of Rheumatoid Arthritis. *American journal of human genetics*, 92(1), 15–27. doi:10.1016/j.ajhg.2012.11.012
- Divoli, A., Mendonça, E. A., Evans, J. A., & Rzhetsky, A. (2011). Conflicting biomedical assumptions for mathematical modeling: the case of cancer metastasis. *PLoS Computational Biology*, 7(10), e1002132. doi:10.1371/journal.pcbi.1002132
- Djebali, S., Davis, C. A., Merkel, A., Dobin, A., Lassmann, T., Mortazavi, A., et al. (2012). Landscape of transcription in human cells. *Nature*, 489(7414), 101–108. doi:10.1038/nature11233
- Do, C. B., Hinds, D. A., Francke, U., & Eriksson, N. (2012). Comparison of family history and SNPs for predicting risk of complex disease. *PLoS genetics*, 8(10), e1002973. doi:10.1371/journal.pgen.1002973
- Duan, Q., Liu, E. Y., Croteau-Chonka, D. C., Mohlke, K. L., & Li, Y. (2013). A comprehensive SNP and indel imputability database. *Bioinformatics*. doi:10.1093/bioinformatics/bts724
- Dudley, J. T., Kim, Y., Liu, L., Markov, G. J., Gerold, K., Chen, R., et al. (2012). Human genomic disease variants: a neutral evolutionary explanation. *Genome Research*, 22(8), 1383–1394. doi:10.1101/gr.133702.111
- Duke, J. D., Han, X., Wang, Z., Subhadarshini, A., Karnik, S. D., Li, X., et al. (2012). Literature based drug interaction prediction with clinical assessment using electronic medical records: novel myopathy associated drug interactions. (J. D. Duke, X. Han, Z. Wang, A. Subhadarshini, S. D. Karnik, X. Li, et al., Eds.) *PLoS Computational Biology*, 8(8), e1002614. doi:10.1371/journal.pcbi.1002614.t006
- Dutkowski, J., Kramer, M., Surma, M. A., Balakrishnan, R., Cherry, J. M., Krogan, N. J., & Ideker, T. (2012). A gene ontology inferred from molecular networks. *Nature Biotechnology*.

Edlund, K., Larsson, O., Ameer, A., Bunikis, I., Gyllensten, U., Leroy, B., et al. (2012). Data-driven unbiased curation of the TP53 tumor suppressor gene mutation database and validation by ultradeep sequencing of human tumors. *Proceedings of the National Academy of Sciences*, *109*(24), 9551–9556. doi:10.1073/pnas.1200019109

Egawa, N., Kitaoka, S., Tsukita, K., Naitoh, M., Takahashi, K., Yamamoto, T., et al. (2012). Drug screening for ALS using patient-specific induced pluripotent stem cells. *Science Translational Medicine*, *4*(145), 145ra104. doi:10.1126/scitranslmed.3004052

Ehret, G. B., Lamparter, D., Hoggart, C. J., Genetic Investigation of Anthropometric Traits Consortium, Whittaker, J. C., Beckmann, J. S., & Kutalik, Z. (2012). A Multi-SNP Locus-Association Method Reveals a Substantial Fraction of the Missing Heritability. *American journal of human genetics*, *91*(5), 863–871. doi:10.1016/j.ajhg.2012.09.013

Elding, H., Lau, W., Swallow, D. M., & Maniatis, N. (2013). Refinement in localization and identification of gene regions associated with crohn disease. *American journal of human genetics*, *92*(1), 107–113. doi:10.1016/j.ajhg.2012.11.004

Ellis, M. J., Ding, L., Shen, D., Luo, J., Suman, V. J., Wallis, J. W., et al. (2012). Whole-genome analysis informs breast cancer response to aromatase inhibition. *Nature*, *486*(7403), 353–360. doi:10.1038/nature11143

ENCODE Project Consortium, Dunham, I., Kundaje, A., Aldred, S. F., Collins, P. J., Davis, C. A., et al. (2012). An integrated encyclopedia of DNA elements in the human genome. *Nature*, *489*(7414), 57–74. doi:10.1038/nature11247

Facchetti, G., Zampieri, M., & Altafini, C. (2012). Predicting and characterizing selective multiple drug treatments for metabolic diseases and cancer. *BMC Systems Biology*, *6*(1), 115. doi:10.1186/1752-0509-6-115

Feiglin, A., Hacohen, A., Sarusi, A., Fisher, J., Unger, R., & Ofran, Y. (2012). Static network structure can be used to model the phenotypic effects of perturbations in regulatory networks. *Bioinformatics*, *28*(21), 2811–2818. doi:10.1093/bioinformatics/bts517

Folger, O., Jerby, L., Frezza, C., Gottlieb, E., Ruppin, E., & Shlomi, T. (2011). Predicting selective drug targets in cancer through metabolic networks. *Molecular Systems Biology*, *7*, 501. doi:10.1038/msb.2011.35

Fotsch, E. J. (2012). Electronic health records: the new vehicle for drug labeling, safety, and efficacy. *Clinical Pharmacology & Therapeutics*, *91*(5), 917–919. doi:10.1038/clpt.2012.31

Frost, H. R., & McCray, A. T. (2012). Markov Chain Ontology Analysis (MCOA). *BMC Bioinformatics*, *13*, 23. doi:10.1186/1471-2105-13-23

Fung, K. W., Jao, C. S., & Demner-Fushman, D. (2013). Extracting drug indication information from structured product labels using natural language processing. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001291

Garcia, M., Millat-Carus, R., Bertucci, F., Finetti, P., Birnbaum, D., & Bidaut, G. (2012). Interactome-transcriptome integration for predicting distant metastasis in breast cancer.

Garnett, M. J., Edelman, E. J., Heidorn, S. J., Greenman, C. D., Dastur, A., Lau, K. W., et al. (2012). Systematic identification of genomic markers of drug sensitivity in cancer cells. *Nature*, 483(7391), 570–575. doi:10.1038/nature11005

Gerlinger, M., Rowan, A. J., Horswell, S., Larkin, J., Endesfelder, D., Gronroos, E., et al. (2012). Intratumor heterogeneity and branched evolution revealed by multiregion sequencing. *New England Journal of Medicine*, 366(10), 883–892. doi:10.1056/NEJMoa1113205

Gerstein, M. B., Kundaje, A., Hariharan, M., Landt, S. G., Yan, K.-K., Cheng, C., et al. (2012). Architecture of the human regulatory network derived from ENCODE data. *Nature*, 489(7414), 91–100. doi:10.1038/nature11245

Gevaert, O., Xu, J., Hoang, C. D., Leung, A. N., Xu, Y., Quon, A., et al. (2012). Non-small cell lung cancer: identifying prognostic imaging biomarkers by leveraging public gene expression microarray data--methods and preliminary results. *Radiology*, 264(2), 387–396. doi:10.1148/radiol.12111607

Gilman, S. R., Chang, J., Xu, B., Bawa, T. S., Gogos, J. A., Karayiorgou, M., & Vitkup, D. (2012). Diverse types of genetic variation converge on functional gene networks involved in schizophrenia. *Nature neuroscience*, 15(12), 1723–1728. doi:10.1038/nn.3261

Gottlieb, A., Stein, G. Y., Oron, Y., Ruppin, E., & Sharan, R. (2012). INDI: a computational framework for inferring drug interactions and their associated recommendations. *Molecular Systems Biology*, 8, 592. doi:10.1038/msb.2012.26

Gönen, M. (2012). Predicting drug-target interactions from chemical and genomic kernels using Bayesian matrix factorization. *Bioinformatics*, 28(18), 2304–2310. doi:10.1093/bioinformatics/bts360

Gregori-Puigjané, E., Setola, V., Hert, J., Crews, B. A., Irwin, J. J., Lounkine, E., et al. (2012). Identifying mechanism-of-action targets for drugs and probes. *Proceedings of the National Academy of Sciences*, 109(28), 11178–11183. doi:10.1073/pnas.1204524109

Groza, T., Hunter, J., & Zankl, A. (2013). Mining skeletal phenotype descriptions from scientific literature. *PLoS ONE*, 8(2), e55656. doi:10.1371/journal.pone.0055656

Gu, H. H., Elhanan, G., Perl, Y., Hripcsak, G., Cimino, J. J., Xu, J., et al. (2012). A study of terminology auditors' performance for UMLS semantic type assignments. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(6), 1042–1048. doi:10.1016/j.jbi.2012.05.006

Guney, E., & Oliva, B. (2012). Exploiting protein-protein interaction networks for genome-wide disease-gene prioritization. *PLoS ONE*, 7(9), e43557. doi:10.1371/journal.pone.0043557

Gymrek, M., McGuire, A. L., Golan, D., Halperin, E., & Erlich, Y. (2013). Identifying personal genomes by surname inference. *Science*, 339(6117), 321–324. doi:10.1126/science.1229566

Haerian, K., Varn, D., Vaidya, S., Ena, L., Chase, H. S., & Friedman, C. (2012). Detection of pharmacovigilance-related adverse events using electronic health records and automated methods. *Clinical Pharmacology & Therapeutics*, 92(2), 228–234. doi:10.1038/clpt.2012.54

Haibe-Kains, B., Olsen, C., Djebbari, A., Bontempi, G., Correll, M., Bouton, C., & Quackenbush, J. (2012). Predictive networks: a flexible, open source, web application for integration and analysis of human gene networks. *Nucleic Acids Research*, 40(Database issue), D866–75. doi:10.1093/nar/gkr1050

Hajiloo, M., Sapkota, Y., Mackey, J. R., Robson, P., Greiner, R., & Damaraju, S. (2013). ETHNOPRED: a novel machine learning method for accurate continental and sub-continental ancestry identification and population stratification correction. *BMC Bioinformatics*, 14(1), 61. doi:10.1186/1471-2105-14-61

Hansen, J., & Iyengar, R. (2013). Computation as the mechanistic bridge between precision medicine and systems therapeutics. *Clinical Pharmacology & Therapeutics*, 93(1), 117–128. doi:10.1038/clpt.2012.199

Harpaz, R., DuMouchel, W., Shah, N. H., Madigan, D., Ryan, P., & Friedman, C. (2012). Novel data-mining methodologies for adverse drug event discovery and analysis. *Clinical Pharmacology & Therapeutics*, 91(6), 1010–1021. doi:10.1038/clpt.2012.50

Heintzelman, N. H., Taylor, R. J., Simonsen, L., Lustig, R., Anderko, D., Haythornthwaite, J. A., et al. (2012). Longitudinal analysis of pain in patients with metastatic prostate cancer using natural language processing of medical record text. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001076

Heiser, L. M., Sadanandam, A., Kuo, W.-L., Benz, S. C., Goldstein, T. C., Ng, S., et al. (2012). Subtype and pathway specific responses to anticancer compounds in breast cancer. *Proceedings of the National Academy of Sciences*, 109(8), 2724–2729. doi:10.1073/pnas.1018854108

Hicks, J. K., Crews, K. R., Hoffman, J. M., Kornegay, N. M., Wilkinson, M. R., Lorier, R., et al. (2012). A clinician-driven automated system for integration of pharmacogenetic interpretations into an electronic medical record. *Clinical Pharmacology & Therapeutics*, 92(5), 563–566. doi:10.1038/clpt.2012.140

Himes, B. E., Sheppard, K., Berndt, A., Leme, A. S., Myers, R. A., Gignoux, C. R., et al. (2013). Integration of Mouse and Human Genome-Wide Association Data Identifies KCNIP4 as an Asthma Gene. *PLoS ONE*, 8(2), e56179. doi:10.1371/journal.pone.0056179

Hoehndorf, R., Dumontier, M., & Gkoutos, G. V. (2012). Identifying aberrant pathways through integrated analysis of knowledge in pharmacogenomics. *Bioinformatics*, 28(16), 2169–2175. doi:10.1093/bioinformatics/bts350

Hosseinzadeh, F., Ebrahimi, M., Goliaei, B., & Shamabadi, N. (2012). Classification of lung cancer tumors based on structural and physicochemical properties of proteins by bioinformatics models. *PLoS ONE*, 7(7), e40017. doi:10.1371/journal.pone.0040017

Hripcsak, G., & Albers, D. J. (2013). Next-generation phenotyping of electronic health records. *Journal of the American Medical Informatics Association*, 20(1), 117–121. doi:10.1136/amiajnl-2012-001145

Hu, T., Chen, Y., Kiralis, J. W., Collins, R. L., Wejse, C., Sirugo, G., et al. (2013). An information-gain approach to detecting three-way epistatic interactions in genetic association studies. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-

Huang, S.-S. C., Clarke, D. C., Gosline, S. J. C., Labadorf, A., Chouinard, C. R., Gordon, W., et al. (2013). Linking Proteomic and Transcriptional Data through the Interactome and Epigenome Reveals a Map of Oncogene-induced Signaling. *PLoS Computational Biology*, *9*(2), e1002887. doi:10.1371/journal.pcbi.1002887

Ionita-Laza, I., Makarov, V., ARRA Autism Sequencing Consortium, & Buxbaum, J. D. (2012). Scan-statistic approach identifies clusters of rare disease variants in LRP2, a gene linked and associated with autism spectrum disorders, in three datasets. *American journal of human genetics*, *90*(6), 1002–1013. doi:10.1016/j.ajhg.2012.04.010

Irwin, J. J., Sterling, T., Mysinger, M. M., Bolstad, E. S., & Coleman, R. G. (2012). ZINC: A Free Tool to Discover Chemistry for Biology. *Journal of Chemical Information and Modeling*. doi:10.1021/ci3001277

Iyengar, R., Zhao, S., Chung, S.-W., Mager, D. E., & Gallo, J. M. (2012). Merging systems biology with pharmacodynamics. *Science Translational Medicine*, *4*(126), 126ps7. doi:10.1126/scitranslmed.3003563

Jain, M., Nilsson, R., Sharma, S., Madhusudhan, N., Kitami, T., Souza, A. L., et al. (2012). Metabolite profiling identifies a key role for glycine in rapid cancer cell proliferation. *Science*, *336*(6084), 1040–1044. doi:10.1126/science.1218595

Jia, P., Wang, L., Fanous, A. H., Pato, C. N., Edwards, T. L., International Schizophrenia Consortium, & Zhao, Z. (2012). Network-assisted investigation of combined causal signals from genome-wide association studies in schizophrenia. *PLoS Computational Biology*, *8*(7), e1002587. doi:10.1371/journal.pcbi.1002587

Jiang, N., He, J., Weinstein, J. A., Penland, L., Sasaki, S., He, X.-S., et al. (2013). Lineage structure of the human antibody repertoire in response to influenza vaccination. *Science Translational Medicine*, *5*(171), 171ra19. doi:10.1126/scitranslmed.3004794

Jing, X., Kay, S., Marley, T., Hardiker, N. R., & Cimino, J. J. (2012). Incorporating personalized gene sequence variants, molecular genetics knowledge, and health knowledge into an EHR prototype based on the Continuity of Care Record standard. *JOURNAL OF BIOMEDICAL INFORMATICS*, *45*(1), 82–92. doi:10.1016/j.jbi.2011.09.001

Jones, D. J., Barkun, A. N., Lu, Y., Enns, R., Sinclair, P., Martel, M., et al. (2012). Conflicts of interest ethics: silencing expertise in the development of international clinical practice guidelines. (Vol. 156, pp. 809–16– W–283). Presented at the Annals of internal medicine. doi:10.1059/0003-4819-156-11-201206050-00008

Jourdren, L., Bernard, M., Dillies, M.-A., & Le Crom, S. (2012). Eoulsan: a cloud computing-based framework facilitating high throughput sequencing analyses. *Bioinformatics*, *28*(11), 1542–1543. doi:10.1093/bioinformatics/bts165

Jung, K. S., Moon, S., Kim, Y. J., Kim, B.-J., & Park, K. (2012). Genovar: a detection and visualization tool for genomic variants. *BMC Bioinformatics*, *13* Suppl 7, S12. doi:10.1186/1471-2105-13-S7-S12

Katzan, I. L., & Rudick, R. A. (2012). Time to integrate clinical and research informatics.



Keller, K. E., Tan, I. S., & Lee, Y.-S. (2012). SAICAR stimulates pyruvate kinase isoform M2 and promotes cancer cell survival in glucose-limited conditions. *Science*, 338(6110), 1069–1072. doi:10.1126/science.1224409

Kho, A. N., Hayes, M. G., Rasmussen-Torvik, L., Pacheco, J. A., Thompson, W. K., Armstrong, L. L., et al. (2012). Use of diverse electronic medical record systems to identify genetic risk for type 2 diabetes within a genome-wide association study. *Journal of the American Medical Informatics Association*, 19(2), 212–218. doi:10.1136/amiajnl-2011-000439

Kim Kjærulff, S., Wich, L., Kringelum, J., Jacobsen, U. P., Kouskoumvekaki, I., Audouze, K., et al. (2013). ChemProt-2.0: visual navigation in a disease chemical biology database. *Nucleic Acids Research*, 41(Database issue), D464–9. doi:10.1093/nar/gks1166

Kim, D., Shin, H., Song, Y. S., & Kim, J. H. (2012a). Synergistic effect of different levels of genomic data for cancer clinical outcome prediction. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(6), 1191–1198. doi:10.1016/j.jbi.2012.07.008

Kim, J., Gao, L., & Tan, K. (2012b). Multi-analyte network markers for tumor prognosis. *PLoS ONE*, 7(12), e52973. doi:10.1371/journal.pone.0052973

Kitzman, J. O., Snyder, M. W., Ventura, M., Lewis, A. P., Qiu, R., Simmons, L. E., et al. (2012). Noninvasive whole-genome sequencing of a human fetus. *Science Translational Medicine*, 4(137), 137ra76. doi:10.1126/scitranslmed.3004323

Knights, J., Chanda, P., Sato, Y., Kaniwa, N., Saito, Y., Ueno, H., et al. (2013). Vertical Integration of Pharmacogenetics in Population PK/PD Modeling: A Novel Information Theoretic Method. *CPT: Pharmacometrics & Systems Pharmacology*, 2(2), e25. doi:10.1038/psp.2012.25

Kohane, I. S., & Shendure, J. (2012). What's a Genome Worth? *Science Translational Medicine*, 4(133), 133fs13. doi:10.1126/scitranslmed.3004208

Kohane, I. S., & Valtchinov, V. I. (2012). Quantifying the white blood cell transcriptome as an accessible window to the multiorgan transcriptome. *Bioinformatics*, 28(4), 538–545. doi:10.1093/bioinformatics/btr713

Kohane, I. S., Drazen, J. M., & Campion, E. W. (2012). A glimpse of the next 100 years in medicine. *New England Journal of Medicine*, 367(26), 2538–2539. doi:10.1056/NEJMe1213371

Kong, S. W., Collins, C. D., Shimizu-Motohashi, Y., Holm, I. A., Campbell, M. G., Lee, I.-H., et al. (2012). Characteristics and predictive value of blood transcriptome signature in males with autism spectrum disorders. *PLoS ONE*, 7(12), e49475. doi:10.1371/journal.pone.0049475

Kozhenkov, S., & Baitaluk, M. (2012). Mining and integration of pathway diagrams from imaging data. *Bioinformatics*, 28(5), 739–742. doi:10.1093/bioinformatics/bts018

Kristensen, V. N., Vaske, C. J., Ursini-Siegel, J., Van Loo, P., Nordgard, S. H., Sachidanandam, R., et al. (2012). Integrated molecular profiles of invasive breast tumors and ductal carcinoma in situ (DCIS) reveal differential vascular and interleukin signaling. *Proceedings of the National Academy of Sciences*, 109(8), 2802–2807. doi:10.1073/pnas.1108781108

Kulikowski, C. A., Shortliffe, E. H., Currie, L. M., Elkin, P. L., Hunter, L. E., Johnson, T. R., et al. (2012). AMIA Board white paper: definition of biomedical informatics and specification of core competencies for graduate education in the discipline. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001053

Lee, I., Blom, U. M., Wang, P. I., Shim, J. E., & Marcotte, E. M. (2011). Prioritizing candidate disease genes by network-based boosting of genome-wide association data. *Genome Research*, 21(7), 1109–1121. doi:10.1101/gr.118992.110

Lee, S., Kwon, M.-S., Oh, J. M., & Park, T. (2012). Gene-gene interaction analysis for the survival phenotype based on the Cox model. *Bioinformatics*, 28(18), i582–i588. doi:10.1093/bioinformatics/bts415

Lee, Y., Li, H., Li, J., Rebman, E., Achour, I., Regan, K. E., et al. (2013). Network models of genome-wide association studies uncover the topological centrality of protein interactions in complex diseases. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001519

Lesko, L. J., & Schmidt, S. (2012). Individualization of drug therapy: history, present state, and opportunities for the future. *Clinical Pharmacology & Therapeutics*, 92(4), 458–466. doi:10.1038/clpt.2012.113

Levy, M. A., Lovly, C. M., & Pao, W. (2012). Translating genomic information into clinical medicine: lung cancer as a paradigm. *Genome Research*, 22(11), 2101–2108. doi:10.1101/gr.131128.111

Li, Haiquan, Lee, Y., Chen, J. L., Rebman, E., Li, J., & Lussier, Y. A. (2012a). Complex-disease networks of trait-associated single-nucleotide polymorphisms (SNPs) unveiled by information theory. *Journal of the American Medical Informatics Association*, 19(2), 295–305. doi:10.1136/amiajnl-2011-000482

Li, Jiao, & Lu, Z. (2012). Systematic identification of pharmacogenomics information from clinical trials. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(5), 870–878. doi:10.1016/j.jbi.2012.04.005

Li, Jun, Roebuck, P., Grünewald, S., & Liang, H. (2012b). SurvNet: a web server for identifying network-based biomarkers that most correlate with patient survival data. *Nucleic Acids Research*, 40(Web Server issue), W123–6. doi:10.1093/nar/gks386

Li, Li, Ruau, D., Chen, R., Weber, S., & Butte, A. J. (2013). Systematic identification of risk factors for Alzheimer's disease through shared genetic architecture and electronic medical records. *Pacific Symposium on Biocomputing. Pacific Symposium on Biocomputing*, 224–235.

Li, Zi-hui, Liu, Y.-F., Li, K.-N., Duanmu, H.-Z., Chang, Z.-Q., Li, Z.-Q., et al. (2012c). Analysis of functional and pathway association of differential co-expressed genes: a case study in drug addiction. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(1), 30–36. doi:10.1016/j.jbi.2011.08.014

Lin, Y., Yoo, S., & Sanchez, R. (2012). SiteComp: a server for ligand binding site analysis in protein structures. *Bioinformatics*, 28(8), 1172–1173. doi:10.1093/bioinformatics/bts095

Lindblad-Toh, K., Garber, M., Zuk, O., Lin, M. F., Parker, B. J., Washietl, S., et al. (2011). A

high-resolution map of human evolutionary constraint using 29 mammals. *Nature*, 478(7370), 476–482. doi:10.1038/nature10530

Liu, D. J., & Leal, S. M. (2012). Estimating genetic effects and quantifying missing heritability explained by identified rare-variant associations. *American journal of human genetics*, 91(4), 585–596. doi:10.1016/j.ajhg.2012.08.008

Liu, M., Wu, Y., Chen, Y., Sun, J., Zhao, Z., Chen, X.-W., et al. (2012a). Large-scale prediction of adverse drug reactions using chemical, biological, and phenotypic properties of drugs. *Journal of the American Medical Informatics Association*, 19(e1), e28–35. doi:10.1136/amiajnl-2011-000699

Liu, X., Liu, Z.-P., Zhao, X.-M., & Chen, L. (2012b). Identifying disease genes and module biomarkers by differential interactions. *Journal of the American Medical Informatics Association*, 19(2), 241–248. doi:10.1136/amiajnl-2011-000658

Lounkine, E., Keiser, M. J., Whitebread, S., Mikhailov, D., Hamon, J., Jenkins, J. L., et al. (2012). Large-scale prediction and testing of drug activity on side-effect targets. *Nature*, 486(7403), 361–367. doi:10.1038/nature11159

Lussier, Y. A., & Li, H. (2012). Breakthroughs in genomics data integration for predicting clinical outcome. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(6), 1199–1201. doi:10.1016/j.jbi.2012.10.003

Ma, H., & Zhao, H. (2012). FacPad: Bayesian sparse factor modeling for the inference of pathways responsive to drug treatment. *Bioinformatics*, 28(20), 2662–2670. doi:10.1093/bioinformatics/bts502

MacLeod, A. K., Davies, G., Payton, A., Tenesa, A., Harris, S. E., Liewald, D., et al. (2012). Genetic copy number variation and general cognitive ability. *PLoS ONE*, 7(12), e37385. doi:10.1371/journal.pone.0037385

Mahdi, R., Madduri, A. S., Wang, G., Strulovici-Barel, Y., Salit, J., Hackett, N. R., et al. (2012). Empirical Bayes conditional independence graphs for regulatory network recovery. *Bioinformatics*, 28(15), 2029–2036. doi:10.1093/bioinformatics/bts312

Marbach, D., Costello, J. C., Küffner, R., Vega, N. M., Prill, R. J., Camacho, D. M., et al. (2012). Wisdom of crowds for robust gene network inference. *Nature Methods*, 9(8), 796–804. doi:10.1038/nmeth.2016

Masys, D. R., Jarvik, G. P., Abernethy, N. F., Anderson, N. R., Papanicolaou, G. J., Paltoo, D. N., et al. (2011). Technical desiderata for the integration of genomic data into Electronic Health Records. *JOURNAL OF BIOMEDICAL INFORMATICS*. doi:10.1016/j.jbi.2011.12.005

Mathur, S., & Dinakarbandian, D. (2012). Finding disease similarity based on implicit semantic similarity. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(2), 363–371. doi:10.1016/j.jbi.2011.11.017

Maurano, M. T., Humbert, R., Rynes, E., Thurman, R. E., Haugen, E., Wang, H., et al. (2012). Systematic localization of common disease-associated variation in regulatory DNA. *Science*, 337(6099), 1190–1195. doi:10.1126/science.1222794

McGuire, M. F., Sriram Iyengar, M., & Mercer, D. W. (2012). Data driven linear algebraic methods for analysis of molecular pathways: application to disease progression in shock/trauma. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(2), 372–387. doi:10.1016/j.jbi.2011.12.002

McLeay, R. C., Lesluyes, T., Cuellar Partida, G., & Bailey, T. L. (2012). Genome-wide in silico prediction of gene expression. *Bioinformatics*, 28(21), 2789–2796. doi:10.1093/bioinformatics/bts529

Montero-Melendez, T., Dalli, J., & Perretti, M. (2013). Gene expression signature-based approach identifies a pro-resolving mechanism of action for histone deacetylase inhibitors. *Cell death and differentiation*, 20(4), 567–575. doi:10.1038/cdd.2012.154

Morgan, A. A., Chen, R., & Butte, A. J. (2012a). Clinical utility of sequence-based genotype compared with that derivable from genotyping arrays. *Journal of the American Medical Informatics Association*, 19(e1), e21–7. doi:10.1136/amiajnl-2011-000737

Morgan, A. A., Pyrgos, V. J., Nadeau, K. C., Williamson, P. R., & Butte, A. J. (2012b). Multiplex meta-analysis of RNA expression to identify genes with variants associated with immune dysfunction. *Journal of the American Medical Informatics Association*, 19(2), 284–288. doi:10.1136/amiajnl-2011-000657

Mu, X. J., Lu, Z. J., Kong, Y., Lam, H. Y. K., & Gerstein, M. B. (2011). Analysis of genomic variation in non-coding elements using population-scale sequencing data from the 1000 Genomes Project. *Nucleic Acids Research*, 39(16), 7058–7076. doi:10.1093/nar/gkr342

Mueller, K., Ash, C., Pennisi, E., & Smith, O. (2012). The Gut Microbiota. *Science*, 336(6086), 1245–1245. doi:10.1126/science.336.6086.1245

Nagarajan, R., Kalinka, A. T., & Hogan, W. R. (2013). Evidence of community structure in biomedical research grant collaborations. *JOURNAL OF BIOMEDICAL INFORMATICS*, 46(1), 40–46. doi:10.1016/j.jbi.2012.08.002

Nelson, M. R., Wegmann, D., Ehm, M. G., Kessner, D., St Jean, P., Verzilli, C., et al. (2012). An abundance of rare functional variants in 202 drug target genes sequenced in 14,002 people. *Science*, 337(6090), 100–104. doi:10.1126/science.1217876

Neri, P. M., Pollard, S. E., Volk, L. A., Newmark, L. P., Varugheese, M., Baxter, S., et al. (2012). Usability of a novel clinician interface for genetic results. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(5), 950–957. doi:10.1016/j.jbi.2012.03.007

Novarino, G., El-Fishawy, P., Kayserili, H., Meguid, N. A., Scott, E. M., Schroth, J., et al. (2012). Mutations in BCKD-kinase lead to a potentially treatable form of autism with epilepsy. *Science*, 338(6105), 394–397. doi:10.1126/science.1224631

Ohno-Machado, L. (2012). To share or not to share: that is not the question. *Science Translational Medicine*, 4(165), 165cm15. doi:10.1126/scitranslmed.3004454

Overby, C. L., Devine, E. B., Tarczy-Hornoch, P., & Kalet, I. J. (2012). Deriving rules and assertions from pharmacogenomics knowledge resources in support of patient drug metabolism efficacy predictions. *Journal of the American Medical Informatics Association*, 19(5), 840–850. doi:10.1136/amiajnl-2011-000405

- Papillon-Cavanagh, S., De Jay, N., Hachem, N., Olsen, C., Bontempi, G., Aerts, H. J. W. L., et al. (2013). Comparison and validation of genomic predictors for anticancer drug sensitivity. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001442
- Patay, B. A., & Topol, E. J. (2012). The unmet need of education in genomic medicine. *The American journal of medicine*, *125*(1), 5–6. doi:10.1016/j.amjmed.2011.05.005
- Peterson, T. A., Nehrt, N. L., Park, D., & Kann, M. G. (2012). Incorporating molecular and functional context into the analysis and prioritization of human variants associated with cancer. *Journal of the American Medical Informatics Association*, *19*(2), 275–283. doi:10.1136/amiajnl-2011-000655
- Pihan, E., Colliandre, L., Guichou, J.-F., & Douguet, D. (2012). e-Drug3D: 3D structure collections dedicated to drug repurposing and fragment-based drug design. *Bioinformatics*, *28*(11), 1540–1541. doi:10.1093/bioinformatics/bts186
- Pique-Regi, R., Degner, J. F., Pai, A. A., Gaffney, D. J., Gilad, Y., & Pritchard, J. K. (2011). Accurate inference of transcription factor binding from DNA sequence and chromatin accessibility data. *Genome Research*, *21*(3), 447–455. doi:10.1101/gr.112623.110
- Poirel, C. L., Rahman, A., Rodrigues, R. R., Krishnan, A., Addesa, J. R., & Murali, T. M. (2013). Reconciling differential gene expression data with molecular interaction networks. *Bioinformatics*, *29*(5), 622–629. doi:10.1093/bioinformatics/btt007
- Prabhu, S., & Pe'er, I. (2012). Ultrafast genome-wide scan for SNP-SNP interactions in common complex disease. *Genome Research*, *22*(11), 2230–2240. doi:10.1101/gr.137885.112
- Pritchard, J. R., Bruno, P. M., Gilbert, L. A., Capron, K. L., Lauffenburger, D. A., & Hemann, M. T. (2013a). Defining principles of combination drug mechanisms of action. *Proceedings of the National Academy of Sciences*, *110*(2), E170–9. doi:10.1073/pnas.1210419110
- Pritchard, J. R., Bruno, P. M., Hemann, M. T., & Lauffenburger, D. A. (2013b). Predicting cancer drug mechanisms of action using molecular network signatures. *Molecular BioSystems*. doi:10.1039/c2mb25459j
- Pritchard, J. R., Lauffenburger, D. A., & Hemann, M. T. (2012). Understanding resistance to combination chemotherapy. *Drug resistance updates : reviews and commentaries in antimicrobial and anticancer chemotherapy*, *15*(5-6), 249–257. doi:10.1016/j.drug.2012.10.003
- Pulley, J. M., Denny, J. C., Peterson, J. F., Bernard, G. R., Vnencak-Jones, C. L., Ramirez, A. H., et al. (2012). Operational implementation of prospective genotyping for personalized medicine: the design of the Vanderbilt PREDICT project. *Clinical Pharmacology & Therapeutics*, *92*(1), 87–95. doi:10.1038/clpt.2011.371
- Ramirez, A. H., Shi, Y., Schildcrout, J. S., Delaney, J. T., Xu, H., Oetjens, M. T., et al. (2012). Predicting warfarin dosage in European-Americans and African-Americans using DNA samples linked to an electronic health record. *Pharmacogenomics*, *13*(4), 407–418. doi:10.2217/pgs.11.164
- Ramírez, F., Lawyer, G., & Albrecht, M. (2012). Novel search method for the discovery of functional relationships. *Bioinformatics*, *28*(2), 269–276. doi:10.1093/bioinformatics/btr631

- Ramsey, L. B., Bruun, G. H., Yang, W., Trevino, L. R., Vattathil, S., Scheet, P., et al. (2012). Rare versus common variants in pharmacogenetics: SLCO1B1 variation and methotrexate disposition. *Genome Research*, 22(1), 1–8. doi:10.1101/gr.129668.111
- Rasmussen, H. B., & Dahmcke, C. M. (2012). Genome-wide identification of structural variants in genes encoding drug targets: possible implications for individualized drug therapy. *Pharmacogenetics and Genomics*, 22(7), 471–483. doi:10.1097/FPC.0b013e328352c770
- Regan, K., Wang, K., Doughty, E., Li, H., Li, J., Lee, Y., et al. (2012). Translating Mendelian and complex inheritance of Alzheimer's disease genes for predicting unique personal genome variants. *Journal of the American Medical Informatics Association*, 19(2), 306–316. doi:10.1136/amiajnl-2011-000656
- Ritchie, M. D., Denny, J. C., Zuvich, R. L., Crawford, D. C., Schildcrout, J. S., Bastarache, L., et al. (2013). Genome- and Phenome-Wide Analysis of Cardiac Conduction Identifies Markers of Arrhythmia Risk. *Circulation*. doi:10.1161/CIRCULATIONAHA.112.000604
- Rivera, C. G., Tyler, B. M., & Murali, T. M. (2012). Sensitive detection of pathway perturbations in cancers. *BMC Bioinformatics*, 13 Suppl 3, S9. doi:10.1186/1471-2105-13-S3-S9
- Roberts, K. E., Cushing, P. R., Boisguerin, P., Madden, D. R., & Donald, B. R. (2012a). Computational design of a PDZ domain peptide inhibitor that rescues CFTR activity. *PLoS Computational Biology*, 8(4), e1002477. doi:10.1371/journal.pcbi.1002477
- Roberts, N. J., Vogelstein, J. T., Parmigiani, G., Kinzler, K. W., Vogelstein, B., & Velculescu, V. E. (2012b). The predictive capacity of personal genome sequencing. *Science Translational Medicine*, 4(133), 133ra58. doi:10.1126/scitranslmed.3003380
- Ronquillo, J. G., Li, C., & Lester, W. T. (2012). Genetic testing behavior and reporting patterns in electronic medical records for physicians trained in a primary care specialty or subspecialty. *Journal of the American Medical Informatics Association*, 19(4), 570–574. doi:10.1136/amiajnl-2011-000621
- Rukov, J. L., Wilentzik, R., Jaffe, I., Vinther, J., & Shomron, N. (2013). Pharmaco-miR: linking microRNAs and drug effects. *Briefings in Bioinformatics*. doi:10.1093/bib/bbs082
- Sakakibara, Y., Hachiya, T., Uchida, M., Nagamine, N., Sugawara, Y., Yokota, M., et al. (2012). COPICAT: a software system for predicting interactions between proteins and chemical compounds. *Bioinformatics*, 28(5), 745–746. doi:10.1093/bioinformatics/bts031
- Samwald, M., & Adlassnig, K.-P. (2013). Pharmacogenomics in the pocket of every patient? A prototype based on quick response codes. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001275
- Sarkar, I. N. (2012). A vector space model approach to identify genetically related diseases. *Journal of the American Medical Informatics Association*, 19(2), 249–254. doi:10.1136/amiajnl-2011-000480
- Sartor, M. A., Ade, A., Wright, Z., States, D., Omenn, G. S., Athey, B., & Karnovsky, A. (2012). Metab2MeSH: annotating compounds with medical subject headings. *Bioinformatics*, 28(10), 1408–1410. doi:10.1093/bioinformatics/bts156

- Savova, G. K., Olson, J. E., Murphy, S. P., Cafourek, V. L., Couch, F. J., Goetz, M. P., et al. (2012). Automated discovery of drug treatment patterns for endocrine therapy of breast cancer within an electronic medical record. *Journal of the American Medical Informatics Association*, 19(e1), e83–9. doi:10.1136/amiajnl-2011-000295
- Sayani, S. (2012). Geomapping health-related data. (Vol. 4, p. 119mr4). Presented at the Science translational medicine. doi:10.1126/scitranslmed.3003383
- Schaefer, C., Meier, A., Rost, B., & Bromberg, Y. (2012). SNPdbe: constructing an nsSNP functional impacts database. *Bioinformatics*, 28(4), 601–602. doi:10.1093/bioinformatics/btr705
- Schaefer, M. H., Lopes, T. J. S., Mah, N., Shoemaker, J. E., Matsuoka, Y., Fontaine, J.-F., et al. (2013). Adding protein context to the human protein-protein interaction network to reveal meaningful interactions. *PLoS Computational Biology*, 9(1), e1002860. doi:10.1371/journal.pcbi.1002860
- Schaub, M. A., Boyle, A. P., Kundaje, A., Batzoglou, S., & Snyder, M. (2012). Linking disease associations with regulatory information in the human genome. *Genome Research*, 22(9), 1748–1759. doi:10.1101/gr.136127.111
- Schildcrout, J. S., Denny, J. C., Bowton, E., Gregg, W., Pulley, J. M., Basford, M. A., et al. (2012). Optimizing drug outcomes through pharmacogenetics: a case for preemptive genotyping. *Clinical Pharmacology & Therapeutics*, 92(2), 235–242. doi:10.1038/clpt.2012.66
- Schuemie, M. J., Coloma, P. M., Straatman, H., Herings, R. M. C., Trifirò, G., Matthews, J. N., et al. (2012). Using electronic health care records for drug safety signal detection: a comparative evaluation of statistical methods. *Medical care*, 50(10), 890–897. doi:10.1097/MLR.0b013e31825f63bf
- Segagni, D., Tibollo, V., Dagliati, A., Zambelli, A., Priori, S. G., & Bellazzi, R. (2012). An ICT infrastructure to integrate clinical and molecular data in oncology research. *BMC Bioinformatics*, 13 Suppl 4, S5. doi:10.1186/1471-2105-13-S4-S5
- Senger, C., Grüning, B. A., Erxleben, A., Döring, K., Patel, H., Flemming, S., et al. (2012). Mining and evaluation of molecular relationships in literature. *Bioinformatics*, 28(5), 709–714. doi:10.1093/bioinformatics/bts026
- Shah, S. P., Roth, A., Goya, R., Oloumi, A., Ha, G., Zhao, Y., et al. (2012). The clonal and mutational evolution spectrum of primary triple-negative breast cancers. *Nature*, 486(7403), 395–399. doi:10.1038/nature10933
- Shi, M., Beauchamp, R. D., & Zhang, B. (2012). A network-based gene expression signature informs prognosis and treatment for colorectal cancer patients. *PLoS ONE*, 7(7), e41292. doi:10.1371/journal.pone.0041292
- Smith, A. J. P., Howard, P., Shah, S., Eriksson, P., Stender, S., Giambartolomei, C., et al. (2012). Use of allele-specific FAIRE to determine functional regulatory polymorphism using large-scale genotyping arrays. *PLoS genetics*, 8(8), e1002908. doi:10.1371/journal.pgen.1002908

- Snitkin, E. S., Zelazny, A. M., Thomas, P. J., Stock, F., NISC Comparative Sequencing Program Group, Henderson, D. K., et al. (2012). Tracking a hospital outbreak of carbapenem-resistant *Klebsiella pneumoniae* with whole-genome sequencing. *Science Translational Medicine*, 4(148), 148ra116. doi:10.1126/scitranslmed.3004129
- Somarowthu, S., & Ondrechen, M. J. (2012). POOL server: machine learning application for functional site prediction in proteins. *Bioinformatics*, 28(15), 2078–2079. doi:10.1093/bioinformatics/bts321
- Stanek, E. J., Sanders, C. L., Taber, K. A. J., Khalid, M., Patel, A., Verbrugge, R. R., et al. (2012). Adoption of pharmacogenomic testing by US physicians: results of a nationwide survey. *Clinical Pharmacology & Therapeutics*, 91(3), 450–458. doi:10.1038/clpt.2011.306
- Stephens, P. J., Tarpey, P. S., Davies, H., Van Loo, P., Greenman, C., Wedge, D. C., et al. (2012). The landscape of cancer genes and mutational processes in breast cancer. *Nature*, 486(7403), 400–404. doi:10.1038/nature11017
- Sullivan, P. F., Daly, M. J., & O'Donovan, M. (2012). Genetic architectures of psychiatric disorders: the emerging picture and its implications. *Nature Publishing Group*, 13(8). doi:10.1038/nrg3240
- Sun, J., Wu, Y., Xu, H., & Zhao, Z. (2012a). DTome: a web-based tool for drug-target interactome construction. *BMC Bioinformatics*, 13 Suppl 9, S7. doi:10.1186/1471-2105-13-S9-S7
- Sun, N., Yazawa, M., Liu, J., Han, L., Sanchez-Freire, V., Abilez, O. J., et al. (2012b). Patient-Specific Induced Pluripotent Stem Cells as a Model for Familial Dilated Cardiomyopathy. *Science Translational Medicine*, 4(130), 130ra47. doi:10.1126/scitranslmed.3003552
- Szalay-Beko, M., Palotai, R., Szappanos, B., Kovács, I. A., Papp, B., & Csermely, P. (2012). ModuLand plug-in for Cytoscape: determination of hierarchical layers of overlapping network modules and community centrality. *Bioinformatics*, 28(16), 2202–2204. doi:10.1093/bioinformatics/bts352
- Tan, H., Bao, J., & Zhou, X. (2012). A novel missense-mutation-related feature extraction scheme for “driver” mutation identification. *Bioinformatics*, 28(22), 2948–2955. doi:10.1093/bioinformatics/bts558
- Tang, C. S., & Ferreira, M. A. R. (2012). A gene-based test of association using canonical correlation analysis. *Bioinformatics*, 28(6), 845–850. doi:10.1093/bioinformatics/bts051
- Tansey, K. E., Guipponi, M., Perroud, N., Bondolfi, G., Domenici, E., Evans, D., et al. (2012). Genetic predictors of response to serotonergic and noradrenergic antidepressants in major depressive disorder: a genome-wide analysis of individual-level data and a meta-analysis. *PLoS medicine*, 9(10), e1001326. doi:10.1371/journal.pmed.1001326
- Tari, L., Vo, N., Liang, S., Patel, J., Baral, C., & Cai, J. (2012). Identifying novel drug indications through automated reasoning. *PLoS ONE*, 7(7), e40946. doi:10.1371/journal.pone.0040946
- Tatonetti, N. P., Fernald, G. H., & Altman, R. B. (2011). A novel signal detection algorithm for identifying hidden drug-drug interactions in adverse event reports. *Journal of the American*



Tatonetti, N. P., Ye, P. P., Daneshjou, R., & Altman, R. B. (2012). Data-driven prediction of drug effects and interactions. *Science Translational Medicine*, 4(125), 125ra31. doi:10.1126/scitranslmed.3003377

Tenenbaum, J., James, A., & Paulyson-Nuñez, K. (2012). An Altered Treatment Plan Based on Direct to Consumer (DTC) Genetic Testing: Personalized Medicine from the Patient/Pin-cushion Perspective. *Journal of Personalized Medicine*, 2(4), 192–200. doi:10.3390/jpm2040192

Teng, M., Ichikawa, S., Padgett, L. R., Wang, Y., Mort, M., Cooper, D. N., et al. (2012). regSNPs: a strategy for prioritizing regulatory single nucleotide substitutions. *Bioinformatics*, 28(14), 1879–1886. doi:10.1093/bioinformatics/bts275

Thieu, T., Joshi, S., Warren, S., & Korkin, D. (2012). Literature mining of host-pathogen interactions: comparing feature-based supervised learning and language-based approaches. *Bioinformatics*, 28(6), 867–875. doi:10.1093/bioinformatics/bts042

Toyoshima, M., Howie, H. L., Imakura, M., Walsh, R. M., Annis, J. E., Chang, A. N., et al. (2012). Functional genomics identifies therapeutic targets for MYC-driven cancer. *Proceedings of the National Academy of Sciences*, 109(24), 9545–9550. doi:10.1073/pnas.1121119109

Trugenberger, C. A., Wälti, C., Peregrim, D., Sharp, M. E., & Bureeva, S. (2013). Discovery of novel biomarkers and phenotypes by semantic technologies. *BMC Bioinformatics*, 14(1), 51. doi:10.1186/1471-2105-14-51

Tzoneva, G., Perez-Garcia, A., Carpenter, Z., Khiabani, H., Tosello, V., Allegretta, M., et al. (2013). Activating mutations in the NT5C2 nucleotidase gene drive chemotherapy resistance in relapsed ALL. *Nature Medicine*, 19(3), 368–371. doi:10.1038/nm.3078

Use of genome-wide association studies for drug repositioning. (n.d.). Use of genome-wide association studies for drug repositioning.

Ushijima, M., Mashima, T., Tomida, A., Dan, S., Saito, S., Furuno, A., et al. (2013). Development of a gene expression database and related analysis programs for evaluation of anticancer compounds. *Cancer science*, 104(3), 360–368. doi:10.1111/cas.12071

van Mulligen, E. M., Fourrier-Reglat, A., Gurwitz, D., Molokhia, M., Nieto, A., Trifirò, G., et al. (2012). The EU-ADR corpus: annotated drugs, diseases, targets, and their relationships. *JOURNAL OF BIOMEDICAL INFORMATICS*, 45(5), 879–884. doi:10.1016/j.jbi.2012.04.004

Vandin, F., Upfal, E., & Raphael, B. J. (2012). De novo discovery of mutated driver pathways in cancer. *Genome Research*, 22(2), 375–385. doi:10.1101/gr.120477.111

Vilar, S., Harpaz, R., Uriarte, E., Santana, L., Rabadan, R., & Friedman, C. (2012). Drug-drug interaction through molecular structure similarity analysis. *Journal of the American Medical Informatics Association*, 19(6), 1066–1074. doi:10.1136/amiajnl-2012-000935

Vincent, M., Oved, K., Morag, A., Pasmanik-Chor, M., Oron-Karni, V., Shomron, N., & Gurwitz, D. (2012). Genome-wide transcriptomic variations of human lymphoblastoid cell lines: insights from pairwise gene-expression correlations. *Pharmacogenomics*, 13(16), 1893–1904. doi:10.2217/pgs.12.179

- Voight, B. F., Peloso, G. M., Orho-Melander, M., Frikke-Schmidt, R., Barbalic, M., Jensen, M. K., et al. (2012). Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. *Lancet*, *380*(9841), 572–580. doi:10.1016/S0140-6736(12)60312-2
- Wang, D., Parkman, H. P., Jacobs, M. R., Mishra, A. K., Krynetskiy, E., & Obradovic, Z. (2012a). DNA microarray SNP associations with clinical efficacy and side effects of domperidone treatment for gastroparesis. *JOURNAL OF BIOMEDICAL INFORMATICS*, *45*(2), 316–322. doi:10.1016/j.jbi.2011.11.013
- Wang, H., Nie, F., Huang, H., Risacher, S. L., Saykin, A. J., Shen, L., Alzheimer's Disease Neuroimaging Initiative. (2012b). Identifying disease sensitive and quantitative trait-relevant biomarkers from multidimensional heterogeneous imaging genetics data via sparse multimodal multitask learning. *Bioinformatics*, *28*(12), i127–36. doi:10.1093/bioinformatics/bts228
- Wang, X., Castro, M. A., Mulder, K. W., & Markowitz, F. (2012c). Posterior association networks and functional modules inferred from rich phenotypes of gene perturbations. *PLoS Computational Biology*, *8*(6), e1002566. doi:10.1371/journal.pcbi.1002566
- Wang, Y., Joseph, S. J., Liu, X., Kelley, M., & Rekaya, R. (2012d). SNPxGE(2): a database for human SNP-coexpression associations. *Bioinformatics*, *28*(3), 403–410. doi:10.1093/bioinformatics/btr663
- Ward, L. D., & Kellis, M. (2012). Evidence of abundant purifying selection in humans for recently acquired regulatory functions. *Science*, *337*(6102), 1675–1678. doi:10.1126/science.1225057
- Wen, Z., Liu, Z.-P., Liu, Z., Zhang, Y., & Chen, L. (2012). An integrated approach to identify causal network modules of complex diseases with application to colorectal cancer. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001168
- Whirl-Carrillo, M., McDonagh, E. M., Hebert, J. M., Gong, L., Sangkuhl, K., Thorn, C. F., et al. (2012). Pharmacogenomics knowledge for personalized medicine. *Clinical Pharmacology & Therapeutics*, *92*(4), 414–417. doi:10.1038/clpt.2012.96
- White, R. W., Tatonetti, N. P., Shah, N. H., Altman, R. B., & Horvitz, E. (2013). Web-scale pharmacovigilance: listening to signals from the crowd. *Journal of the American Medical Informatics Association*. doi:10.1136/amiajnl-2012-001482
- Winter, C., Kristiansen, G., Kersting, S., Roy, J., Aust, D., Knösel, T., et al. (2012a). Google goes cancer: improving outcome prediction for cancer patients by network-based ranking of marker genes. *PLoS Computational Biology*, *8*(5), e1002511. doi:10.1371/journal.pcbi.1002511
- Winter, G. E., Rix, U., Carlson, S. M., Gleixner, K. V., Grebien, F., Gridling, M., et al. (2012b). Systems-pharmacology dissection of a drug synergy in imatinib-resistant CML. *Nature chemical biology*, *8*(11), 905–912. doi:10.1038/nchembio.1085
- Xia, K., Shabalin, A. A., Huang, S., Madar, V., Zhou, Y.-H., Wang, W., et al. (2012). seeQTL: a searchable database for human eQTLs. *Bioinformatics*, *28*(3), 451–452. doi:10.1093/bioinformatics/btr678
- Xie, M., Li, J., & Jiang, T. (2012). Detecting genome-wide epistases based on the clustering of relatively frequent items. *Bioinformatics*, *28*(1), 5–12. doi:10.1093/bioinformatics/btr603

- Yang, W.-L. R., Lee, Y.-E., Chen, M.-H., Chao, K.-M., & Huang, C.-Y. F. (2013). In-silico drug screening and potential target identification for hepatocellular carcinoma using Support Vector Machines based on drug screening result. *Gene*, *518*(1), 201–208. doi:10.1016/j.gene.2012.11.030
- Yang, X., Regan, K., Huang, Y., Zhang, Q., Li, J., Seiwert, T. Y., et al. (2012). Single sample expression-anchored mechanisms predict survival in head and neck cancer. *PLoS Computational Biology*, *8*(1), e1002350. doi:10.1371/journal.pcbi.1002350
- Yoon, D., Park, M. Y., Choi, N. K., Park, B. J., Kim, J. H., & Park, R. W. (2012). Detection of adverse drug reaction signals using an electronic health records database: Comparison of the Laboratory Extreme Abnormality Ratio (CLEAR) algorithm. *Clinical Pharmacology & Therapeutics*, *91*(3), 467–474. doi:10.1038/clpt.2011.248
- Yuan, Yinyin, Failmezger, H., Rueda, O. M., Ali, H. R., Gräf, S., Chin, S.-F., et al. (2012a). Quantitative image analysis of cellular heterogeneity in breast tumors complements genomic profiling. *Science Translational Medicine*, *4*(157), 157ra143. doi:10.1126/scitranslmed.3004330
- Yuan, Yuan, Xu, Y., Xu, J., Ball, R. L., & Liang, H. (2012b). Predicting the lethal phenotype of the knockout mouse by integrating comprehensive genomic data. *Bioinformatics*, *28*(9), 1246–1252. doi:10.1093/bioinformatics/bts120
- Zhang, M., Su, S., Bhatnagar, R. K., Hassett, D. J., & Lu, L. J. (2012a). Prediction and analysis of the protein interactome in *Pseudomonas aeruginosa* to enable network-based drug target selection. *PLoS ONE*, *7*(7), e41202. doi:10.1371/journal.pone.0041202
- Zhang, Q. C., Petrey, D., Deng, L., Qiang, L., Shi, Y., Thu, C. A., et al. (2012b). Structure-based prediction of protein-protein interactions on a genome-wide scale. *Nature*, *490*(7421), 556–560. doi:10.1038/nature11503
- Zhao, Shiwen, & Li, S. (2012). A co-module approach for elucidating drug-disease associations and revealing their molecular basis. *Bioinformatics*, *28*(7), 955–961. doi:10.1093/bioinformatics/bts057
- Zhichkin, P. E., Athey, B. D., Avigan, M. I., & Abernethy, D. R. (2012). Needs for an expanded ontology-based classification of adverse drug reactions and related mechanisms. *Clinical Pharmacology & Therapeutics*, *91*(6), 963–965. doi:10.1038/clpt.2012.41
- Zhu, Q., Ge, D., Heinzen, E. L., Dickson, S. P., Urban, T. J., Zhu, M., et al. (2012). Prioritizing genetic variants for causality on the basis of preferential linkage disequilibrium. *American journal of human genetics*, *91*(3), 422–434. doi:10.1016/j.ajhg.2012.07.010
- Zhu, Y., & Xiong, M. (2012). Family-based association studies for next-generation sequencing. *American journal of human genetics*, *90*(6), 1028–1045. doi:10.1016/j.ajhg.2012.04.022
- Zuk, O., Hechter, E., Sunyaev, S. R., & Lander, E. S. (2012). The mystery of missing heritability: Genetic interactions create phantom heritability. *Proceedings of the National Academy of Sciences*, *109*(4), 1193–1198. doi:10.1073/pnas.1119675109

