



Certificate of Compliance

Certificate: 2358468

Master Contract: 251419

Project: 70031531

Date Issued: August 21, 2015

Issued to: Ortal Ltd
 14 Haharash St.
 Hod Hasharon, 45240
 Israel
 Attention: Tal Gross

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Felix German

Issued by: Felix German

PRODUCTS

CLASS 2901 84 - DOMESTIC HEATERS (GAS) - Vented Fireplace-Certified to U.S. Standards

CLASS 2901 04 - DOMESTIC HEATERS (GAS) - Vented Fireplace

(Class 2901 04, 84)

	Single Burner	Single Burner	Dual Burner	Dual Burner
	Maximum	Maximum	Maximum	Maximum
	Input Rating	Input Rating	Input Rating	Input Rating
	NG	Propane	NG	Propane
Clear - 40/RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4070H /RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4090H /RS/LS/TS/Tunnel	23,670	21,000	---	---



Certificate: 2358468

Master Contract: 251419

Project: 70031531

Date Issued: August 21, 2015

Stand alone 40TS	23,670	21,000	---	---
Small Square	23,670	21,000	---	---
Classic Corner	23,670	21,000	---	---
Classic Modern	23,670	21,000	---	---
Clear - 75/RS/LS/TS	29,100	22,118	33,029	28,500
Minimal 75	29,100	22,118	33,029	28,500
Stand Alone 75/TS	29,100	22,118	33,029	28,500
Space Creator 75	29,100	22,118	33,029	28,500
Clear 75x65/Tunnel	29,100	22,118	33,029	28,500
Stand Alone 75x65 Curve/Tunnel	29,100	22,118	33,029	28,500
Minimal 60X80 Tunnel	29,100	22,118	33,029	28,500
Clear - 60x80/Tunnel	29,100	22,118	33,029	28,500
Classic F 70/80	29,100	22,118	33,029	28,500
4 Glass Island	29,100	22,118	33,029	28,500
Clear - 80/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 8070H/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 75H/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 110/RS/LS/TS/Tunnel	37,167	28,500	42,185	33,400
Stand Alone 110	37,167	28,500	42,185	33,400
Island 130	37,167	28,500	42,185	33,400
Clear – 110H / Tunnel	37,167	28,500	42,185	33,400
Minimal 110 Tunnel	37,167	28,500	42,185	33,400
Clear - 130/RS/LS/TS/Tunnel/Top	37,167	28,500	42,185	33,400



Certificate: 2358468

Master Contract: 251419

Project: 70031531

Date Issued: August 21, 2015

Minimal 130 Tunnel	37,167	28,500	42,185	33,400
Space Creator 120 / Mini / Midi	37,167	28,500	42,185	33,400
Clear - 150 H/RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Space Creator 150	43,715	36,850	49,616	37,400
Stand Alone 150	43,715	36,850	49,616	37,400
Clear - 170/RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear - 200/H/RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Space Creator 200	51,277	36,659	58,200	37,500
Clear - 250/RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Clear - 250H	51,277	36,659	58,200	37,500
Clear – 20070H/RS/LS/TS	51,277	36,659	58,200	37,500
Clear- 250/RS/LS/TS/Tunnel	74,334	57,082	84,370	66,800
Clear- 350/RS/LS/TS/Tunnel	87,430	73,700	99,237	74,800
Clear- 400/RS/LS/TS/Tunnel	102,554	73,318	116,400	75,000
4Glass 2 Burners	58,200	44,236	66,058	57,700

* - ALTITUDE: N = 0 to 2,000; feet above sea level.

Note: For elevations above 2000 Ft., this appliance shall be de-rated 4% for each 1000 Ft. above sea level.

Single Burner	Single Burner	Dual Burner	Dual Burner
Minimum	Minimum	Minimum	Minimum
Input Rating	Input Rating	Input Rating	Input Rating
NG	Propane	NG	Propane



Certificate: 2358468

Master Contract: 251419

Project: 70031531

Date Issued: August 21, 2015

Clear - 75/RS/LS/TS	16,147	13,811	18,327	17,796
Stand Alone 75/TS	16,147	13,811	18,327	17,796
Space Creator 75	16,147	13,811	18,327	17,796
Clear 75x65/Tunnel	16,147	13,811	18,327	17,796
Stand Alone 75x65 Curve/Tunnel	16,147	13,811	18,327	17,796
Clear - 60x80/Tunnel	16,147	13,811	18,327	17,796
Classic F 70/80	16,147	13,811	18,327	17,796
4 Glass Island	16,147	13,811	18,327	17,796
Clear - 80/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 8070H/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 75H/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 110/RS/LS/TS/Tunnel	22,800	22,900	28,878	26,837
Stand Alone 110	22,800	22,900	28,878	26,837
Island 130	37,167	22,900	28,878	26,837
Clear - 110H / Tunnel	37,167	22,900	28,878	26,837
Clear - 130/RS/LS/TS/Tunnel/Top	37,167	22,900	28,878	26,837
Space Creator 120 / Mini / Midi	37,167	22,900	28,878	26,837
Clear - 150 H/RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Space Creator 150	23,300	27,100	28,878	27,467
Stand Alone 150	23,300	27,100	28,878	27,467
Clear - 170/RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear - 200/H/RS/LS/TS/Tunnel	27,467	26,400	27,454	26,829



Certificate: 2358468

Master Contract: 251419

Project: 70031531

Date Issued: August 21, 2015

Space Creator 200	27,467	26,400	27,454	37,500
Clear - 250/RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Clear - 250H	27,467	26,400	27,454	37,500
Clear – 20070H/RS/LS/TS	27,467	26,400	27,454	37,500
Clear- 250/RS/LS/TS/Tunnel	45,596	45,902	46,820	43,976
Clear- 350/RS/LS/TS/Tunnel	46,624	54,256	55,067	49,470
Clear- 400/RS/LS/TS/Tunnel	48,444	52,800	64,588	60,518
4Glass 2 Burners	32,294	27,622	36,658	37,524

APPLICABLE REQUIREMENTS

ANSI Z21.88-2014/CSA 2.33-2014 - Vented Gas Fireplace Heaters

ANSI Z21.88-2009/CSA 2.33-2009 - Vented Gas Fireplace Heaters

8805-05 P4.1-02 - Testing Method for Annual Fireplace Efficiency



Supplement to Certificate of Compliance

Certificate: 2358468

Master Contract: 251419

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
70031531	Aug 21, 2015	Updated Gas Fireplaces to Gas Notice 329 to ANSI Z21.88/CSA 2.33-2014
2758663	Nov 21, 2014	Tested glass barriers to Gas Fireplaces requirement to (Gas Notices 294 & 329). Updated report to ANSI Z21.88/CSA 2.33-2014 and added Class Nos. 8805-05 P4.1-02 Testing Method for Annual Fireplace Efficiency.
2605464	Sep 25, 2013	Add alternate model nos. 4 Glass Island, Clear-250, 350, 400-RS,LS,TS, Tunnel and Power Vent System-Dura Vent and added gas components.
2503686	Apr 25, 2012	Corrected Factory Inspection Report.
2440619	Aug 11, 2011	Efficiency Testing CSA P.4.1-02 for Canadian Certification.
2395268	Feb 15, 2011	Address corrected to Certificate of Compliance.
2358468	Jan 14, 2011	Original Certification
2769588	Jan 1, 1753	Updated Report to Gas Notice 294 & 329 to ANSI Z21.88/CSA 2.33-2014 (complete product line as been updated).

Supplement Notes