

# Specification Sheet

## #52FD Straight Ceiling Box with Fire Damper





- Box is constructed of 26ga galvanized steel.
- Body of boot is approximately 6" deep to accommodate fire damper and register.
- Full 26" plate to attach boot to ceiling joist
- Collar is 2" tall.

- Frame  
21 GA Galvanized Steel
- Blades - Full Length Hinge  
21 GA Galvanized Steel
- Closure Springs  
Stainless Steel
- Fusible Link - UL-33  
UL Listed 165F (standard) 212 F (optional)
- \* Insulation (blade)  
None Required

Model 5650 meets or complies with the following as a ceiling radiation damper.

- NFPA Standards
- All major building codes, including BOCA, ICBO/UBC, SBCCI & ICC International Code
- UL 555C Listing 2 Hour - File #R7365
- CA State Fire Marshal - #3225-1518-103

High Free Area Design



A dim. is always width of blades

Available Sizes	
W x H	Collar Sizes
4 x 8	4", 5"
4 x 10	4", 5", 6"
4 x 12	6", 7"
4 x 14	7"
6 x 8	6"
6 x 10	5", 6", 7"
6 x 12	6", 7", 8"
6 x 14	6", 7", 8"
8 x 8	6"
8 x 10	7", 8"
8 x 12	7", 8"
8 x 14	6", 7", 8"

W x H = Register Size

**JOB NAME :** \_\_\_\_\_

**LOCATION :** \_\_\_\_\_

**ARCHITECT:** \_\_\_\_\_

**ENGINEER :** \_\_\_\_\_